Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental





Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The AVP

PACT REAL ESTATE PVT. LTD.

office no. 101, building 7, Commerzone, Off Airport Road, Samrat Akshok Path, Yerwada, Pune -411006

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/81951/2022 dated 08 Aug 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC23B000MH134125

2. File No. SIA/MH/MIS/81951/2022

3. **Project Type** Expansion

4. Category **B1**

5. Project/Activity including Schedule No.

N/A

6. Name of Project

Name of Company/Organization 7.

PACT REAL ESTATE PVT. LTD.

8. **Location of Project** Maharashtra

9. **TOR Date** 25 May 2022

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 12/04/2023

(e-signed) Pravin C. Darade, I.A.S. **Member Secretary** SEIAA - (Maharashtra)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/81951/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To

M/s.Pact Real Estate Pvt. Ltd., Village: Pirangut, Paud road, Pune.

Subject

Environmental Clearance for Building Construction Project at Proposed expansion in EC of building construction Project located at Gat. No. 273/A/Plot No. 1 to 10, Gat. No. 273/A/Plot No./E1 to E35, Gat. No. 273/A/Plot No./Green Space /1 to 4, Gat. No. 273/A/Plot No. / Internal Road, Gat. No. 273/B/Plot No.1 to 21, 39 to 46, Gat No. 273/C/Plot No.1 to 9,11,12, 14 to 89, Gat. No. 273/D/Plot No.1 to 52, Gat. No. 273/K/Plot No.1 to 6, 8 to 15, Gat. No. 273/Plot No./Open Space 1 to 4, Gat. No. 273/Plot No./Amenity Space 1 to 3, Gat No. 273/Plot No./Site Office, Gat No.273/Plot No./Internal Road Village: Pirangut, Pune Paud road, Pune by M/s.Pact Real Estate Pvt. Ltd.

Reference: Application no. SIA/MH/MIS/81951/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 161st meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 257th (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/MIS/8195	1/2022				
2	Name of Project	Proposed expansion in EC of building construction Project					
		located at Gat. No. 273/A/Plot No. 1 to 10, Gat. No. 273/A/					
		Plot No./E1 to E35, Gat. No. 273/A/Plot No./Green Space /1 to					
		4, Gat. No. 273/A/Plot No. / Internal Road, Gat. No. 273/B/Plot					
		No.1 to 21, 39 to 46,	Gat No. 273/C/Plot No.1 to 9,11,12, 14 to				
			Plot No.1 to 52, Gat. No. 273/K/Plot No.1				
	For	to 6, 8 to 15, Gat. No. 273/Plot No./Open Space 1 to 4, Gat. No.					
		273/Plot No./Amenity Space 1 to 3, Gat No. 273/Plot No./Site					
		Office, Gat No.273/Plot No./Internal Road Village: Pirangut,					
		Pune Paud road, Pune, Maharashtra					
3	Project category	8(b), B1					
4	Type of Institution	Private					
	Project Proponent	Name	M/s. Pact Real Estate Pvt. Ltd.				
5		Regd. Office	Raheja Tower Bandra Kurla Complex,				

	<u> </u>		addr	address Mumbai							
	·		Cont	act number	9823469165	- 					
			e-ma	il	vketkar@krahe						
6	Consultant		Snel	na Hi-Tech Produ	icts Pvt. Ltd.						
7	Applied for		Exp	ansion in Environ	ment Clearan	ice					
8	Details of pre	vious EC	EC I	etter no. SIA/MH/N	MIS/ 137956/20	020 dated	28.10.2020				
9	Location of	the project	Gat.	No. 273/A/Plot No	. 1 to 10, Gat. N	No. 273/A	/ Plot No./E1 to				
				E35, Gat. No. 273/A/Plot No./Green Space /1 to 4, Gat. No.							
		// //		273/A/Plot No. / Internal Road, Gat. No. 273/B/Plot No.1 to 21,							
}				39 to 46, Gat No. 273/C/Plot No.1 to 9,11,12, 14 to 89, Gat. No.							
				D/Plot No.1 to 52,							
				No. 273/Plot No./							
1				Amenity Space 1 to							
				73/Plot No./Intern		ge: Pirang	gut, Pune Paud				
10	Latitude and	Longituda		Pune, Maharashtra ude: 18°29'49.80"]		72010106	16"E				
11	Total Plot A		Annual State of the State of th	727.28 m ²	N, Longhude.	13 42 20	.10 E				
12	Deductions (889.25 m ²							
13	Net Plot area	`		838.03 m ²			Ÿ.				
14	Proposed FS			975.76 m ²							
15	Proposed no			24.24 m ²							
	area(m2)										
16	Proposed TE	BUA (m²)	1,50,	300.00 m ²			ý, fi				
17	TBUA (m2) a	* ** *		sed approval obtair	ned on 06.09.20)22 vide n	o.				
	Planning Auth	ority till date		BMU/C.R.No.90/22-23/Mouza-Pirangut/S.No./G.No./CTS No.							
			273 & others								
18	Ground cover			61,179.36 sq.m							
19	Total Project			of Expansion: Rs.			- #				
20	CER as per Mo			s per Office Memo	randum 22-65/	2017 - 1A-1	II dated 25th				
21	circular dated (ary 2021			\n				
21	Details of Bu	naing Conn	gurano				Reason for Change				
	Previous FC/	Existing Br	uilding	Proposed Confi	guration	<u>. 14. 14. 14. 14.</u> No. 150	Ay ang P				
	Bldg.	Configur	Ht.	Bldg.	Configurat	Ht.	i kind				
	Name	ation	(m)	Name	ion	(m)					
	A1-6	G+1	8.28	A1-6	G+1	8.28	No change				
	A7,8,9,10,15,	G+1	7.6	HAPPEN TO BE A COMPANY OF THE	G 1 1	7.6	existing bldgs.				
	16	Par.		A7,8,9,10,15,16	e A.	<u>V</u>					
	A11 -14	G+1	8.28	A11 -14	G + 1	8.28					
	A 21	G+1	7.85	A 21	G + 1	7.85	ļ				
	A22-29	G+1	7.85	A22-29	G+1	7.85					
	A -36	G+1	7.55	A -36	G+1	7.55					
	TH 1-5	G + 2	11.50	TH 1-5	G+2	11.50					
		LG + UG	11.2	Cl. L. I	LG+UG+	11.2	1				
				I dark koraco		l	I .				
	Club house	+1		Club house	1						
	Club house Site office		7.6	Site office	1 LG+G+	7.6					

	A18-20	G+1	7.85	Z1-Z4	G+2	0.6	Nomenalet
	A30,31,32,	G+1	7.65	<u>Z1-Z4</u>	G+2 G+2	9.6	Nomenclature
	33,34,35	0 1	7.03	Y1-Y12A	G+2	9.6	& design
-	B1-B21	G+1	7.85	B1-B21	C + 1	7.05	change
	B22-B38	G+1	7.85		G+1	7.85	No change
-	C1 to C6	G+1	7.65	E1-E35	G+2	9.6	Nomenclature
	C1 10 C0	0+1	7.03	G3-G15,H1 to	G+2	9.6	& design
-	C7 to C9	C + 1	7.05	H5			change
-	C/10C9	G+1	7.85	X(1,4%) (1,17)	0.1	10.65	1
	C 21 22	G + 1	7.65	M1A, M1B,	G+1	10.65	
	C-31, 32			M2A, M2B	2.1		
			7.65	M3, M4	G+1	7.85	
		G+1	7,65	N1A, N1B,	G+1	6.85	
				N4A, N4B,			
	/%_/j			N5A,N5B,			
				N8A, N8B,			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
}				N9A, N9B			
	C-33 to 40			N2, N3, N6,	G+1	7.85	
				N7, N10, N11,			*
				N14 & N15			
				N12A,N12B,	G+1	10.65	
İ				N12C, N12D,			
				N16A,N16B,			
-	174 174			N17A, N17B			
		G+1	7.85	IIA,IIB,	G+1	6.85	
	C11 to C12			I2A,I2B			
				I3A,I3B	G+1	10.65	
		,494 VII		I4,I5	G+1	7.85	
	C14 to C15	G + 1	7.85	J1-J4	G+1	7.85	
- 48	C16 to C30	G + 1	7.85	L1-L23	G+2	9.6	
	C41 to C62	G+1	7.85	T1 TO T32	G+2	9.6	
	C63 to C78	G+1	7.85	S1 TO S39	G+2	9.6	f wh
	ejje Va	G+1	7.85	C79A	G+1	7.85	
	C79		e y hogaear e raide d	C79B	P+4	14.90	
				C79C	P+4	14.90	
	C80 to C83	G + 1	7.85	C80 to C83	G+1	7.85	
	D1 to D2	G+1	7.65	D1 to D2	G+1	7.65	No change
		G + 1	7.65	The Cast will have	G+2	9.6	Nomenclature
	D10 to D13	. Par		C1 to C19		1	& design
				an Julya i			change
	D22 to D36	G+1	7.65	D22 to D36	G+1	7.65	No change
	D38	G+1	7.85		G+2	9.6	Nomenclature
		G+1	7.65	Q2 to Q15		7.0	& design
	D39-42	i		(= (change
	D3 to D9	G+1	7.85	D3 to D9	G+1	7.85	No change
	D14 to D21	G+1	7.85	D14 to D21	G+1	7.85	2.0 Ondinge
	D37	G+1	7.85	D37	G+1	7.85	
1	D43 to 52	G+1	7.85	D43 to D52	G+1	7.85	
	2 13 10 32	<u> </u>	7.00	D+3 t0 D34	011	7.05	

	TH12 to	G+2	11.50		G	+ 2	11.50	
	TH14, TH16	0 - 2	11.00	TH12 to TH14, TH16 to TH18,	1			
	to TH18,			TH20				
	TH20				,			
ļ	TH 15	G+2	11.50	TH 15		+ 2	11.50	
	Temporary	Ground	5.03	D101 - D104	0	i+2	9.6	Nomenclature
	glass house			D101 to D104				& design
	·	C	£ 22					change Deleted from
İ	Amenity	Ground	5.33			Name of the last	. programa	new design
İ	building 1 &		A					new design
	Plot B41-	G + 1	6.85		G	+1	6.85	No Change
	C84,		0.05	Plot B41-C84,			3.00	under
	(NOVA) G1		V.	(NOVA) G1 &				construction
	& G2 (Twin			G2 (Twin villa)				
	villa)							
	Plot B41-	P+4	14.90	Plot B41-C84-	P	+4	14.90	
	C84- TH6-10		,40	TH6-10				
	Plot B 39, F1	G+1	7.85	Plot B39, F1 to	G	+1	6.85	
	to F26 –			F16 – Twin villa	L			
	Twin villa						10.65	
	m 1 1	c m		F17 to F26	<u>U</u>	+1	10.65	
22	Total number of	251308 TEAT	ments: 54	1989-250-250 Pt.: 260 PS				
	tenements & u	sers Kesic	ientiai us	sers: 2952 nos.	£			
23	Water Budget	Dry S	Season (C	CMD)	.4	Wet Se	ason (CM	D)
		26 (St. 52)	Water	29	91	Fresh V	Water	291
		Recy	cled wat	er 15	53	1 1 1 5 THE RES	ed water	153
	Jan Veril	20 20 cm	ning)			(flushi		4 9 TO
			cled wat	er 16	50		ed water	0
			dening)			(Gard		
		Section 1987 Contract	ıming Po)		ning Pool	0
		Total			04	Total		444
		79.1 36.0	e water	4.	12	1. 18.1950	water ition	W.
24	Water Starone		ration estic: 58	OIZI D	(genera	ttion 🛬 🦠	<u> </u>
24	Water Storage Capacity for	1740000	esue: 30 hing: 28			Age.		
	Firefighting / U	11187 A 3 1700 A 11		kld, 137kld, 150kl	d. 1611	dd 108	kld.	
	(m3)			24kld, 63kld	,	u, ioo	Mid,	
25	Source of water			er/ Treated Sewage	e	·/		
26	Rainwater						tions 12-15 m	
	Harvesting (RV						Pre monso	
	J \							tions 8-12 m
•							Post mons	
						1		tions 22-28 m
							Pre monso	,
1						For Up	oper areas	20-25 m BGL

-					Post monsoons)		
		Size and no. of R Quantity:	RWH tank(s) and	N	NA		
		Quantity and size	of recharge pits:	Si	0 nos. ize 1 m diameter with depth 1 m elow Invert level, with Borewell f 60 m		
27	Sewage and	Sewage generation	on in CMD		12		
	Wastewater	STP technology:		_	IBBR		
		Capacity of STP	(CMD):	50 K	O KLD, 25 KLD, 30 KLD, 80 LD, 10 KLD, 45 KLD		
28	Solid Waste	Type	Quantity (kg/d)	13.16.111	atment / disposal		
	during	Dry waste	10 kg/day	It w	vill segregated and handed over		
	Phase	Wet waste	15 kg/day	bod	vill be disposed through local ly garbage collection system		
		Construction waste	At actual	exte	lized on site at maximum ent. Rest will be disposed as per al norms		
29	Solid Waste	Type	Quantity (kg/d)) 🤲	Treatment / disposal		
	Management during Operation Phase		443 kg/day		Handed over to SWaCH agency		
		Wet waste	900 kg/day	Treated in OWC			
		Hazardous waste	0	<u> 7</u>	NA NA		
		Biomedical waste	At actual (mask/gloves e	tc.)	Handed over to Authorized agency		
		E-Waste	1476 kg/year		Handed over to SWaCH agency		
20		STP Sludge (dry)	40 kg/day		Used as manure for gardening		
30	Green Belt	Total RG area (n		_	,479.72		
	Development	Existing trees on p	Existing trees on plot		1637 nos.		
		Number of trees to		+	2502 nos.		
		Number of trees to Number of trees to		0			
31	Power requirement	Source of power s		+	NEDCI		
	Tower requirement	During Construc	tion Phase		MSEDCL 100 KW 1 x 160 kVA		
	- 48°	(Demand Load): During construct		1 x			
		During Operation	During Operation phase (Connected load):		10,110 kW		
		During Operation phase (Demand load):		4,296 kW			
		Transformer:			8 Nos. x 630 kVA, 4 nos. x 315 kVA		
		DG set:		82.	82.5 kVA, 50 kVA, 2 No's. x 75 kVA, 100 kVA, 200 kVA		

		Fuel used:		HSD			
32	Details of Energy	Total Energy	Saving in Project: 25.12 %				
	saving	Saving throu					
33	Environmental	Type	Details		Cost		
	Management plan	Capital	Site Barricading, Perso	nal Protective	30 lacs		
	budget during	1	Equipment, Site Sanita				
	Construction phase		toilets) & Debris Mana	igement			
	· •	O&M	Site Sanitation, Disinfo	ection &	24.4 lacs per		
			Safety, Health Check u	ı p	annum		
			Environmental Monitoring,				
			Environment Managen	100 Mari			
34	Environmental	Component	Component	Capital (Rs.)	O&M (Rs./Y)		
	Management	Sewage	STP installation &	46.90	17.50		
	plan Budget	treatment	OM				
	during	RWH	Construction of	40	7		
	Operation phase		Recharge pits				
		Solid Waste	Installation of OWC				
	# A A		machine& disposal of	60.70	11.65		
			dry & e-waste through				
		77	authorized vendor NA	NA	NA		
		Hazardous waste	NA .	IVA	IVA		
		e-waste	Considered in solid				
		e-wasic	waste costing				
		Green belt	Plantation of new	1048.42	77.94		
		development	trees and maintenance				
			of existing trees				
		Energy saving	Installation of Energy	117.00	7.32		
			saving equipments,				
			solar PV panel, hot				
			water system				
		Environmental	Noise, air, water, soil,		4		
		Monitoring	manure monitoring		10.00		
		Environment	To monitor	- 19	10.20		
		Management	sustainability of				
		Cell	Environmental				
		Diseases	Infrastructures Cost of disaster	3	3		
		Disaster Management	preparedness		,		
35	Traffic	Type	Required as per DCR	Actual	Area per		
	Management	-JP-	1	Provided	parking (m2)		
	1.10.100	4-Wheeler	393	685	12.50 sq.m		
		2-Wheeler	625	670	2.00 sq.m		
		Bicycles	625	670_	0.70 sq.m.		
36	Details of Court of		r.t. the project and project				
	location if any.	J	10 10				

3. Proposal is an expansion of existing construction project. PP has obtained first Environmental clearance Vide letter no. SEAC-2010/CR-441/TC-2 on 18.01.2011 for plot area 3,68,200 m2 and total built up area of 1,47,234.66 m2. Further amendment in EC was obtained on 06.01.2017 vide letter no. SEAC-2016/CR-411/TC-2 for total plot area of 3,24,727.28 m2 and total built up area of 1,30,435.39 m 2. Second amendment in EC was obtained on 28.10.2020 vide letter no. SIA/MH/MIS/137956/2020 for total plot area of 3,24,727.28 m2 and total built up area of 1,36,123.14 m2. Proposal has been considered by SEIAA in its 257th (Day-3) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places. PP to ensure that this should be provided in AC/DC combination.
- 2. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI 132975.76 m2, Non FSI-17324.24 m2, Total BUA-1,50,300.00 m2. (Plan approval No. BMU/CR No 90/22-23/Mouza-Pirangut/S.no/Gno/CTS no/273 & others, dated-06.09.2022)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution

Control Board.

- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely

- circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board

for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade
(Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, PMRDA
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.

EC Identification No. - EC23B000MH134125 File No. - SIA/MH/MIS/81951/2022 Date of Issue EC - 12/04/2023