## Genext Hardware & Parks Private Limited



To,
The Chief Conservator of Forest,
Ministry of Environment, Forests & Climate
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur- 440001

**Sub:** Submission of Environmental Clearance Compliance Status Report for the period of **October 2022 to March 2023.** 

Ref.: Environmental Clearance granted for our project, vide letter No. 21-68/2006-IA.III dated 1st September 2006 & Revised Environmental Clearance is obtained vide letter No.: SEAC 2014/CR-35/TC-1 Dated: 29th September 2014 & further amendment in Environmental Clearance vide No. SEIAA-EC-0000001987 Dated: 13th September 2019.

Dear Sir,

With reference to the above, we wish to inform you that we have been granted Environmental Clearance for proposed project for development of residential complex & composite residential complex & composite building with a Municipal Parking Lot wing on plot bearing C.S. No. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai by the Ministry of Environment & Forest, Government of India.

We are submitting herewith Compliance Status Report for the period **October 2022 to March 2023** towards compliance of conditions mentioned in Environmental Clearance along with the relevant document needed for the submission as mentioned below.

- · Data sheet.
- Compliance Status report

Post Monitoring Report (October 2022 to March 2023)

Hope the above is in compliance with your requirement.

Thanking You, Yours faithfully,

\* \*\*\*\* \*\*

For M/s. Genext Hardware and Parks Pvt Ltd.

**Authorised Signatory** 

Shall H Kachel

Encl: a/a

CC to:

• The Member Secretary, Maharashtra Pollution Control Board, 3<sup>rd</sup> Floor, Kalpataru Point, Sion, Mumbai- 400 022.

 Central Pollution Control Board, Parivesh Bhavan, Opp. VNC word office No. 10, Subhanpura, Vadodara- 390023

Regd. Off.: Plot No. C-30, Block 'G',

महाराष्ट्र प्रवेपका नियंत्रण वंदक

कल्पतरू पड़िट, 🕝 शबला, सायन सर्वेल, सिटें के १९६३र, सायन (पर्व).

Website www.mpcb.dov.in

Opp. SIDBI,

Bandra Kurla Complex, Bandra (E), Mumbai-400 051.

Phone : 91-22-2656 4000
Fax : 91-22-2656 4004
E-mail : krahejacorp@vsnl.com
Website : www.krahejacorp.com

client copy

M/s. Genext Hardware & Parks Pvt. Ltd. (Developers)

## DATA SHEET

1.	Project type: River-valley/ Mining/ Industry/ Thermal/Nuclear/Other (Specify)	Residential Complex & Composite Building with a Municipal Parking Lot.
2.	Name of the Project	Residential Complex along with Composite residential Building with a Municipal Parking Lot on plot bearing CS No. 1903, 1904,1905,1/1905, 2/1905 at Byculla Division, Mumbai by K. Raheja Corp Genext Hardware and Parks Pvt Ltd. C.A to Capricon Realty Ltd
3.	Clearance letter (s)/OM No. And Date	<ul> <li>Environment Clearance Letter vide no: 21-68/2006 – IA.III Dated: 1st September 2006</li> <li>Revised Environmental Clearance is obtained vide letter No.: SEAC 2014/CR-35/TC-1 Dated: 29th September 2014 &amp; further amendment in Environmental Clearance vide No. SEIAA-EC-0000001987 Dated: 13th September 2019</li> </ul>
4.	Location: District (s) State (s) Location Latitude/Longitude	Mumbai Maharashtra Mumbai 1805 2'North /72050'Fast
5.	Address for correspondence  a) Address of the Concerned Project Chief Engineer (With Pin Code and telephone/telex/fax numbers)	18°53'North/72°50'East  Mr. Sudipta Ray Genext Hardware and Parks Pvt Ltd., Plot No. C-30, Block 'G', Opp. SIDBI, Bandra Kurla Complex, Bandra (E), Mumbai-400 051 Tel: 022- 26564699 Fax:022 2656 4306
6.	Salient features a) Of the project	Bldg. no 1 consists of Tower A, B and C for which OC has been received.  Bldg. no 2: 2B + 2 Parking Floors + Stilts + 44 Upper Floors. (41 habitable floors + 2 fire check floors + 1 service floor), OC received, 21st Dec'2017.  Bldg. no 3: 2B (pt) + Gr (pt) + intermediate Parking Floor + 4 Parking Floors (pt) + 2 Parking Floors (full) + stilts + 44 Upper floors (habitable floors) + 2 fire check + 1 service floor  Municipal Public parking Lot: 3 Basements (pt)+Ground(pt)+4Upper floors (pt), handed over to MCGM and 5th & 6th Floor above MPPL will be retained for Residential parking.
	b) Of the Environmental management plans	<ul> <li>Implementation of Rainwater harvesting</li> <li>Reduction in power consumption</li> <li>Reuse of treated sewage</li> <li>A solid waste composting plant will be installed within the layout.</li> </ul>



			osed to be used in t	he Ready-Mix
7.	Break up of the project area a) Submergence area forest and non- forest b) Others	No forest land Developable Plot Area: 61520.46 sq m		
8.	Break up of the project affected population with enumeration of those losing house/dwelling units only agricultural land only. Both dwelling units and agricultural land and landless laborers/artisans: SC, ST/Adivasi	Not Applicable		
9	Financial details: For Phase II (Expansion)  a) Project cost as originally planned and subsequent revised estimates and the year of price reference:	Project Cost: Originally planned - Revised Cost: 835.6 Construction Phase	2 Cr.	
	b) Allocation made for environmental management plans with item wise and year wise break-up.:	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
		Water spray for dust	<i>3</i> %	4.5
		Site sanitation and Potable Water Supply to Labour		5
		Environmental Monitoring	As per the CPCB guidelines through MoEF Approved laboratories – Ambient Air-RSPM, PM2.5, SO2, NOx, CO), Noise: Leq day time and Night Time	8
		Health check-up & first aid	-	6
		Safety Personal Protective Equipment	Helmets, Safety Shoes, Safety Belt, Goggles, Hand Gloves etc.	10
		Traffic Management	Sign Boards, Persons at entry exit and Parking area	4.5
		Tyre cleaning and Vehicle maintenance	rai Kilig ai ea	3
		Storm water Management	(4)	4
		Safety Training to Workers (Twice in Year), Safety Office	_	5
		Safety nets	*	14
		Operation Phase: Bud	Capital	Recurring
		17	Cost - Planned (Rs. In	Cost -Planned (Rs. In Lakhs/ year)



			Lakhs)	
		STP (Tertiary)	45	9
		Solar	15	2
		Rainwater Harvesting	25	2
		Solid waste Composting Plant	12	6
		Landscape	116	12
		Total	213	31
	c) Benefit cost ratio/Internal rate of	1000	213	31
	return and the year of assessment:	Yet to finalize		
	d) Whether (c) includes the cost of environmental management as shown in the above	Not applicable since (c) is y	et to finaliz	e.
	<ul><li>e) Actual expenditure incurred on the project so far</li><li>f) Actual expenditure incurred on the</li></ul>	Total expenditure of proje Rs. 1128.92 Cr (Bldg. 2, Blo		
	environmental management plans so far	Rs. 2.8 Cr		
10.	Forest land requirement:  a) The status of approval for diversion of forest land for non-	Not Applicable		
	forestry use b) The status of cleaning felling	Not Applicable		
	c) The status of compensatory	Not Applicable		
	afforestration, if any d) Comments on the viability and sustainability of compensatory afforestration programme in the light of actual field experience	Not Applicable		
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information	Not Applicable		
12.	Status of construction	EEBP/9527/E-A dt.18 Building no.2 issue dt.11/02/2018 b) Building no 3:	/07/2013  d u./no.  Lot: Par 24 <sup>th</sup> June'2 Residential ate is rece	EB-907-E-A t Occupancy 019. Wing): Full vived on 31st
	a) Date of commencement (Actual and/or planned)	Building No. 3: Composite B	Suilding: Ma	rch 2016
	b) Date of completion (Actual and/or planned)	Building No. 3: Composite B	uilding: Jur	ne 2022
13.	Reason for the delay of the project is	Not Applicable		

M/s. Genext Hardware & Parks Pvt. Ltd. (Developers)

	yet to start	
14.	Dates of site visits a) The dates on which the project was monitored by the Regional Office on previous occasions, if any	Not Applicable
15.	Details of correspondence with project authorities for project Authorities for obtaining act on plans/information on status of compliance to safeguards other than the routine letters for logistic support for site visits. (The contain the details of all the letters issued so far but the later reports may cover only the letter issued subsequently)	Not Applicable



September			ntal Clearance granted vide letter No. 21-68/2006 – IA.III Dated: 1st 2006 & Revised Environmental Clearance is obtained vide letter No.: /CR-35/TC-1 Dated: 29th September 2014. Annexure – II (A)		
	• Amendment in Environment Clearance vide No. SEIAA-EC-0000001987 Dated: 13th September 2019. Annexure – II (B)				
To	M/S. Genext	t Ha	ardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd		
For	Residential Complex along with Composite residential Building with a Municipal Parking Lot on plot bearing CS No. 1903,1904,1905,1/1905,2/1905 at Byculla Division, Mumbai.				
Status					
<b>Building Details</b>			Status		
Building No1		*	<ul> <li>Consists of Tower A, B and C for which Occupation Certificate is obtained as per the EC obtained from New Delhi u/r 21-68/2006-IA.III dated 1st Sept 2006. Annexure – III(A).</li> <li>Building No 1 has been Completed and Building Completion Certificate from MCGM has been obtained on 30.11.13, Annexure – IV.</li> </ul>		
Building no 2		:	OC received, 21st Dec' 2017. Annexure – III(B).		
Building no 3		*6	<ul> <li>Municipal parking Lot: Part Occupation certificate received on 24th June'2019 Annexure – III(C).</li> <li>Composite Bldg (Residential Wing): Full Occupation Certificate is received on 31st March'2022. Annexure – III(D).</li> </ul>		

I.	It is noted that representative of BR	Complied Convert the works are breakted to
1.	It is noted that, representative of PP not submitted the authority letter. PP to submit the same along with copy of company resolution.	Complied. Copy of the reply submitted is enclosed as <b>Annexure - V.</b>
II.	PP to submit the company merger document	Complied. Copy of the reply submitted is enclosed as <b>Annexure - V</b> .
III.	PP to submit dated Architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014.	Complied. Copy of the reply submitted is enclosed as <b>Annexure - V.</b>
IV.	PP stated that there is minor change in FSI (1,32,631.46 Sq.mt instead of 132331.76 Sq.mt) & Non- FSI area (260503.05 Sq.mt instead of 260802.75 Sq.mt) stated in the CS while total built up area is the same. PP to revise the online CS to that extent only.	Complied. Revised CS is enclosed as Annexure - VI.
V.	Local planning authority to ensure the	Noted.

Compliance	Status	Report
------------	--------	--------

		Computance status report
	structural stability of building for which vertical expansion is proposed.	
VI.	PP to upload the HRC NoC.	Complied. HRC NoC is received & enclosed as <b>Annexure - VII.</b>
VII.	The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC.	Noted, Plot doesn't fall within 10 Km radius from the said sanctuary boundary.  As per ESZ notification dated 14th October 2021, our project does not come under ESZ area of Flamingo sanctuary.
VIII.	PP to submit CER plan to Municipal Commissioner/District Collector and submit the acknowledgement to Member Secretary, SEIAA.	CER was earlier included as per MoEF & Circular Dated 01/05/2018. However, we have now been informed that the said 'MoEF & Circular Dated 01/05/2018' has been expressly superseded (i.e. replaced and rendered void) by OM No. 22-65/2017/IA.III dt. 30/09/2020, and it is inter alia further mandated that the activity proposed by the Project Proponent of prescribed by EAC/SEAC (as the case may be), shall be part of the Environment Management Plan. As stated in the said OM dt. 30/09/20, this OM was issued pursuant to receipt of several representations regarding imposing a percentage of the project cost as CER, and the said OM was also challenged in the High Court. Consequently, CER as per the (superseded) MoEF & Circular Dated 01/05/2018 is not applicable or required to be proposed or undertaken.
IX.	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F. No. 22-34/2018-IA.III dt. 04.01.2019.	Noted. We affirm that we will comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F. No. 22-34/2018-IA.III dt. 04.01.2019.
X.	SEIAA decided to grant EC for: FSI: 132631.46 m², Non-FSI: 260503.05 m² and Total BUA: 393134.51 m² (IOD no-EB/5204/E/A, Date-13.03.2019)	Noted.



ĭ	L CONDITIONS  E-waste shall be disposed	E- Waste is being disposed off through
1	through Authorized vendor as	authorized vendor regularly. Copy of E-Waste
	per E-waste (Management and	Returns for year 2021-2022 enclosed a
	Handling) Rules, 2016.	Annexure - VIII.
	- 0:	
П	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	<ul> <li>Building No 1 has been Completed and Building Completion Certificate from MCGM has been obtained on 30.11.13.         OCC for Bldg no 1 issued u/no EEBP/9527/E-A dated 18/07/2013.     </li> <li>Building no 2: OC received on 21st Dec 2017.         OCC for Bldg no 2 issued u/no EB-907-E-A dated 11/02/2018.     </li> <li>Building no 3:         Municipal parking Lot: Part Occupancy certificate received, 24th June' 2019.         Composite Bldg (Residential Wing): Ful Occupation Certificate is received on 31st March'2022.     </li> </ul>
Ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.	Not applicable as the project does not have any diversion of forest land.  As per ESZ notification dated 14th October'21 our project does not come under ESZ area of Flamingo Sanctuary.
TYT	DDI . III I II III	
IV	stipulated by SEAC& SEIAA.	Yes, we will abide to all the conditions stipulated by SEAC & SEIAA.
V	The height, Construction built up	Yes, all the building are constructed as per the
	area of proposed construction	approved layout.
	shall be in accordance with the	-
	existing FSI/FAR norms of the	Copy of the approved layout plan enclosed a
	urban local body & it should	Annexure - IX.
	ensure the same along with	
	survey number before approving	
	layout plan & before according	
	commencement certificate to	
	proposed work. Plan approving	
	authority should also ensure the	
	zoning permissibility for the	
- 1	proposed project as per the	

	the area.	Compliance Status Repor
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	granted from Maharashtra Pollution Control Board vide letter No BO/RO(P&P)/367 dated 10/04/2006 Annexure - X (A)
VII	All required sanitary and hygienic measures should be in place before starting	Yes, all the sanitary & hygienic measures have been taken during construction phase and they are as under:
	construction activities and to be maintained throughout the	<ol> <li>Safe &amp; clean water for workers.</li> <li>Temporary toilets</li> </ol>

		Compliance Status Report
	construction phase.	<ol> <li>Regular medical checkups</li> <li>Accumulation of stagnant water is / will be avoided to prevent breeding of mosquitoes.</li> <li>Regular pest Control is carried out.</li> <li>Workers are provided with safe &amp; clean drinking water.</li> <li>The above measures will be maintained throughout the construction phase.</li> </ol>
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Yes, we have made provision of drinking water, first aid room, toilets, washrooms for workers at construction site. Photographs are enclosed as <b>Annexure - XI</b> .
IX	The solid waste generated should be properly collected and segregated. Dry / inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	The construction debris will be disposed as per the "Construction & Demolition & Desilting Waste (Management & Disposal) Rules 2016. SWM NoC is enclosed as <b>Annexure - XII</b> .
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	The quantity of sub-stratum removed during excavation for building foundation has been disposed off as per royalty compliances.  Necessary precautions for general safety and health aspects are taken in account.
XI	Arrangement shall be made that wastewater and storm water do not get mixed.	Arrangement such as RWH tank & STP is done to avoid mixing of wastewater with storm water.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	Topsoil was not stored as there was existing structure at site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	There is no additional soil requirement for filling within site as there is basement.



Compliance	Status	Report

XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Green Belt development is completed for Bld no 1, 2 & 3. Photographs are enclosed a <b>Annexure - XIII.</b> Preference is given to native plant / drough tolerant species.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	There is no ground water source available a site.  Soil analysis is being carried out to ensure that no contaminant occurs. Please refer posmonitoring report enclosed as <b>Annexure – I</b> .
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.  There is no generation of bituminous at site till date and if generated disposed of as per MPCB norms.	
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.  DG sets are not used during construction and there is no generation of DG spent and the DG spent and the DG spent and there is no generation of DG spent and the DG spent are the DG spent and the DG spen	
XVIII	I The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.  DG sets are not used during construction phase.	
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.	DG sets are not used during construction phase. DG sets are provided for Building No. 1, 2 & for operation phase & will be used as power backup. Day storage tank of 990 Ltr is used to stor diesel for operation of D.G sets. Copy of Hazardous Waste Returns for 2021 2022 enclosed as Annexure - XIV.  Photograph of DG set is enclosed as Annexure



		Compliance Status Report
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	The vehicles hired for bringing construction material at site have valid PUC certificate. All vehicles are less than 8 years old only. Also, they are used only in non-peak hours.  Copy of PUC register is enclosed as <b>Annexure - XVI</b> .
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	Above condition is complied, Environmental monitoring report is enclosed, please refer Post Monitoring Reports.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).	Fly Ash is used in the Ready-Mix Concrete for the construction.  Average fly-ash consumption in RMC is 130 kg/cum to 145 kg/cum in various grades of concrete.
XXIII	Ready mixed concrete must be used in building construction.	Yes, Ready mix concrete is used for construction activity.
XXIV	Storm water control and its re- use as per CGWB and BIS standards for various applications.	The harvested rainwater is used for secondary purposes such as flushing and gardening.  Details of storm water drainage pattern and details of rainwater harvesting system provided at site are enclosed as <b>Annexure</b> - <b>XVII</b> .
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	The measures such as, use of ready-mix concrete, admixture is being used to reduce water demand during construction phase.
XXVI	The ground water level and its quality should be monitored	There is no bore well at site. Hence, carrying out ground water monitoring is not possible.

	regularly in consultation with Ground Water Authority.		
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.	CMD for Bldg No. 1, 100 CMD Bldg. No. 2, 135 CMD Bldg. No. 3 & 20 CMD for PPL) with MBBR technology is provided for treatment of wastewater and is under operation. Recycled water will be used for flushing, gardening and car washing.  Photographs of STP are enclosed as Annexure - XVIII.	
XXVIII	III Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.  Not Applicable, the prime source of during construction phase is the tanke & BMC Water, which is safe and adequate a superior to construction/operation of the project.		
XXIX	KIX Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.  Dual plumbing line will be provided water and grey water.		
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	rates will be used during operation phase.	
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	We will be using high performance glass with low E value and high SHGC coefficient. Energy modeling exercise will be conducted to determine the insulation level acceptable as per the code.	

	Compliance Status Rep		
XXXIII	requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	Over deck roof insulation 75 mm extruded polystyrene or 60 mm puff or equivalent U value insulation with white china mosaic / high albedo reflective white paint above will be used.	
AAAIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar streetlights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.	<ul> <li>energy usage:</li> <li>Day mode / evening mode &amp; night mowill be used for light control.</li> <li>Electronic ballast will be used to seenergy consumption.</li> <li>Use of low loss transformers &amp; switchges</li> <li>CO sensor for parking bay.</li> <li>Efficient light fixtures like led, CFL will used.</li> <li>Energy efficient air conditioning units when the be used.</li> </ul>	
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.		
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply	Noise does not exceed the prescribed standards. Please refer Post Monitoring Reports.	

		Compliance status Report	
	with the prevalent regulations.		
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	The proposed site is accessible by 27.43 m wide Maulna Azad Road and 36.6 m wide Dr. A.L Nair Marg.  Parking provided:  Four Wheeler  Two Wheeler  679  (Residential)  (MPPL)	
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all airconditioned spaces while it is aspiration for non-airconditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	Code using the Whole Building Performance (WBP) Method.  Energy modeling exercise is conducted to determine the energy savings.	
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	way that adequate distance between them i provided to allow movement of fresh air and	
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	throughout the construction phase so as to avoid disturbance to the surrounding.	
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Dated: 1st September 2006, Revised Environmental Clearance is obtained vide letter No.: SEAC-2014/CR-35/TC-1 Dated: 29th September 2014 & Amendment in	
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Nagpur with copy to this department and MPCB.	submitted to MoEF&CC, Nagpur & MPCB, Sion regularly.	
XLII	Project proponent shall ensure completion of STP, MSW disposal	Yes, the conditions are complied with.	

	Compliance Status Report		
	facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.	We have installed STP, MSW disposal facility and green belt is developed.	
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening and, no wet garbage will be disposed outside the premises. Local authority should ensure this.	Yes. Wet garbage will be composted using Organic Waste Converter provided at site and used as organic manure for landscaping in Bldg. 1, 2 & 3.	
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.	after ensuring installation of STP & OWC at site.	
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.	submitted to Department is forwarded to the	
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.	the project, fresh appraisal will be taken.	
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	d qualified staff to supervise all aspects of the Environmental Management Plan.	
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with itemwise breaks-up. These costs shall be included as part of the project	Above condition is noted.  Construction Phase- Budget Allocation  Total Cost per annum (Rs. In	

cost. The funds earmarked for				
the environment protection				
measures shall not be diverted				
for other purposes and year-wise				
expenditure should reported to				
the MPCB & this department.				
_				

		Lacs)
Water spray for dust uppression	#:	4.5
Site sanitation and Potable Water Supply to Labour		5
Environmental Monitoring	As per the CPCB guidelines through MoEF Approved laboratories – Ambient Air-RSPM, PM2.5, SO2, NOx, CO), Noise: Leq day time and Night Time	8
Health check-up & first aid		6
Safety Personal Protective Equipment	Helmets, Safety Shoes, Safety Belt, Goggles, Hand Gloves etc.	10
Traffic Management	Sign Boards, Persons at entry exit and Parking area	4.5
Tyre cleaning and Vehicle maintenance	-	3
Storm water Management		4
Safety Training to Workers (Twice in Year), Safety Office	-11	5
Safety nets		14

Operation Phase: Budget Allocation

Unit	Capital Cost	Recurring Cost -
	-Planned	Planned (Rs. In
	(Rs. In	Lakhs/ year)
	Lakhs)	
STP	45	9
(Tertiary)		
Solar	15	2
Rain Water	25	2
Harvesting		
Solid waste		
Composting		
Plant	12	6
Landscape	116	12
Total	213	31

XLIX

The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local Yes, we have published advertisement in two local newspapers and copy of same is enclosed herewith as **Annexure - XIX.** 



		Compliance Status Report
4	concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.	
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	We are regularly submitting six monthly compliance report to MoEF&CC, Nagpur & MPCB, Sion.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Yes. Copies of Environment Clearance are enclosed as annexure II. EC copy is uploaded on the company website.  PDF File (krahejacorphomes.com)
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Yes, monitoring at the site is carried out regularly & post monitoring reports are enclosed.  Reports are regularly sent to MOEF, CPCB & MPCB along with six monthly EC compliance submissions.  Monitoring report is also uploaded along with EC compliance on company webpage, refer link  vivarea-ec-compliance2.pdf (krahejacorphomes.com)
LIII	The project proponent shall also submit six monthly reports on	We are regularly submitting six monthly reports to MoEF&CC, Nagpur & MPCB, Sion.

status of compliance of EC conditions and shall also be sent to the respective Regional Offices

of MoEF&CC by e-mail.

		Compliance Status Report
	the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the	
	respective Zonal Office of CPCB and the SPCB.	
	and the St CB.	
LIV	The environmental statement for	Yes. We will submit Environmental Statement
DI.	each financial year ending 31st	for each financial year as Form – V.
	March in Form-V as is mandated	Tor each interior year as rothin v.
	to be submitted by the project	We have submitted Form -V for 2021-2022 &
	proponent to the concerned State	the same is uploaded on company webpage,
	Pollution Control Board as	refer link: Enviornment Statement
	prescribed under the	(krahejacorphomes.com)
	Environment (Protection) Rules,	(Kranejacorphonies.com)
	1986, as amended subsequently,	Copy of the same is enclosed as <b>Annexure</b> -
	shall also be put on the website	XX.
	of the company along with the	M



## LIST OF ANNEXURES

Sr. No.	Annexure	Details
1.	Annexure I	Post Monitoring Reports
2.	Annexure II	Environment Clearance Copies
3.	Annexure III	Occupation Certificates
4.	Annexure IV	Completion Certificate
5.	Annexure V	Reply to Specific Conditions
6.	Annexure VI	Revised CS
7.	Annexure VII	HRC NoC
8.	Annexure VIII	E Waste Returns
9.	Annexure IX	Layout Plan
10.	Annexure X	Consent Copies
11.	Annexure XI	Photographs of Facilities Provided for Construction Labours
12.	Annexure XII	SWM NoC
13.	Annexure XIII	Landscape Photographs
14.	Annexure XIV	Hazardous Waste Return
15,	Annexure XV	Photograph of DG Set
16.	Annexure XVI	PUC Register
17.	Annexure XVII	RWH Plan
18.	Annexure XVIII	Photographs of STP
19.	Annexure XIX	Advertisement copy
20.	Annexure XX	Environmental Statement



Testing Laboratory is certified by ISO 9001:2015&ISO 45001:2018
Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024
Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel:9112844844, CIN: U74999MH2001PTC132091



### **Quality Test Report**

Ref. No.: AESPL/LAB/C/A- 22/11/46 Issue Date: 22/11/2022

Name of Client	:	K Raheia	Corn Pyt 1			. 22/11/2022	
			K. Raheja Corp Pvt. Ltd Plot No. C- 30, Block G				
					1. C.	1	
			SIDBI, Ban			piex	
Name of site	-		East), Mum				
Name of site	:					. 1903 (Pt.), 1904	
			5, 1/1905, 2	2/1905	of Bycı	ılla	
Nature of sample	:	Ambient A		i)			
Location of sample	:	Main Gate					
Sample Identification number	:	A- 22/11/	46				
Sample Quantity		SO <sub>2</sub> :1Bott	le x 30 ml; N	Юх:1Bot	tle x 30	ml; PM <sub>10</sub> -1; Bladder:1	
Date, Start Time & period of sampling	:	11/11/20	22 09	9:00 hrs		8 hrs	
<b>Environmental Condition</b>	:	Climate: (	Clear; <mark>Ambi</mark> e	ent Tem	p.:30°C		
Sample Monitored & Transported by	1:	AESPL Co	nsultancy Di	ivision			
Date of sample receipt	1	12/11/20	22				
Date of sample analysis	:						
Sampling equipment & Calibration	:				5/2022	due on 29/05/2023	
status						due on 29/05/2023	
Project/ Job number	:						
Reference of sampling		AESPL/LA	B/QR/7.3.3	/R-02		•	
Method of sampling & preservation	:	AESPL/LA	B/SOP/7.3.	1/A-01			
Sr.No. Parameter Result	L	imits#	Unit		Met	hod of Analysis	
1. SO <sub>2</sub> 14.9		80 *	μg/m³	IS	5182 (P	art 2) RA2017	
2. NO <sub>2</sub> 30.2		80 *	μg/m³	IS	5182 (P	art 6) RA2017	
3. PM <sub>10</sub> 87.4		100 *	μg/m³			art 23) RA2017	
4. PM <sub>2.5</sub> 37.5		60 *	μg/m³			art 24) 2019	
5. CO 0.87		04 **	mg/m³			art 10) RA2019	

[#] Specified under National Ambient Air Quality Standards by CPCB:

[\*] 24 hourly monitoring values; [\*\*] 1 hourly monitoring values.

**Conformity Statement**: The monitoring undertaken indicates that Ambient Air Quality Values for monitored parameters are within the levels stipulated under National Ambient Air Quality Standards (NAAQS)2009.

### Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only.
- 4. The results apply to the sample as received.
- 5. Decision Rule is applied.



Himani P Joshi

(Authorized Signatory - Pollution & Environment)



Testing Laboratory is certified by ISO 9001:2015 & ISO 45001:2018 Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024 Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222 Tel: 9112844844, CIN: U74999MH2001PTC132091



65.2

70

### **Quality Test Report**

<b>Ref:</b> AESPL/LAB/C/N-22/11/56		Issue Date: 14/11/2022
Name of the client	K Raheia Corp Pyt Ltd	

Nam	e of the client	1	K. Raheja Co	Raheja Corp Pvt. Ltd					
			Plot No. C- 30						
			Opposite SID	Complex					
			Bandra (East	), Mumbai – 400 (	051				
Nam	e of site	1							
				5, 2/1905 of Bycu	lla				
	toring details	:		t Level Noise					
	tion details	:	At Periphery	of the site	The state of the state of the				
	ole Identification No	:	N-22/11/56						
Date	of Sampling	:	11/11/2022						
Perio	od of sampling	:	Daytime & N	ighttime					
Envir	ronmental condition	:	Climate :Clea	r	Ambient temp. 29°C				
Moni	tored & transported by	& transported by : AESPL			AESPL Cosultancy Division				
Date	of data receipt	:	12/11/2022	1/2022					
Samp	oling equipment	:	Noise meter	meter - Centre SL-I-13					
Calib	ration status	:	Calibration d	etails: 24/12/202	21 to 23/12/2022				
Proje	ct/ Job number	:	4800098395	dtd 25Apr16					
Refer	ence of sampling		AESPL/LAB/	QR/7.3.3/R-02	N Talk STEWNSON				
Meth	od of sampling	:	IS 9989 RA:2	014	*				
Sr.	Location			Noise Level dB(A) Leq					
No.				Day time	Nighttime				
1.	Main gate	-	T T	71.4	64.2				
2.	Near K Raheja Hording			64.9	55.7				
3.	Near sales office			60.2	51.3				
4.	B1 & B2 Tower		431.	59.8	44.5				
5.	Mhada plot			68.2 59.4					

Standard as per EP Act for Industrial Area **Conformity Statement:** Noise Levels at all the locations are found to be below the stipulated limits

1. The test report shall not be reproduced except in full, without written approval of laboratory.

72.9

**75** 

- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only.
- 4. Decision Rule is applied.

Agripada residency area



Himani P. joshi.

(Authorized Signatory - Pollution & Environment)



Testing Laboratory is certified by ISO 9001:2015& ISO 45001:2018
Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024
Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 9112844844, CIN: U74999MH2001PTC132091



TC-7085

### **Quality Test Report**

		-						
Ref.	No.: AESPL/LAB/	/C/W-22/11/83			Issu	e Date: 15/11/2022		
Name of the client				K. Rahe	K. Raheja Corp Pvt. Ltd			
				Plot No	. C- 30, Block G			
				Opposit	e SIDBI, Bandra	Kurla Complex		
				Bandra	(East), Mumbai	- 400 051		
Nan	ne of site		:			B of CS No. 1903 (Pt.),		
				1904 (P	t), 1905, 1/1905	5, 2/1905 of Byculla		
	ure of sample		:	Drinkin	<u> </u>			
	ation of sample		:	Office P	antry			
	ple identificatio		:	W-22/1	1/83			
	e and Time of Sa		:		1/11/2022	<b>Time</b> : 10:30 am		
	ironmental Cond	ition	:			<b>p: 25°C, Amb. Temp</b> : 29°0		
	ple drawn by		:		Consultancy Divi			
	ple Transported		:		Consultancy Divi	sion		
	of sample receip							
	of sample analy			: 11/11/2022 - 14/11/2022				
	ect/ Job number		:					
	erence of sampli		1		AB/QR/7.3.3/R-			
Sr.	hod of sampling				_AB/SOP/7.3.1/V			
or. No.	Parameter	Result			10500:2012)	Method of Analysis		
1.	Colour, Hazen	5.0		sirable	Permissible	10.000E(D 4) D4004E		
2.				5 Max	15 Max	IS-3025(P-4) RA2017		
	Turbidity, NTU	< 2.0	_	1 Max	5 Max	IS-3025(P-10) RA2017		
3.	pH@25°C	7.20	100	5 – 8.5	No relaxation	IS-3025(P-11) RA2017		
4.	R. Cl <sub>2</sub> , mg/l	0.56	0.	.2 Min	1.0 Min	IS-3025(P-11) RA2019		
5	Hardness, mg/l	28	20	00 Max	600 Max	IS-3025(P-21) RA2019		
6.	Iron, mg/l	0.032	1.	0 Max	No relaxation	IS-3025(P-53) RA2019		
7	Chlorides, mg/l	22	25	0 Max	1000 Max	IS-3025(P-32) RA2019		
8.	Fluoride, mg/l	0.32	1.	0 Max	1.5 Max	IS-3025(P-60) RA2019		
`	0.1					- ( )		

**Conformity Statement**: Water sample is **pass** as per IS 10500:2012 w.r.t. above mentioned tests **Note**:

Agreeable

1. The test report shall not be reproduced except in full, without written approval of laboratory.

Agreeable

IS-3025(P-5) RA2017

- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only and the sample will also be retained for the same period.
- 4. The results apply to the sample as received.

Agreeable



Odour

Himani Joshi

(Authorized Signatory - Pollution & Environment)



Testing Laboratory is certified by ISO 9001:2015& ISO 45001:2018
Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024
Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 9112844844, CIN: U74999MH2001PTC132091



TC-7085

### **Quality Test Report**

Name of Client			:	z				
					Plot No. C- 30, Block G			
			1		site SIDBI, Bandra			
					ra (East), Mumbai			
Nam	e of site			A.C.	ıstan Mill, Sub Plo		` /	
			1		(Pt), 1905, 1/190	5, 2/1905	of Byculla	
	ire of sample		:	+	ing water			
	ition of sample		:	Proje	ct Office Pantry			
	ple identification numb		:	Mw-	22/11/103			
Sam	ple Quantity & Containe	er	:	250 n	al; G			
	and Time of sample dr	awn	:	Date -	11/11/2022	Time – 1	10.30 am	
Envi	ronmental Condition		:	Surro	unding area is clea	ın		
Sam	ple drawn by		:	AESP	L Consultancy Divi	sion		
Sam	ple Transported by		:	AESP	L Consultancy Division			
Date	of sample receipt		:	11/11/2022				
Date	of sample analysis	•	:	11/11/2022 to 12/11/2022				
Proj	ect/ Job number		:					
Refe	rence of sampling		:	AESP	L/LAB/QR/7.3.3/I	R-02		
Meth	nod of sampling & prese	rvation	:	AESP	AESPL/LAB/SOP/7.3.1/M-01			
Sr.			-		Limit		Method	
No.	No. Parameter with unit Res		sult	t	as per		of	
	177				IS 10500:2012	2	analysis	
1	Coliforms/100ml	Absent/100		0ml	Absent/100ml	IS	:15185-2016	
2	E-coli/100ml	Absent/100		0ml	Absent/100ml	IS	:15185-2016	

**Conformity Statement**: Water sample is **pass** as per IS 10500:2012 w.r.t. above mentioned tests.

### Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. The results apply to the sample as received.



Pranali N Patil (Authorized Signatory – Microbiology)



Testing Laboratory is certified by ISO 9001:2015&ISO 45001:2018
Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024
Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel:9112844844, CIN: U74999MH2001PTC132091



### **Quality Test Report**

Ref. No.: AESPL/LAB/C/A- 23/02/116 Issue Date: 06/03/2023

	AESPL/LAD/C/	A- 43/02/110		Issue Date: 06/03/2023					
Name o	f Client		:	K. Raheja	K. Raheja Corp Pvt. Ltd				
				Plot No. C	Plot No. C- 30, Block G				
				Opposite	SIDBI, Band	dra Kurla (	Complex		
					East), Muml		•		
Name o	f site		:				S No. 1903 (Pt.), 1904		
					5, 1/1905, 2				
Nature	of sample			100000000000000000000000000000000000000					
Locatio	n of sample		:	Main Gate					
	Identification n	umber	:	A- 23/02/	116				
	Quantity		:	SO <sub>2</sub> :1Bottl	e; NOx:1Bot	tle; PM <sub>10</sub> -1;	; Bladder:1		
	art Time & perio		:			:00 hrs.	8 hrs		
	mental Conditio		:	Climate: C	lear; <b>Ambie</b>	nt Temp.::	30°C		
	Monitored & Tr	ansported by	:	AESPL Cor	isultancy Div	vision			
	sample receipt		:	01/03/20					
	sample analysis		:		22 to 04/03				
_	ng equipment &	Calibration	:				022 due on 29/05/2023		
status			_				022 due on 29/05/2023		
	/ Job number		:		95 dtd 25Ap		waited		
	ce of sampling		:		B/QR/7.3.3/				
	of sampling & p		:		B/SOP/7.3.1	/A-01	762		
Sr. No.	Parameter	Result	I	imits #	Unit		Method of Analysis		
1.	SO <sub>2</sub>	23.5		80 *	μg/m³	IS 51	82 (Part 2) RA2017		
2.	NO <sub>2</sub>	34.7		80 *	μg/m³	IS 51	82 (Part 6) RA2022		
3.	PM <sub>10</sub>	86.8		100 *	μg/m³	IS 51	82 (Part 23) RA2022		
4.	PM <sub>2.5</sub>	39.4		60 *	μg/m³	IS 51	82 (Part 24) 2019		
5.	CO	0.80		04 **	mg/m <sup>3</sup>	IS 51	82 (part 10) RA2019		

<sup>[#]</sup> Specified under National Ambient Air Quality Standards by CPCB:

**Conformity Statement**: The monitoring undertaken indicates that Ambient Air Quality Values for monitored parameters are within the levels stipulated under National Ambient Air Quality Standards (NAAQS)2009.

### Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only.
- 4. The results apply to the sample as received.
- 5. Decision Rule is applied.



Reshma S Patil

(Authorized Signatory - Pollution & Environment)

<sup>[\*] 24</sup> hourly monitoring values; [\*\*] 1 hourly monitoring values.



Testing Laboratory is certified by ISO 9001:2015&ISO 45001:2018
Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024
Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist Raigad Pin 410222
Tel: 9112844844, CIN: U74999MH2001PTC132091 UDYAM-MH-19-0029787



TC-7085

Quality	v Test	Report
---------	--------	--------

	AESPL/LAB/C/N-23/02/142				Issue Date: 02/03/2023				
Name	e of the client	:	,	K. Raheja Corp Pvt. Ltd					
			1	Plot No. C- 30, Block G					
				BI, Bandra Kurla					
Mama	of site	+		t), Mumbai – 400 (					
Name	of site	1:		5, 2/1905 of Bycu	S No. 1903 (Pt.), 1904 (Pt), lla				
Monit	toring details	:		t Level Noise					
Locati	ion details	:	At Periphery	of the site	al v				
Samp	le Identification No		N-23/02/14	2					
Date o	of Sampling	:	28/02/2023						
	d of sampling	:	Daytime & N		No.				
	onmental condition	:	Climate: Cle		Ambient temp: 29°C				
	ored & transported by	:		nsultancy Division					
	of data receipt	lata receipt : 01/03/20							
	1 0 1 1			- Centre SL-I-10					
	bration status : Calibratio			ibration details: 02/01/2023 to 01/01/2024					
	ct/ Job number	:		00098395 dtd 25Apr16					
	ence of sampling	:		AB/QR/7.3.3/R-02					
Metho	od of sampling	:	IS 9989 RA:2	S 9989 RA:2020					
Sr.	Location			Noise Level dB(A) Leq					
No.				Day time	Nighttime				
	Main gate			69.4	59.8				
	Near K Raheja Hording			60.2	51.4				
3.	Near sales office			57.8	48.6				
	B1 & B2 Tower			61.7	49.2				
5.	Mhada plot		- 38/1-2	68.7	59.7				
6.	Agri pada residency area			70.8	62.4				
Standa	ard as per EP Act for Industri	al A	rea	75	70				

**Conformity Statement:** Noise Levels at all the locations are found to be below the stipulated limits **Note:** 

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only.
- 4. Decision Rule is applied.



Reshma S. Patil.

(Authorized Signatory - Pollution & Environment)



Testing Laboratory is certified by ISO 9001:2015& ISO 45001:2018
Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024
Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 9112844844, CIN: U74999MH2001PTC132091 UDYAM-MH-19-0029787



TC-7085

### **Quality Test Report**

						E Date: 04/03/2023		
Name of the client			:	K. Raheja Corp Pvt. Ltd				
				Plot No.	Plot No. C- 30, Block G			
				Opposit	e SIDBI, Bandra	Kurla Complex		
					(East), Mumbai -			
Nan	ne of site		:			B of CS No. 1903 (Pt.),		
						5, 2/1905 of Byculla		
	ure of sample		:	Drinkin				
	ation of sample		:	Office P				
	ple identification		:	W-23/0				
	e and Time of Sar		:		3/02/2023	<b>Time</b> : 12:00 pm		
	ronmental Condi	tion	:			p: 25°C, <b>Amb. Temp</b> : 29°C		
	ple drawn by		:		Consultancy Divi			
	ple Transported		:		Consultancy Divis	sion		
	of sample receip		:					
	of sample analys		:	: 01/03/2023 - 02/03/2023				
	ect/ Job number		:	( <del>***</del> .				
	rence of samplin		:	AESPL/LAB/QR/7.3.3/R-02				
	nod of sampling		:	AESPL/LAB/SOP/7.3.1/W-01				
Sr. No.	Parameter	Result			10500:2018)	Method of Analysis		
	C-lII	F.0		sirable	Permissible			
1.	Colour, Hazen	< 5.0		Max	15 Max	IS-3025(P-4) RA2021		
2.	Turbidity, NTU	< 2.0		Max	5 Max	IS-3025(P-10) RA2017		
3.	pH@25°C	7.26	6.5	5 – 8.5	No relaxation	IS-3025(P-11) RA2022		
4.	R. Cl <sub>2</sub> , mg/l	< 0.56	0.	2 Min	1.0 Min	IS-3025(P-11) RA2019		
5.	Hardness, mg/l	32	20	0 Max	600 Max	IS-3025(P-21) RA2019		
6.	Iron, mg/l	0.036	1.0	0 Max	No relaxation	IS-3025(P-53) RA2019		
7.	Chlorides, mg/l	26	25	0 Max	1000 Max	IS-3025(P-32) RA2019		
8.	Fluoride, mg/l	0.34	1.0	0 Max	1.5 Max	IS-3025(P-60) RA2019		
						1 1		

Conformity Statement: Water sample is pass as per IS 10500:2018 w.r.t. above mentioned tests

Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only and the sample will also be retained for the same period.
- 4. The results apply to the sample as received.



Reshma S. Patil
(Authorized Signatory – Pollution & Environment)
-End of Test Report-



Testing Laboratory is certified by ISO 9001:2015& ISO 45001:2018
Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024
Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist Raigad Pin 410232
Tel: 9112844844, CIN: U74999MH2001PTC132091, UDYAM-MH-19-0029787



TC-7085

### **Quality Test Report**

	102/210	-	-		ISSUC 1	Date: 03/03/2023		
ne of Client				, ,				
ne of site		:	II.	-				
		┸			5, 2/19	005 of Byculla		
ire of sample			Drink	ing water				
ition of sample		:	Proje	ct Office Pantry				
ple identif <mark>ication</mark> numb	er	:	Mw-	23/02/245				
ple Quantity & Containe	r	:	250 n	nl; G				
and Time of sample dr	awn	:	Date -	- 28/02/2023	Time	– 12.00 pm		
ronmental Condition		:	Surro	Surrounding area is clean				
ple drawn by		:	AESP					
ple Transported by		:	AESP	AESPL Consultancy Division				
of sample receipt		:	01/03/2023					
of sample analysis		:	01/03	01/03/2023 to 02/03/2023				
ect/ Job number		10		)*.1	*			
rence of sampling		:	AESP	L/LAB/QR/7.3.3/F	R-02			
nod of sampling & prese	rvation	:	AESP	L/LAB/SOP/7.3.1/	M-01			
				Limit		Method		
Parameter with unit	Res			as per		of		
				IS 10500:2012	2	analysis		
Coliforms/100ml	Absent/		0ml	Absent/100ml	- 31	IS:15185-2016		
comornio/ 100m	Tibsciit	, 10	OIIII	7103cm; 100m		15.15105 2010		
E-coli/100ml	Absent/100ml			Absent/100ml		IS:15185-2016		
	ne of Client  are of sample ation of sample ple identification numb ple Quantity & Containe and Time of sample dra ronmental Condition ple drawn by ple Transported by of sample receipt of sample analysis ect/ Job number rence of sampling nod of sampling & prese  Parameter with unit  Coliforms/100ml	re of sample rition of sample ple identification number ple Quantity & Container and Time of sample drawn ronmental Condition ple drawn by ple Transported by of sample receipt of sample analysis ect/Job number rence of sampling nod of sampling & preservation  Parameter with unit  Res  Coliforms/100ml  Absent	ie of Client :  are of sample :  ple identification number :  ple Quantity & Container :  and Time of sample drawn :  ronmental Condition :  ple drawn by :  of sample receipt :  of sample analysis :  ect/Job number :  rence of sampling :  nod of sampling & preservation :  Parameter with unit Result  Coliforms/100ml Absent/10	ie of Client  Example Stree Stree Street Str	K. Raheja Corp Pvt. Ltd Plot No. C- 30, Block G Opposite SIDBI, Bandra Bandra (East), Mumbaine of site   Hindustan Mill, Sub Plot 1904 (Pt), 1905, 1/1905     Ire of sample   Drinking water	K. Raheja Corp Pvt. Ltd   Plot No. C- 30, Block G   Opposite SIDBI, Bandra Kurla   Bandra (East), Mumbai – 400   Plot No. G- 30, Block G   Opposite SIDBI, Bandra Kurla   Bandra (East), Mumbai – 400   Plot Polymore   Plot Polymore   Plot Polymore   Plot Polymore   Project Office Pantry   Plot Quantity & Container   Plot Quantity & Container   Plot Polymore   Plot		

**Conformity Statement**: Water sample is **pass** as per IS 10500:2012 w.r.t. above mentioned tests.

### Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. The results apply to the sample as received.



Pranali N Patil (Authorized Signatory - Microbiology)



### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:September 13, 2019

To,

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd.

at Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra

Subject:

Environment Clearance for for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot at Sub Plot 'B' bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A.L. nair Road and Maula Azad Road, Jacob Circle, Mahalaxmi by Genext Hardware & Parks Pvt. Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 103rd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 174th meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8 (b) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:-

1.Name of Project	Hindustan Mill
2.Type of institution	Private
3.Name of Project Proponent	Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd.
4.Name of Consultant	Dr. D. A. Patil, Mahabal Enviro Engineers Pvt. Ltd.
5.Type of project	Residential Project along with Municipal Public Perking Lot
6.New project/expansion in existing project/modernization/diversification in existing project	Amendment in existing project. (Vertical expansion to residential wing of Building No.3 has been proposed)
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	We have obtained <b>FC v/n. SEAC-2014/CR-35/TC-1</b> dt. 29/09/2014 for the plot area 61,520.46 m2 and FSI area of 1,29,988.78 m2, <b>Non FSI area</b> of 2,58,043.03 m2 with total construction area of 3,88,031.81 m2 (Entire project).
8.Location of the project	Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra
9.Taluka	Mumbai
10.Village	Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi
Correspondence Name:	
Room Number:	
Floor:	×
Building Name:	Raheja Tower
Road/Street Name:	Plot No. C-30, Block G, Opp SIDBI,
Locality:	Bandra Kurla Complex
City:	Bandra (East), Mumbai.
11.Whether in Corporation / Municipal / other area	Municipal Corporation of Greater Mumbai (MCGM)

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765 ) SEIAA-MINUTES-0000003436 SEIAA-EC-000001987

Page 1 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

	OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018						
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018						
	Approved Built-up Area: 210603.62						
13.Note on the initiated work (If applicable)	On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846. and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 m been completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2.						
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u/no.EB-907-E-A dt.11/02/2018						
15.Total Plot Area (sq. m.)	61,520.46 m2						
16.Deductions	4,470.19 m2						
17.Net Plot area	57,050.27 m2						
	FSI area (sq. m.): 1,32,631.46 m2 (Entire Project)						
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 2,60,503.05 m2 (Entire Project)						
	Total BUA area (sq. m.): 393134.51						
À.	Approved FSI area (sq. m.): 1,28,688.95 m2 (Entire Project)						
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 2,56,764.51 m2 (Entire Project)						
X. 7.	Date of Approval: 11-02-2018						
19.Total ground coverage (m2)	24,531.61 m2						
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	43%						
21.Estimated cost of the project	8356193347						

# Government of Maharashtra

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 2 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

Not applicable   Not applicable   Not applicable	Serial	Product Existin		g (MT/M)	Proposed (MT/M)	Total (MT/M)				
Source of water   MCGM	Number									
Source of water Fresh water (CMD): Recycled water-Flushing (CMD): Recycled water-Gardening (CMD): Swimming pool make up (Cum): Total Water Requirement (CMD) Fire fighting - Underground water tank(CMD): Fire fighting - Overhead water tank(CMD): Excess treated water Tresh water (CMD): Recycled water-Flushing (CMD): Excess treated water Total Water Requirement (CMD) Fire fighting - Overhead water tank(CMD): Excess treated water Total Water Recycled water Fresh water (CMD): Recycled water Flushing (CMD): Recycled water Gardening (CMD): Recycled water Gardening (CMD): Swimming pool make up (Cum): Total Water Requirement (CMD) In Recycled water Requirement (CMD) In Recycled water Gardening (CMD): Swimming pool make up (Cum): Fire fighting - Underground water tank(CMD): Fire fighting - Underground water tank(CMD): Fire fighting - Underground water tank(CMD): As per CFO NOC	1	Not a					Not applicable			
Fresh water (CMD):  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Excess treated water Tresh water (CMD):  Excess treated water Fresh water (CMD):  Recycled water - Flushing (CMD):  Recycled water - Flushing (CMD):  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC			2	3.Tota	al Wate	r Requirement				
Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Excess treated water 71 KLD  Source of water MCGM + RWH  Fresh water (CMD):  Recycled water - Flushing (CMD):  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Wet season:  Wet season:  Regiding - Underground water tank(CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC			Source of w	ater	MCGM					
Flushing (CMD):  Recycled water- Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD): :  Fire fighting - Underground water tank(CMD):  Excess treated water Tource of water  Fresh water (CMD):  Recycled water - Flushing (CMD):  Recycled water Gardening (CMD):  Recycled water Gardening (CMD):  Recycled water Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD) :  Fire fighting - Underground water tank(CMD):  As per CFO NOC  At LID  As per CFO NOC  At LID  As per CFO NOC			Fresh water	(CMD):	117 KLD					
Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD) 178 KLD :  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Excess treated water 71 KLD  Source of water MCGM + RWH  Fresh water (CMD): 99 KLD + 18 KLD  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Wet season:  Total Water Requirement (CMD) 178 KLD  Fire fighting - Underground water tank(CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC					61 KLD					
make up (Cum):  Total Water Requirement (CMD) :  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Excess treated water T1 KLD  Source of water Fresh water (CMD):  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD) :  Fire fighting - Underground water tank(CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water Toverhead water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC					33 KLD	47/7-				
Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Excess treated water T1 KLD  Source of water MCGM + RWH Fresh water (CMD):  99 KLD + 18 KLD  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD) :  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC					777	for Con				
Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Excess treated water  Source of water  Fresh water (CMD):  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC	Dry season:				178 KLD					
Overhead water tank(CMD):  Excess treated water 71 KLD  Source of water MCGM + RWH  Fresh water (CMD): 99 KLD + 18 KLD  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC			Undergroun	d water	As per CFO NOC					
Source of water Fresh water (CMD):  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD) :  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC  As per CFO NOC			Overhead w	ater	As per CFO	NOC	B			
Fresh water (CMD):  Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD) :  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC		ş	Excess treat	ed water	71 KLD	10	CT.			
Recycled water - Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD) :  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC tank(CMD):			Source of w	ater	MCGM + R	WH	~?			
Flushing (CMD):  Recycled water - Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC tank(CMD):			Fresh water	(CMD):	99 KLD + 18 KLD					
Gardening (CMD):  Swimming pool make up (Cum):  Total Water Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC tank(CMD):					61 KLD					
make up (Cum):  Total Water Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC tank(CMD):					A STATE OF THE PARTY OF THE PAR					
Requirement (CMD):  Fire fighting - Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC tank(CMD):					HITTE	Man				
Underground water tank(CMD):  Fire fighting - Overhead water tank(CMD):  As per CFO NOC  As per CFO NOC	Wet season:	1			178 KLD	mont	of			
Overhead water As per CFO NOC tank(CMD):		-	Undergroun		As per CFO	NOC GILL	UI			
			Overhead wa		As per CFO NOC					
Excess treated water   104 KLD			Excess treat	ed water	104 KLD					

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 ( SEIAA-STATEMENT-0000001765 ) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

-

Shri. Anil Diggikar (Member Secretary Page 3 of 14 SEIAA)

	<i></i>	2	4.Detai	ls of Tota	al water o	consume	d					
Particula Con		sumption (C	CMD)	Loss (CMD)			Effluent (CMD)					
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total			
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
		Level of the		3 m								
		Size and no of RWH		2 Nos.of RV	VH tänks wit	h 74 m3 cap	acity each.					
		Location of tank(s):	the RWH	THE RESERVE OF THE PARTY OF THE PARTY.	ment for bld & 3rd baseme		Basement fo	r Residentia	l tower			
25.Rain V Harvestin		Quantity of recharge pits:		NA	6	1.68	3					
(RWH)		Size of recl	arge pits	NA 10								
		Budgetary (Capital cos		25/Lakh								
		Budgetary allocation (O & M cost): 2 Lakh/year										
		Details of U if any:	GT tanks	Residential: 2nd Basement PPL: 3rd Basement								
		1/5/2	162	-		D. A	27					
26.Storm water drainage		Natural wat drainage pa		Toward Eas	t and West S	ide	Š					
		Quantity of water:	storm	2980.71 m3,	/hr	7/2						
		Size of SWI	ze of SWD: 0.35 x 0.35 m, 0.45 x 0.6 m, 0.6 x 0.8 m									
	B	Sewage gen in KLD:	eration	167 KLD	nn a	mi	ni					
27.Sewage and		STP technol	ogy:	MBBR Technology								
		Capacity of (CMD):		3 STPs will be provided with total 220 m3 capacity i.e. 100 m3 (for bldg No. 2), 100 m3 (for bldg No. 3) and 20 m3 for PPL								
Waste water	ater	Location & a the STP:	area of	Bidg No. 2: Ground Floor, Bldg No. 3: a. Resi. Bldg: 2nd Floor Parking Lvl. & b. PPL: Ground Floor.								
		Budgetary a (Capital cos		45 Lakh								
		Budgetary a (O & M cost)		9 Lakh/year								

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 4 of 14 | SEIAA)

Shri. Anil Diggikar (Member Secretary SEIAA)

	28.Soli	d waste Management				
Waste generation in	Waste generation:	Construction debris: 4,200 m3				
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	The construction debris will be disposed as per the "Construction and Demolition and Desilting Waste (Management and Disposal) Rules 2016.				
	Dry waste:	269 Kg/day				
	Wet waste:	403 Kg/day				
Waste generation	Hazardous waste:	Used oil from DG				
in the operation Phase:	Biomedical waste (If applicable):	NA				
	STP Sludge (Dry sludge):	2 KLD				
	Others if any:	Household E-waste generation				
	Dry waste:	Dry garbage will be disposed off to recyclers				
	Wet waste:	Wet garbage will be composted using Mechanical Composting unit and used as organic manure for landscaping.				
Mode of Disposal	Hazardous waste:	Authorized recyclers				
of waste:	Biomedical waste (If applicable):	NA 3 A				
	STP Sludge (Dry sludge):	Sludge use as manure for gardening				
	Others if any:	Authorized recyclers				
	Location(s):	Ground				
Area requirement:	Area for the storage of waste & other material:	100 m2				
	Area for machinery:	25 m2				
Budgetary allocation	Capital cost:	Rs. 12 lakh				
(Capital cost and O&M cost):	O & M cost:	Rs. 6 Lakh/year				

# Government of Maharashtra

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765 ) SEIAA-MINUTES-00000012436 SEIAA-EC-0000001987

Shri. An Page 5 of 14 | SEIAA)

Shri. Anil Diggikar (Member Secretary SEIAA)

29.Effluent Charecterestics									
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Effluent discharge standards (MPCB)					
1	Not applicable	Not applicable	Not applicable						
Amount of e (CMD):	Amount of effluent generation (CMD):		Not applicable						
Capacity of	Capacity of the ETP:		Not applicable						
Amount of treated effluent recycled :		Not applicable							
Amount of water send to the CETP:		Not applicable							
Membership of CETP (if require):		Not applicable							
Note on ETF	technology to be used	Not applicable							
Disposal of t	he ETP sludge	Not applicable							



# Government of Maharashtra

			30.На	azardous	Waste D	etails					
Serial Number	Description Cat			UOM	Existing	Proposed	Total	Method of Disposa			
1	Not applicable		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
			31.St	tacks em	ission D	etails					
Serial Number	Section & units		Fuel Us Qua	sed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases			
1	Not a	pplic <b>ab</b> le	Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable			
			32.De	tails of I	Tuel to be	used		-			
Serial Number	Ty	pe of Fuel	43/2	Existing	TETON	Proposed	7	Total			
1	No	t applicable		lot applicabl	e N	ot applicabl	e	Not applicable			
33.Source of		(2)	200	pplicable		57.	Val.				
34.Mode of T	ransporta	ition of fuel to	site   Not a	pplicable		12					
		15	9T - A	- 0.9		1 3					
		5	- 4	35.Eı	ergy	9	15				
		Source of supply:	power	TATA	100	左					
		During Construction Phase: (Demand Load) 500 kVA									
		DG set as Power back-up during construction phase  500 kVA									
Power requirement:		During Op phase (Cor load):		10.8 MW							
		During Oper phase (Der load):	eration nand	5.2 MW							
	- 1	Transform	er:	CHIHIGH UI							
		DG set as I back-up du operation I	ring 🗑	• Building No. 2: 1 x 12 <b>50 kVA • Building</b> No. 3: Resi. Bldg:1 x 1500 kVA • MPPL: 1 x 750 kVA							
		Fuel used:		HSD							
		Details of l tension lin- through th any:	e passing	NA			90720				
		Energ	y saving	by non-	conventi	onal me	thod:				
olar Hot wate rovision of Se		to Residentia anels	l Buildings								
		36	Detail o	alculati	ons & %	of saving	J:				
Serial Number	F	Energy Conse	rvation Me	asures			Saving '	%			

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 ( SEIAA-STATEMENT-0000001765 ) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 7 of 14 SEIAA)
Shri. Anil Diggikar (Member Secretary SEIAA)

1		Total	Energy Savin	g		23.6%			
		37	7.Details	of pollu	tion control Sy	ystems			
Source	Ex		ution contro		Proposed to be installed				
Not applicable		Not applicable				Not applicable			
(Capita)	y allocation cost and cost):	Capital co		Rs. 15 Lak	rh.				
38	3.Envir	nmen	tal Man	agem	ent plan Bu	dgetary Allocation			
		a)	Construc	tion ph	ase (with Brea	ık-up):			
Serial Number	Attril	outes	Paran	Parameter Total Cost per annum (Rs. In Lacs)					
1	Water spra		WY S	खेवव	TEFERRE	4.5			
2	Site sanita Potable Wa to Lai	ter Supply	1259	A)	5				
3	3 Environmental Monitoring		As per the CPCB guidelines through MoEF Approved laboratories - Ambient Air-RSPM, PM2.5; SO2, NOx, CO), Noise: Leg day time and Night Time		30-0	李 图			
4	Health check-up & first aid				5 6				
5	Safety Personal Protective Equipment		Helmets, Safety Shoes, Safety Belt, Goggles, Hand Gloves etc.		10				
6	Traffic Management		Sign Boards, Persons at entry exit and Parking area		4.5				
7	Tyre cleaning and Vehicle maintenance		vornment af			3 4			
8	Storm v Manage	and the second second	VOLU		HIGHL WI				
9	Safety Training to Workers (Twice in Year), Safety Officer		ahar		achtra				
10	Safety nets		<b>多</b> 化 用 单	GALE	14				
2 1		<b>b</b> )	Operation	n Phas	e (with Break-	up):			
Serial umber	Compo	nent	Descrip	tion	Capital cost Rs. I Lacs	n Operational and Maintenance cost (Rs. in Lacs/yr)			
<b>†</b>	STP (Tertiary)  STP (utility)  Enviro  Monitoring  STP outility for		Continuous Environ Monitoring: STP outlet quality for p COD, SS an	nment : Monthly, et water pH, BOD,		9			
2	Solar System Weekly			lv	15	2			

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 8 of 14 SEIAA)

Shri. Anil Diggikar (Member Secretary

3	Rainwater harvesting	During rainy season (cleaning of UG tanks and filtration units before rainy season)	25	2
4	Solid Waste Composting plant	Continuous O & M Environment Monitoring: Monthly to assess the compost quality	12	6
5	Landscape	Daily	116	12

# 39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

40.Any Other Information

No Information Available

# Government of Maharashtra

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 ( SEIAA-STATEMENT-0000001765 ) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 9 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
Category as per schedule of EIA Notification sheet	8 (b)
Court cases pending if any	No
Other Relevant Informations	Environmental Infrastructure provided for Bldg. No. 1 (B1, B2 & A1 Bldgs.)  • No. of Tenements: 318 Nos.  • Water Requirement: 232 KLD (Domestic: 145 KLD + Flushing: 75 KLD + Gardening: 12 KLD)  • Sewage generation: 176 KLD  • STP provided: 200 KLD (SBR technology)  • Solid waste generation: 783 kg/day (Biodegradable component is composted using mechanical composting machine & Non-biodegradable component is handed over to authorized recyclers)  • RWH Tanks: 1 tank with 63 m3 and 2 tanks with 60.5 m3 capacity  • Connected Load: 5.7 MW  • Demand Load: 4.8 MW  • DG sets: 10 x 1250 kVA & 3 x 500 kVA  • Parking (4W): 718 Nos.  The estimated project cost mentioned in item No. 21 is for Bldg. 2 & 3 only.
Have you previously submitted Application online on MOEF Website.	No.
Date of online submission	- Washington

3. The proposal has been considered by SEIAA in its 174th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

#### Specific Conditions:

I	It is noted that, representative of PP not submitted the authority letter. PP to submit the same along with copy of company resolution.			
II	PP to submit the company merger document.			
III	PP to submit dated Architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014.			
IV	PP stated that there is minor change in FSI (1,32,631.46 Sq.mt instead of 132331.76 Sq.mt) & NoN-FSI are (260503.05 Sq.mt instead of 260802.75 Sq.mt) stated in the CS while total built up area is the same. PP to revise the online CS to that extent only.			
V	Local planning authority to ensure the structural stability of building for which vertical expansion is proposed.			
VI	PP to upload the HRC NoC.			
VII	The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the projesite falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC.			
VIII	PP to submit CER plan to Municipal Commissioner/District Collector and submit the acknowledgement to Member Secretary, SEIAA.			

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SELAA-EC-0000001987

Page 10 of Shri. Anil Diggikar (Member Secretary SEIAA)

PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
SEIAA decided to grant EC for: FSI: 132631.46 m2, Non-FSI: 260503.05 m2 and Total BUA: 393134.51 m2 ( IOD no-EB/5204/E/A, Date-13.03.2019)

#### General Conditions:

General Cond				
I	E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.			
п	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.			
ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.			
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.			
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.			
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.			
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase			
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site.  Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.			
IX	The solid waste generated should be properly collected and segregated, dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.			
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.			
XI	Arrangement shall be made that waste water and storm water do not get mixed.			
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.			
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.			
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.			
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.			
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.			
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.			
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.			
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.			
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.			
XXI	Ambient noise levels should conform to residential standards both during day and night, Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.			

SEIAA Meeting No: 174 Meeting Date: August 26, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 11 of Shri. Anil Diggikar (Member Secretary SEIAA)

XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).	
XXIII	Ready mixed concrete must be used in building construction.	
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.	
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.	
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.	
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.	
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	
XXXVII	Opaque well should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.	
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.	

XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.		
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.		
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.		
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.		
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.		
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.		
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.		
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.		
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.		
LII	The propouent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.		
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.		
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.		

# Government of Maharashtra

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987 Page 13 of Shri. Anil Diggik

Shri. Anil Diggikar (Member Secretary

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

#### Copy to:

- 1. SHRU JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC
- 3. SHRUM M. ADTANI CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE, CHAIRMAN SEAC-III.
- 5. SECRETARY MOEF & CC
- 6. IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTI
- 8. REGIONAL OFFICE MOEF & GC NAGPUR
- 9. MUNICIPAL COMMISSIONER MUMBAI
- 10. MUNICIPAL COMMISSIONER NAVI MUMB
- 11. REGIONAL OFFICE MPCB MUMBAI
- 12. REGIONAL OFFICE MPCB NAVI MUVBAT
- 13. REGIONAL OFFICE MIDC AND HERI
- 14. REGIONAL OFFICE MIDC KOPER KHAIRANE
- 15. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD.
- 16. COLLECTOR OFFICE MUMBAI
- 17. COLLECTOR OFFICE MUMBAI SUB-URBAN

# No. 21-68/2006-IA.III Government of India Ministry of Environment and Forests

ParyavaranBhawan, CGO Complex, Lodhi Road New Delhi 110003

Dated: September 1, 2006

To

Mr. Neel Raheja Director, M/s K. Raheja Corporation Pvt. Ltd. Construction House 'A', 24<sup>th</sup> Road, Khar, (W) Mumbai 400052

Subject: Environmental Clearance for construction of Residential Complex at Byculla Mumbai by M/s K. Raheja Corporation Pvt. Ltd.

Sir,

I am directed to refer to your application seeking prior environmental clearance for the above project under the EIA Notification 1994 as amended on July 7, 2004. The above proposal has been appraised as per prescribed procedure on the basis of the mandatory documents enclosed with the application viz., the Questionnaire, EIA, EMP, Public Hearing proceedings and the additional clarifications furnished in response to the observations of the Expert Appraisal Committee (EAC) constituted by the competent authority in its meeting held on 26-27 July, 2006.

- 2. The project proponent is setting up a Residential Complex at sub plot B of CS No. 1903 (Pt.),1904(Pt), 1905, 1/1905, 2/1905 of Byculla Division, Dr A. L Nair Road, Jacob Circle, Byculla, Mumbai. The project involves construction of 486 dwelling units in four buildings.

  will be 330 m³/day and total wastewater generated will be 296 m³/day. Separate sewage treatment plant will be provided to treat sewage generated from each building. Additionally, a common STP is also proposed to treat 460 m³/day sewage. The solid waste generation will be 0.49 t/day during operation phase. The in-vessel composting of biodegradable waste will be done. The non-biodegradable waste will be disposed of for land filling.
- 3. The EIA report submitted along with the application predicts negligible impacts with regard to Ambient Air Quality and minor & negligible impact with regard to Noise during both the construction as well as the operation phase. There will be positive impact on hydrology and natural drainage due to proposed measures for construction of storm water drain. Due to plantation of 1198 trees and development of recreational area, surrounding area will have positive impact on land use.

by the project proponent, responses to the public concerns expressed during the public hearing and additional clarifications furnished in response to its observations have recommended the grant of environmental clearance for the projects mentioned above subject to compliance with the accords necessary environmental clearance for the project subject to the strict compliance with the specific and general conditions mentioned below:

# PART A- SPECIFIC CONDITIONS

## I. Construction Phase

- All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- Soil and ground water samples will be tested to ascertain that there is no threat to groundwater quality by leaching of heavy metals and other toxic contaminants.
- iii) A First Aid Room will be provided at the project site both during construction and operation of the project.
- iv) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- v) All the top soil excavated during construction activities should be stored for use in horticulture/landscape development within the project
- vi) Disposal of muck including excavated material during construction phase should not create any adverse effects on the neighboring communities and be disposed off taking the necessary precautions for general safety and health aspects of people.
- vii) Use of diesel power generating sets during construction phase should be enclosed type to prevent noise and should conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards.
- viii) Vehicles hired for bringing construction material at site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peaking hours.
- ix) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.

- Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
- Regular supervision of the above and other measures for monitoring should be in place all through the construction phase so as to avoid disturbance to the surroundings.

#### **Operation Phase** ll:

The environmental clearance recommended to the project is subject to the specific conditions as follows:

- Only one DG set of adequate capacity shall be provided for backup ì.
- Adequate parking space shall be provided for buses and cars and power. also for their movement at ground level. Vehicles shall not be parked on the main road outside the plot area.
- During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- Oil & Grease trap shall be provided to remove oil and grease from the surface run off and suspended matter shall be removed in a settling tank before its utilization for rainwater harvesting.
- The leachate from vermi-composting shall be treated in sewage
- The sewage treatment plant (STP) should be certified by an treatment plant. independent expert for efficiency as well as adequacy and should submit a report in this regard to the Ministry before the project is commissioned for operation. The wastewater should be treated to tertiary level and after treatment reused for flushing of toilets and gardening. Discharge of treated sewage shall conform to the norms & standards prescribed by Maharashtra State Pollution Control Board.
  - Water harvesting system and energy conservation measures like installation of solar panels for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.
  - Noise barriers should be provided at appropriate locations so as to ensure that the noise levels do not exceed the prescribed standards.
  - The solid waste generated should be properly collected & segregated before disposal to the City Municipal Facility. Wet garbage should be disposed by the vermi-culture method.

- x. Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra State Pollution Control Board.
- xi. Diesel power generating sets proposed as source of back up power for lifts and common area illumination should be of enclosed type and conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards as per CPCB guidelines. Exhausts should be discharged by stack, raised to 4 meters above the rooftop.
- xii. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
- xiii. Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.
- xiv. The ground water levels and its quality should be monitored regularly.
- xv. Adequate measure should be taken to avoid any traffic congestion near the entry and exit points from the roads adjoining the proposed project site.
- xvi. A Report on the energy conservation measures should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the Ministry in three months time.
- xvi. The values of R & U for the building envelope should meet the requirements of the hot & humid climatic location. Details of the building envelope should be worked out and furnished in three months time.
- xvii. Suitable insulation material should be provided in the roof structure to reduce the U value to about 0.35 Watts per sqm per degree Centigrade.

#### PART - B. GENERAL CONDITIONS

- i) The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.
- ii) Provision should be made for the supply of kerosene or cooking gas and pressure cooker to the laborers during construction phase.
- iii) All the laborers to be engaged for construction works should be screened for health and adequately treated before the issue of work permits:

- iv) 6 monthly monitoring reports should be submitted to the Ministry and its Regional Office.
- 5. Officials from the Regional Office of MOEF, Bhopal who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of MOEF, Bhopal.
- 6. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
- 7. The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including reveking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

3

- 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department (if required), CRZ Regulations etc. shall be obtained by project proponents from the competent authorities.
- 9. A copy of the environmental clearance letter would be marked to the local NGO(s), if any, from whom suggestion/representation were received at the time of public hearing.
- Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Maharashtra State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bhopal.
  - 11. These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 1994 including the amendments.

12. The project authority will enter in to MOU with all buyers of the property/flat etc. to ensure operation and maintenance of the assets handed over to the society formed by the residents/owners of the buildings.

Kluthog

(K.C. RATHORE)
Additional Director (IA)
rathore27@yahoo.com
Tele: 24368526

#### Copy to: -

- 1. The Secretary, Department of Environment, Government of Maharashtra, Murnbai
- The Member Secretary, Maharashtra State Pollution Control Board Mumbai
- 3. The CCF, Regional Office, Ministry of Environment & Forests, Bhopal.
- 4 IA Division, MOEF, New Delhi 110001

(K. C. RATHORE) Additional Director

#### Government of Maharashtra

SEAC-2014/CR-35/TC-1 Environment department Room No. 217, 2<sup>nd</sup> floor, Mantralaya Annexe, Mumbai- 400 032. Dated: 29<sup>th</sup> September, 2014

To,
M/s. Genext Hardware & Parks Pvt. Ltd (Developers)
CA To Capricon Realty Ltd.
Raheja Tower
Plot No. C-30, Block G, Opp SIDBI,
BandraKurla Complex, Bandra (East), Mumbai

Subject: Environment clearance for proposed residential complex & composite building with commercial wing and a Municipal Parking Lot wing on plot bearing CS No. 903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai by M/s K Raheja Corp - Genext Hardware & Parks Private Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 27<sup>th</sup> meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 73<sup>rd</sup> meeting.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed residential complex & composite building with commercial wing and a Municipal Parking Lot wing on plot bearing CS No. 903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai. SEAC-II considered the project under screening category 8(b) B1 as per EIA Notification 2006.

Brief Information of the project submitted by Project Proponent is as-

stret finds mation of the project sabinitied by Project Proponent is as-				
Name of Project	Proposed additional development and expansion to the Residential Complex along with the proposed Composite Building with a Municipal Public Parking Lot and a Residential wing.			
Project Proponent	M/s K Raheja Corp - Genext Hardware & Parks Private Ltd.			
Consultant	Mahabal Enviro Engineers Pvt. Ltd.			
Type of project	It is expansion and additional development of Residential Project along with Municipal Public Parking Lot.			

Location of the project	Sub plot "B" bearing C.S. No. 1903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi.				
Whether in corporation / Municipal / Other area	Municipal Corporation of Greater Mumbai				
Applicability of the DCR	Regulations No date.	os. 23, 58 and	1 33(24) of DCR 19	91 modified till	
Note on the initiated work (if applicable)	Total constructed work (FSI + Non FSI):		Construction work of three towers from the previous EC is done. The Built up area of 65,846.16 m <sup>2</sup> and construction area of 1,82,485.39 m <sup>2</sup> is completed.  Construction work for further development not started.		
	Date and area details in the necessary approvals issued by the competent authority (attach scan copy)		EC No. 21-68/2006-IA.III dt.1 <sup>st</sup> September 2006.		
LOI / NOC from MHADA / Other approvals (if applicable)	IOD / LOI for PPL are obtained.				
Total Plot Area Deductions Net plot area	Plot Area = 61,520.46 m <sup>2</sup> Road Setback = 3062.00 m <sup>2</sup> MHADA = 542.10 m <sup>2</sup> BMC R.G = 662.61 m <sup>2</sup>				
	Net Plot Area = 57,253.75 m <sup>2</sup>				
Permissible FSI (Including TDR etc.)	Plot FSI : 81,101.22 m <sup>2</sup> Public Parking Lot FSI (Incentive): 32,727.07 m <sup>2</sup> Fungible FSI : 16793.74 m <sup>2</sup>				
(monuming 1Diceu.)	Total Permissible: 1,30,622.04 m <sup>2</sup>				
		As per EC	Work Completed	Proposed Expansion	
Proposed Built-up Area	FSI Area (m²)	81,101.22 m <sup>2</sup>	65846.16m <sup>2</sup>	64,142.62 m <sup>2</sup>	
(FSI & Non-FSI)	Non FSI Area (m²)	-	1,16,639.23 m <sup>2</sup>	1,41,403.80 m <sup>2</sup>	
	Construction area (m²)	-	1,82,485.39m <sup>2</sup>	2,05,546.42m <sup>2</sup>	
Ground coverage percentage (Note: Percentage of plot not open to sky)	Since Bldg. No. 1 has been completed and BCC trom MCGM has been obtained, the proposed development (Bldg. No. 2 and Bldg. No.3) envisages provision of Ground Coverage of 43%.				

Estimated cost of the project	Rs. 888.0 Cr		
	As per EC received	Proposed Development	
	Towers B1,B2 and A1: Stilt + 41 upper floors over two levels of podium.	Bldg No. 2:  2 Basements + 2 Parking Floors + Stilts + 44 Upper Floors.  (17 Floors are as per the Residual Construction from EC No. 21- 68/2006-IA.III dt. 1st September 2006)	
	Tower B3:	Bldg No. 3:- Composite Bldg. (Additional Construction):	
No. of Buildings & its configuration	2Parking Floors + Stilts+39 upper floors 2 Parking floors are common for all four tower	Residential Wing:- 3 Basement (pt)+Gr (pt) + intermediate Parking Floor + 4 Parking Floors (pt)+2 Parking Floors (full) + Stilts + 43 Upper Floors Municipal Public Parking Lot: 3 Basements (pt) + Ground (pt) +4 Upper Floors (pt). To be handed over to MCGM and 5th & 6th Floor above MPPL will be retained for Residential parking.	
Number of tenants	As per EC construction completed	Proposed Development	
	318	230	
Number of expected residents / users	1150		
Tenant density per hector	-		
Height of the building(s)	Maximum Height of the building: 190.10 m		
Right of way (width of the road from the nearest fire station to the proposed building)	36.60 m wide Dr. A.L. Nair Marg on West side (proposed) 27.43 m wide Maulana Azad Marg on East side Nearest fire station: Byculla fire station at ~ 1.0 km		
Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation	Mîn width of 9.00 m		

Existing Structure		Building No. 1 consists of Tower A, B and C for which OC is obtained as per the NOC obtained from New Delhi u/r 21-68/2006-IA.III dated 1 <sup>st</sup> Sept 2006.		
Details of the demo with disposal (if app		NA		
Particular	DETA	ILS	PROPOSED	
Total Water Dry Season requirement		2		
	Fresh v	vater (KLD)	108 KLD	
- 700	Source		MCGM	
	Recycl	ed Water (KLD)	96 KLD	
	Total v	vater requirement (KLD)	170 KLD(Domestic + Flushing)	
	Swimming pool make up (cum)		-	
	Firefighting (cum)		As per NBC	
	Wet Se	ason		
	Fresh water (KLD)		73 KLD	
	Source		MCGM	
	Recycled Water (KLD)		62 KLD	
- HARA SALA	Total water requirement (KLD)		135 KLD (Domestic + Flushing)	
	Swimm	ing pool make up (cum)	E	
	Firefigl	nting (cum)	As per NBC	
Rain Water Harvesting (RWH)	Level of ground water table		3 m	
	Size and quantity	d No. of RWH tanks and	Two Numbers of RWH tanks with 85.0 m <sup>3</sup> capacity each.	
	Locatio	n of RWH tank	Lower Basement	
- u	Size and quantity	no. of recharge pits and		
11.77	Budgeta	ry allocation	Capital Cost: 25 Lakh O & M Cost: 2 Lakh	
UG Tanks	Location	n of UG tank	Lower Basement	
Storm Water Orainage	Natural	water drainage pattern	Toward East and West Side	
5.27 - 522	Quantity	y of storm water	2980.71 m³/hr	
	Size of	SWD	0.35 x 0.35m, 0.45 x 0.6m, 0.6 x 0.8m	
Sewage and waste	Sewage	generation (CMD)	159 KLD	

water					
	STP Technology	MBBR Technology			
	Capacity of STP (CMD)	3 STPs will be provided with capacity 100 m <sup>3</sup> (for bldg. No. 2), 100 m <sup>3</sup> (for bldg No. 3) and 20 m <sup>3</sup> for MPPL			
	Location of the STP	Bldg No. 2: Ground Floor Bldg No. 3: a. Resi. Bldg: 2nd Floor Parking Lvl. b. MPPL: Ground Floor.			
	DG sets (during emergency)	Building No. 2:1 x 1250 kVA Building No. 3: Resi. Bldg:2 x 500kVA, 1 x 250 kVA MPPL:1 x 1250 kVA			
	Budgetary allocation	Capital Cost: 45 Lakh O & M Cost: 9 Lakh			
Solid waste management	Waste generation in the pre-construction and construction phase for Bldg. No. 2 and Bldg. No. 3				
	Waste generation	-			
	Quantity of the top soil to be preserved	Nil			
	Disposal of the construction way debris	The construction debris will be disposed as per the "Construction and Demolition and Desilting Waste (Management and Disposal) Rules 2006.			
	Waste generation in the Operation phase				
	Dry Waste (kg/d)	385 Kg/day			
	Wet Waste (kg/d)	257 Kg/day			
	E – Waste (kg/month)	7			
	Hazardous Waste (kg/month)	NA			
	Biomedical Waste (kg/month)	NA			
	STP Sludge (dry sludge) (kg/d)	2 m <sup>3</sup>			
	Mode of Disposal of Waste				
	Dry Waste	Dry garbage will be segregated & disposed off to recyclers			
Commence Was advanced and an advanced	Wet Waste	Wet garbage will be composted using Mechanical Composting Technology and used as organic manure for landscaping.			
	E-waste	NA			

:

•

	Hazardous Waste	NA	
	Biomedical Waste	NA	
	STP sludge (dry sludge)	Sludge use as manure for gardening	
	Area requirement		
	Location and total area provided for the storage and treatment of the solid waste	On Ground Floor	
	Budgetary allocation	Capital Cost: 12 Lakh O & M Cost: 6 Lakh	
Green Belt Development			
	Existing Landscape.	13,656.16 m <sup>2</sup>	
	R.G on ground	425 m <sup>2</sup>	
	Proposed Landscape area on Podium of Bldg. No. 2 and 3	6,202.66 m <sup>2</sup>	
*	Proposed Landscape area on Ground	425 m <sup>2</sup>	
	Plantation	4	
	Number and list of trees species to be planted on the ground RG.		
	Number and list of shrubs and bushes species to be planted in the podium RG	Nil -	
	Number and list of trees species to be planted around the border of nallah / stream / pond (if any)	NA	
	Number, size, age and species of trees to be cut, trees to be transplanted		
	NOC for the tree cutting / transplantation/ compensatory plantation, if any	Trees cutting permission obtained as shown in the above list.	
	Budgetary allocation	Capital Cost: 116 Lakh O & M Cost: 12 Lakh	
Energy	Power supply		
	Maximum demand	Bldg. 2: 1532 kW Bldg. 3: 1411 kW MPPL: 892.5 kW	
	Connect load	Bldg. 2: 4383kW Bldg. 3: 3920 kW MPPL: 1561 kW	
	Source	TATA	

Energy saving by non-conventional method
Energy saving measures

- Day mode/evening modes and night mode will be used for light control.
- Electronic ballast will be used to save the energy consumption upto 12% in lighting power.
- The use of low loss transformers and switchgears will save energy upto 2 %.
- Occupancy Sensors will be used in staircase midlanding and apartment level and lobby.
- Terrace will be finished with over deck insulation.
- We will be aiming to have COP of all air conditioning machines.
- The project as the 'Green Homes' features includes the followings:
- The project is 30-35% More energy efficient than conventional buildings and 21% energy efficient compared to ASHRAE / ECBC 2007 building.

Yes

CO sensors for parking bay with efficient ventilation.

Compliance of the ECBC

- · High efficiency spectrally selective glazing.
- Roofing with high Solar Reflective Index (SRI)

guidelines (Yes / No) (if Yes then submit compliance in tabular form)			165	- 24	S (B)	
	Budgetary	allocation		Capital Cost:15 O & M Cost: 2		
	DG set					
	Number and capacity of the DG sets to be used			Building No. 2:1 x 1250 kVA  Building No. 3: Resi. Bldg: 2 x 500kVA,  1 x 250 kVA  MPPL: 1 x 1250 kVA		VA
	Type of fuel used			Diesel		
Environment Management Plan Budgetary Allocation	Construction phase (with break- up)					
Component	Capital Cost (Rs. In Lakhs)	O & M Cost (Rs. In Lakhs/year)	Мо	Monitoring Frequency		
STP (Tertiary)	45	9	Env	Continuous O & M Environment Monitoring: Monthly, STI outlet water quality for pH, BOD, COD SS and O & G		
Solar System	Solar System 15 2 W		We	Weekly		
Rainwater harvesting	25	2	During rainy season (cleaning of UG tanks and filtration units before rainy			

			season)		
Solid Waste Composting plant	12 6		Continuous O & M Environment Monitoring: Monthly to assess the compost quality		
Landscape	116	12	Daily		
Total	213	31			
Responsibility for further O & M					
Traffic Management	Nos. of the junction to the main road & design of confluence: 9 entry / exists gates are provided to the main roads.				
	Parking det	ails :			
	Number &	area of basement	Building No. 2: 2 Nos. 11,738.02 m <sup>2</sup> . Building No. 3: 3 Nos. No. of Basements: 3 Nos. Area of Basements: 36257.3 m <sup>2</sup> .		
	Number & area of podium		Building No. 2: 3 Podiums 10915.1 m <sup>2</sup> .  Building No. 3:- 7 Podiums 50,956.03 m <sup>2</sup> .		
	Total Parking Area		Building 2: 12,325.08m <sup>2</sup> Building 3: a) Residential Parking: 13,398.72 m <sup>2</sup> b) Municipal Public Parking Lot: 65,454.14 m <sup>2</sup>		
	Area per car		Building 2: 37.23 m <sup>2</sup> Building 3: a) Residential: 38.06 m <sup>2</sup> b) MPPL: 48.88 m <sup>2</sup>		
	4 wheeler		Building No. 2: 331 Nos Building No. 3 (Residential): 352 Nos Public Parking Lot: 1316 Cars + 23 T.V		

Sr. No.	Details	Earlier Proposal as per EC Received		Proposed for PHASE II (Expansion)
------------	---------	---	--	-----------------------------------

1	Type of Project	Residential Project with 4 Towers (B1, B2, A1 and B3)	Building No. 1 (B1, B2 & A1) 3 Residential Towers Presently known as "A, B & C".	Building No. 2: One Residential Tower Building No. 3: Composite Building (Residential Wing and Municipal Public Parking Lot)
2	Total Plot Area	61,520.36 m <sup>2</sup>		
3	Total permissible built up area	FSI Proposed: 81,101.22 m	FSI Consumed:  65846.16 m  Total  Construction  Area:  1,82,485.39m  2	FSI Proposed: 64,142.62 m  Total Construction BUA: 2,05,546.42 m
4	Total nos. of Towers	Towers B1, B2 and A1: 2 Parking Floors + Stilt+41 upper floors Tower B3: 2 Parking Floors + Stilts+39 upper floors 2 Parking floors are common for all four Towers	Building No 1(Tower B1, B2 & A1): 2 parking floors + stilts + 41 Upper Floors	I. Bldg No. 2:  2 Basements + 2 Parking Floors + Stilts + 44 Upper Floors II. Bldg No. 3 (Composite Bldg): Residential Wing:- 3 Basement (pt) + Gr (pt) intermediate+4 Parking Floor (pt)+2 Parking Floors (full) + Stilts + 43 Upper Floors Municipal Public Parking Lot:: 3 Basement (pt) + Ground(pt)+4 Upper Floors(pt). To be handed over to MCGM and 5th & 6th Floor above MPPL will be retained for Residential parking.

Sr. No.	Details	Earlier Proposal as per EC Received	Phase I (Completed)	Proposed for PHASE II (Expansion)	
5	Estimated cost of the project	•	-	Rs. 888.0 Cr	
6	No. of Tenements	486 Nos.	318	Building 2: 116 Building 3: 114	
7	Water Requirement	330 KLD	211 KLD	170 KLD	
8	Sewage Generation	296 KLD	183 KLD	159 KLD	
9	STP Capacity	460 KLD	200 KLD	Building No. 2: 100 KLD Building No. 3 (Residential): 100 KLD Building No. 3 (PPL): 20 KLD	
10	STP Technology		SBR	MBBR	
11	Solid Waste generation	490 kg/day	783 kg/day	642 kg/day	
12	RWH Tanks	-	1 tank with capacity:	Bldg. 2 Bldg.	

				63 m <sup>3</sup> , 2 tanks: 60.5 m <sup>3</sup> 85.0 m 85.0
Sr. No.	Details	Earlier Proposal as per EC Received	Phase I (Completed)	Proposed for PHASE II (Expansion)
13	Power Requirement	-	Max demand : 4770 kW Connected load : 5736 kW	Connected Load: Bldg . 2 : 4383kW Bldg . 3 : 3920 kW MPPL : 1561 kW Demand Load: Bldg . 2 : 1532 kW Bldg . 3 : 1411 kW MPPL : 892.5 kW
14	DG Sets	1 Nos.	DG: 1010 kVA x 3	Building No. 2: 1 x 1250 kVA  Building No. 3:  Resi. Bldg: 2 x 500 kVA,  1 x 250 kVA  MPPL: 1 x 1250 kVA
15	Landscape Area	***	Landscape on Bldg No. 1=13,656.16	Required: 300.0 m <sup>2</sup> Provided: 425.00 m <sup>2</sup> Proposed Landscape area on Podium of Bldg. No. 2 and 3; 6,121.65 m <sup>2</sup> Proposed Landscape area on Ground: 425 m <sup>2</sup>
16	Parking	Require : 534 Nos. Provided : 1188 Nos.	Require: 346 Nos. Provided: 718 Nos.	Residential Building No. 2 = 331 Cars Residential Building No. 3 = 352 Cars  Total: 683 Cars MPPL: 1339 Cars

- 3. The proposal has been considered by SEIAA in its 73<sup>rd</sup> meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:
  - (i) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
  - (ii) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National

Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

- (iii) PP has to abide by the conditions stipulated by SEAC & SEIAA
- (iv) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (v) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (vi) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (vii) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (viii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ix) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (x) The solid waste generated should be properly collected and segregated, dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (xi) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (xii) Arrangement shall be made that waste water and storm water do not get mixed.
- (xiii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.

- (xiv) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xv) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xvi) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xvii) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xviii) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xix) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xx) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xxi) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xxii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during nonpeak hours.
- (xxiii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxiv) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxv) Ready mixed concrete must be used in building construction.
- (xxvi) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.

- (xxvii) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxviii) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxix) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxx) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environmenent department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxxi) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxxii) Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxxiii)Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxiv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxv) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxvi)Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement
- (xxxvii) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxviii) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all

proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

- (xxxix) Noise should be controlled to ensure that it does not exceed the prescribed standards.

  During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xl) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xli) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement
- (xlii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xliii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xliv) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xlv) Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
- (xlvi) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (xlvii) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlviii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xlix) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (l) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>.

- (ii) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1<sup>st</sup> June & 1<sup>st</sup> December of each calendar year.
- (lii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (liii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO<sub>2</sub>, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (liv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (Iv) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 11. This Environment Clearance is issued for proposed residential complex & composite building with commercial wing and a Municipal Parking Lot wing on plot bearing CS No. 903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai by M/s K Raheja Corp Genext Hardware & Parks Private Ltd.

(Medha Gadgil)
Additional Chief Secretary,
Environment department &
MS, SEIAA

#### Copy to:

- Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
- Shri. Ravi Bhushan Budhiraja, Chairman, SEAC-II, 5-South, Dilwara Apartment, Cooperage, M.K.Road, Mumbai 400021
- 3. Additional Secretary, MOEF, 'MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aligani, New Delhi-110003.
- Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
- The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
- 6. Regional Office, MPCB, Mumbai.
- 7. Collector, Mumbai
- 8. Commissioner, Municipal Corporation Greater, Mumbai
- 9. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
- 10. Select file (TC-3)

(EC uploaded on 9/10/2014)

# MUNICIPAL CORPORATION OF GREATER MUMBAI No.EEBPC/ 9527/E/A. 07-1817/13

To,
M/s.Capricon Realty Ltd.
through its Constituted Attorney
Genext Hardware & Parks Pvt. Ltd.
Plot No.C-30, G Block
Opp. SIDBI, Bandra Kurla Complex
Bandra (East)
Mumbai 400051

Ex. Enc. lilde Proposal (City)-fl 'E' Ward, Maria to the start of the

Sub: Full occupation permission to Lower stilt + upper stilt + podium + 41 upper floors in Tower A, B & C of residential building No.1 on Sub Plot "B" of property bearing C.S.No.1903(pt), 1904(pt), 1905, 1/1905 & 2/1905 of Byculla Division at Dr.A.L.Nair Marg, near Jacob Circle, Mumbai

Ref: Your Architect's letter dated 7.6.2013

### WITHOUT PREJUDICE

Sir,

With reference to above letter and in continuation of this office part occupation permission under even No. dated 31.3.2012 and 8.3.2013, this is to inform you that there is no objection to occupy Lower still + upper still + podium + 41 upper floors in Tower A, B and C of residential building No.1 under reference which is constructed under supervision of Architect Shri Bihari Lund (Regn.No.CA/80/5547) and Regd. Structural Engineer Shri K.N. Hadkar (Regn.No.STR/H/12) subject to following conditions:-

- That the conditions mentioned in N.O.C. for full occupation by Chief Fire Officer u/No.FB/HR/CITY/470 dated 14.1.2013 shall be complied with.
- 2. That the setback area along Dr.A.L. Nair Marg shall be transferred in the name of M.C.G.M. before requesting for C.C. equivalent to setback area along Dr. A.L. Nair Marg in building No.2.
- That the certificate u/Sec.270A of M.M.C. Act shall be obtained from H.E. Department.

This occupation permission is granted without prejudice to rights of M.C.G.M. to take action under Section 353-A of M.M.C.Act Act, if found necessary.

A set of plans duly stamped/signed showing occupation permission granted to portion marked red is returned herewith as token of approval.

Yours faithfully.

Executive Engineer
(Building Proposal) City-II
No.EEBPC/ 9527/E/A.

Copy to:

Shri Bihari Lund

Architect,

Plot No.C-30, G Block

Opp. SIDBI, Bandra Kurla Complex

K Rabeja

Bandra (East) Mumbai 400051

2. Asst. Commissioner E Ward

3. A.E.W.W. E Ward

4. Dy A. & C. City

1910-1818113

Executive Engineer (Building Proposal) City-II



## MUNICIPAL CORPORATION OF GREATER MUMBAI APPENDIX XXII

FULL OCCUPANCY Under Regulation 6(7)\* and BUILDING COMPLETION CERTIFICATE Under Regulation 6(6)\*
[EB/907/E/A of 11 February 2018]

To, Genext Hardware & Parks Pvt.Ltd Raheja Tower,'G'Block, C-30, Bandra Kuria Complex, Bandra (E).

Dear Applicant/Owners,

The full development work of Residential building comprising of Lower Basement + Upper Basement + Lower Stilt + Upper Stilt + Podlum + 41 Habitable Floors + 2 Fire Check Floors + 1 Service Floor (Building No. 2) on plot bearing C.S.No./CTS No. 1903,1904,1905,1/1905 and 2/1905 of Division Byculla at Jacob Circle is completed under the supervision of Shri. Rakesh Kumar, Architect, Lic. No. CA/90/13582, Shri. Girish Purushotam Dravid, RCC Consultant, Lic. No. STR/D/59 and Shri. Manish Kothari, Site supervisor, Lic.No. K/359/SS-I and as per development completion certificate submitted by architect and as per completion certificate issued by Chief Fire Officer u/no. FB/HRC/R-I/22 dated 21 December 2017. The same may be occupied and completion certificate submitted by you is hereby accepted.

#### Copy To:

- 1. Asstt. Commissioner, E Ward
- 2. A.A. & C. , E Ward
- 3. **EE** (**V**), City
- 4. M.I., E Ward
- 5. A.E.W.W., E Ward
- 6. Architect, Rakesh Kurnar, Raheja Tower, Plot No. C-30, GBlock Bandra Kurla Complex, Bandra (E) 400051 For information please

Name: Satish Bhaskar Gite Designation: Executive Engineer Organization: Municipal Corporation of Greater Mumbai Date: 11-Feb-2018

Yours faithfully Executive Engineer (Bullding Proposals) Municipal Corporation of Greater Mumbai E Ward



## MUNICIPAL CORPORATION OF GREATER MUMBAI APPENDIX XXII

#### PART OCCUPANCY CERTIFICATE

[EB/5204/E/A/OCC/1/New of 24 June 2019]

To,

Genext Hardware & Parks Pvt.Ltd C.A. to Capricon Reality Ltd
Raheja Tower, 'G'Block, C-30, Bandra Kurla Complex, Bandra (E) 400 051.

Dear Applicant/Owners,

The Part 1 development work of Utility/services building comprising of 3 level basements + ground + 1st to 4th upper floors for Public Parking Lot (PPL) on plot bearing C.S.No./CTS No. 1903,1904,1905,1/1905 and 2/1905 of Division Byculla at Jacob Circle is completed under the supervision of Shri. Rakesh Kumar , Architect , Lic. No. CA/90/13582 , Shri. Girish Purushotam Dravid , RCC Consultant, Lic. No. STR/D/59 and Shri. Anilkumar Upadhyay , Site supervisor, Lic.No. U/26/SS-I and as per development completion certificate submitted by architect and as per completion certificate issued by Chief Fire Officer u/no. EB/5204/E/A-CFO dated 17 January 2019.

It can be occupied with the following condition/s.

- 1) That all the balance conditions of I.O.D / amended plan approval letters shall be complied with before asking further OC.
- 2) That the remaining work shall be carried out as per approved amended plans.
- 3) That all the safety and precautionary measures to safeguard the occupants and neighborhood shall be taken while executing the remaining construction works.

#### Copy To:

- 1. Asstt. Commissioner, E Ward
- 2. A.A. & C. , E Ward
- 3. EE (V), City
- 4. M.I., E Ward
- 5. A.E.W.W., E Ward
- 6. Architect, Rakesh Kumar, Raheja Tower, Plot No. C-30, GBlock Bandra Kurla Complex, Bandra (E) 400051 For information please

Yours faithfully Executive Engineer (Building Proposals) Municipal Corporation of Greater Mumbai E Ward



## MUNICIPAL CORPORATION OF GREATER MUMBAI APPENDIX XXII

FULL OCCUPANCY Under Regulation 6(7)\* and BUILDING COMPLETION CERTIFICATE Under Regulation 6(6)\*

[EB/5204/E/A/OCC/2/New of 31 March 2022]

Τo,

Genext Hardware & Parks Pvt.Ltd C.A. to Capricon Reality Ltd Raheja Tower, 'G'Block, C-30, Bandra Kurla Complex, Bandra (E) 400 051.

Dear Applicant/Owners,

The full development work of Residential building comprising of Residential building No.3 Intermediate floor + 1st to 5th parking floor + Podium (Amenity floor in two levels) + 21st to 44th residential floors + 1 fire check floor (above 28th residential floor) + 1 Service floor (below 29th residential floor) on plot bearing C.S.No./CTS No. 1903,1904,1905,1/1905 and 2/1905 of Division Byculla at Jacob Circle is completed under the supervision of Shri. SAMBPRASAD RAVINDRA PINGE, Architect, Lic. No. CA/90/13213, Shri. Girish Purushottam Dravid, RCC Consultant, Lic. No. STR/D/59 and Shri. Shri Manish Kothari, Site supervisor, Lic.No. K/359/SS-I and as per development completion certificate submitted by architect and as per completion certificate issued by Chief Fire Officer u/no. EB/5204/E/A-CFO dated 29 March 2022. The same may be occupied and completion certificate submitted by you is hereby accepted.

#### Copy To:

- 1. Asstt. Commissioner, E Ward
- 2. A.A. & C., E Ward
- 3. EE (V), City
- 4. M.I., E Ward
- 5. A.E.W.W. , E Ward
- 6. Architect, SAMBPRASAD RAVINDRA PINGE, C-30, BLOCK 'G', BANDRA KURLA COMPLEX, BANDRA(E) For information please

Yours faithfully Executive Engineer (Building Proposals) Municipal Corporation of Greater Mumbai

E Ward

• ±

# MUNICIPAL CORPORATION OF GREATER MUMBAI EEBPC/9527/E/A 60-30 11 13

To, Shri Bihari Lund Architect, Plot No.C-30, G Block Opp. SIDBI, Bandra Kurla Complex Bandra (East) Mumbai 400051

Ex. Eng. Bldg. Propposal (City)-II 'E' Ward, Municipa Circe, 3rd Theo. 10, S. K. Hatizudelin Marg, Gycelle, Mumbai - 400 008.

Sub: Proposed residential building No.1 on Sub Plot 'B' of property bearing C.S.No.1903(pt), 1904(pt), 1905, 1/1905 & 2/1905 of Byculla Division at Dr.A.L.Nair Marg, near Jacob Circle, Mumbai

Ref: Your letter dated 8th October 2013

Sir,

The Building Completion Certificate as submitted by you vide your letter dated 8<sup>th</sup> October 2013, is hereby accepted.

Yours faithfully,

Executive Engineer
Byflding Proposals(City)-II

# Genext Hardware & Parks Private Limited



To, Member Secretary, SEAC-II, 15th Floor, Mantralaya, New Administrative Building, Mumbai - 400 032

Subject: Proposed amondment in Environment Clearance for residential complex along with the proposed composite residential building with Municipal Public Parking Lot, at Sub lot bearing C.S.No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla division abatting Dr. .L.Nair Road and Maulana Azad Road, Jacob Circle, Mahalaami, Mumbal, Maharashtra.

Reference: L. Agenda of 96" SEAC-II meeting held on 15.04.2019 (Item No 5)

2. Consolidated statement w/n 0000001765

3. SEAC-MINUTES-0000003829

5ir.

With reference to Minutes of 96th SEAC-II meeting of hold on 15.04.2019, following are our reply.

Sr. No.	Polats	Reply
1	It is noted that, representative of PP not submitted authority letter. PP to submit the same along with copy of company resolution.	Authority letter in the form of company's board resolution attached herewith.
2	PP to submit the company merger document	Enclosed deed of assignment for transfer of development rights dated 06.08 2007 from K Raheja Curp Pvt Ltd. To Genext Hardware Parks Pvt. Ltd.
1	PP to submit dated architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014.	Enclosed architect certificate

In view of above we request you to consider our proposal in forthcoming SEAC-II meeting.

Thanking you,

Yours faithfully,

For Genext Hardware & Parks Private Limited

N. R. Muht

Nikhil Mebta

Encl.: As above.

Rogd. Off. : Haboja Tower,

Plot No. C-30, Block 'G', Next to Bank of Baroda, Bandra Kurla Copaplex, Bandra (E), Mumbai-400 051,

Phone 91-22-2656 4000 Fax : 91-22-2656 4004 Websits : www.krabejecorp.com

## Genext Hardware & Parks Private Limited

Regd Off. Plot Na.C-30, Block 'G', Opp. SIDBI, Bandra Kurla Complex,

Bandra (E), Mamhri - 400 051

Phone 📑 : +91-22-2656 4000 Website : www.krubejiasigi.com



CERTIFIED TRUE COPY OF THE BOARD RESOLUTION PASSED AT THE MEETING OF BOARD OF DIRECTORS OF GENEXT HARDWARE & PARKS PRIVATE LIMITED HELD ON APRIL 17, 2019 AT ITS REGISTERED OFFICE.

## Authority for making applications to various authorities:-

"RESOLVED THAT the consent of the Board be and is hereby accorded for making necessary application's from time to time to Ministry of Environment, Forest & Climatic Changes (MoEF & CC), New Delhi. SELAA & SEAC. II, Government of Maharashtra for grain of Environmental Clearance and for amendment in existing EC & Renewal of Environment Clearance and to Maharashtra Pollution Control Board (MPCB) for grant of Consent to Establish/Renewal of Consent to Establish, Consent to Operate/Renewal of Consent to Operate for the buildings to be/being constructed by the Company for the Company's project named "Hindustan Mills" situated at Sub Plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla . Byculla Division abutting Dr. A.L. Nair Road and Maula Azad Road, Jacob Circle, Mahalaxmi, Maharashtra (said "Project").

RESOLVED FURTHER THAT any one of the Directors of the Company or Authorised Signatories of the Company or Mr. Nikhil Mehta, the Authorized Representative of the Company (hereinafter referred to as 'the Attorney') be and are hereby authorized severally to sign the said application's and to execute all other related papers, documents, writings, to do all such acts, deeds, matters and things as may be deemed necessary and expedient in this regard for and on behalf of the Company and also authorise to represent the Company, to attend the said matter or any proceedings arising therefrom or connected therewith; to sign, declare, verify, affirm or execute all proceedings, applications, affidavits, declarations, letters, etc.; and to adopt, settle, prosecute, defend and contest any further proceedings arising therefrom, in connection therewith before any Forum, Authority, Tribunal, Courts, to engage Advocates, Solicitors, Counsels, other professionals therein, to sign Vakalatnamas in their favour to act, appear and plead therein for and on behalf of the Company.

RESOLVED FURTHER THAT a letter of authorization along with a certified copy of this resolution be issued to Mr. Nikhil Mehta, as the Company's Attorneys under the Common Scal of the Company to be affixed on the said letter of authorization in the presence of any one of the Directors of the Company who shall sign the same in token thereof and the Company does hereby declare that any and all lawful acts, deeds, matters, things and writings which may be done or executed pursuant to this authorization by the said Attorneys on behalf of the Company, shall be good, valid and effectual to all intents and purposes as if done and executed by the Company and the Company hereby assures that the same shall be considered as ratified and confirmed by the Company."

For Genext Hardware & Parks Private Limited

Ramesh Valecha

Director DIN: 00389678

Place: Mumbai Date: April 22, 2019



CIN : 1/72100MH2006F1/C160261

Branch Off.: Plot No.75.76,65 to 57, CA Plot & Plot No.88 (Part), EPIP Area, Noza to Satya Sai Hospital, Whitefield, Bengallana - 560066-Phone: +91-80-4140 5600 Kaz : +91-80-4140 5025



4.D1:65 PM

पावती

Original नोटणी ५९ म्. सिक्तः अस्य

पायती क्र. : २८५८

गानामे नाम नामका

विनाक 06/08/2007

दश्तऐबजाचा अनुक्रमांक

विवर्ग • 88671 - 2007

दश्ता ऐकनामा प्रकार

कनारनाम्ह किया रुपार्य अभिनेतः विका करार अंधीपसेन्छ

भाष्टर करणप्रशासे नावः निर्मेक्टर हार्डनिक्षर और पाईन्स् मा ति से अंदरी किसी सीर्पक्र भी कुकरेजा .

भोदणी की

30000.00

क्क्बल (अ. 11(1)), पृष्टांक त्रवी नक्कल (अ. 1<sub>2</sub>(2)), ক্তকল (জ. 12) ব চাঝালিদদ (জ. 13) -> চক্রির দ্যা (36)

723.00

₹. एकूण

अध्यनाश <u>घ इस अंदाजें 4:189M</u> ह्या येळेस पिळेल

on Eltal

बाजार मुक्यः 2262084500 क. गोबदला: 22620340 भरतेले मुद्रांक मुल्क: 22820850 क.

देवकाची हकतः :अजिश्वनकवाहारः

बॅबेन्ये साथ व पता. अंबनीस बेंग्र 📶

वीरो/भगावार्वं क्षेत्रांक: २२६३६६; रमकतः, ३०००० स., दिन्दंक: ७६८७७/२००/

£ .

誰

PART L LIMIA BE VIN LINE

na je bom t jak Aneb Oprae P:y=a-

140004 937037205

23628874 90 05

Detr - Name : (NEGAN GREEFAS david - 198) Blander Name : Bandra (PMD)

3027973361/2067

sus Data

5 MEO 289新 Description of Siamous Francia Crear Sc.  $\triangle p n_{i} \cdot s > n_{i} \mid p_{i} > n_{i}$ DELINY WEL A AUG 200

縜

ĽÍ

### RAKESH KUMAR

**ARCHITECT** 

Plot No. C-30, Block 'G', Opp. SIDBI, Bandra Kurla Complex, Bandra (E), Mumbai- 400 051 Tel. 2656 4000 Fax 2656 4604

Date: 13/05/2019

To,
The Member Secretary, SEAC-II
Environment Department,
15<sup>th</sup> Floor, Mantralaya,
Mumbai-400032

Subject: Environment Clearance for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot on sub plot B of property bearing CS No 1903, 1904, 1905, 1/1905, 2/1905 of Byculla division abutting Dr. A.L. Nair Road and Maulana Azad Road, Jacob circle, Mahalaxmi by Genext Hardware & Parks Pvt. Ltd.

Reference: 96th Meeting of SEAC-II, 15.04.2019 Item No 5 in Agenda (Online Unique Application No 0000001765)

#### Architect area certificate for area constructed on site as on 13/05/2019

Sr.No	Building Details with configuration as per EC dated 29.09.2014	Floors Constructed Up to	FSI Area in Sq.M.	Non FSI Area in (Sq. M.)	Total BUA in (Sq. M.)
1	Bldg. no 1 (Tower B1,B2,Al i.e. Tower A, B,C) Stilt + 41 Upper floors over two levels of podium	As per EC dated 29.09.2014. (Work Completed)	65,846.16	1,16,639.23	1,82,485.39
2	Bidg. no 2  2 Basements + 2 Parking Floors + Stilt + 44 upper floors	As per EC dated 29.09.2014 (Work Completed)	31,935.02	33,870.88	65,805.90
3	Composite Bldg no 3 Municipal Public Parking lot: 3 Basements (pt) + Ground (pt) + 4 upper floors (pt).  Residential Wing 3 Basements (pt.) + Ground (pt) +Intermediate Parking floor + 4 Parking Floors (pt) +2 Parking Floors (full) + Stilt + 43 floors	As per EC dated 29.09.2014 (Work Completed)  Work completed as below, 3 Basements (pt.) + Ground (pt) + 4 Parking Floors (pt) +2 Parking Floors (full) + Stilt	NIL 576.8	65,563.61 29,928.24	65,563.61 30,505.04
	Total		98,357.98	2,46,001.96	3,44,359.94

Built up area as per EC dated 29/09/2014 u/n SEAC-2014/CR-35/TC-1 is 3,88,031.81 Sq. M. Built up area completed on site admeasures 3,44,359.94 Sq. M., which is less than built up area as per EC dated 29/09/2014 u/n SEAC-2014/CR-35/TC-1.

Thanking You, Yours faithfully

RAKESH KUMAR Architect CA/90/13582 Artes Second At Separt

Stamp Act. 1938.

Collector of the Collector of Stamps
Cate No. All. Of Second Collector of Second Collector of Stamps
Cate No. All. Of Second Collector of Second Collect

sump that of the (0.26.20.85). There (now.

Therefore, all a Media diversity fround to the Boundary South of t

Bonday State Act of the fire fire fire date of the State of the State

This certificate is subject to the provisions of stolen \$1-A of Bombay Stamp Act 1938.

Placet : 1974-1971.

But 6 (Place)

Collector of State

THIS DEED OF ASSIGNMENT FOR TRANSFER OF DEVI

BETWEEN

K. RAHEJA CORP PRIVATE LIMITED, a company incorporated under the provisions of the Companies Act, 1956 and having its registered office at Construction House "A", 24<sup>th</sup> Road, Khar, Mumbal 400 052 hereinafter called "the Original Developer" (which expression shall unless it be repugnant to the context or meaning thereof to dremed to mean and include its successors) of the ONE PART;

#### AND

GENEXT HARDWARE & PARKS PREVATE LIMITED, a company incorporated wider the provisions of the Companies Act, 1955 and boying its registered effice at Construction House "A", 24th Road, Khor, Mumbai 400 052 hereinafter called "time Assignee Developer" (which expression shall unless it be repugnant to the context or meaning thereof be deemed to mean and include its successors and COTHER PART;

#### WHEREAS:

Pursuant to the Rehabilitation Scheme sanctioned by Board of Income Financial Reconstruction ("BIFR") on April 1, 2004 ("the said Sanctioned Scheme"), one. The Hindoostan Spinning And Weaving Mills Limited, a company registered under the Act No. X of 1966 under the name of Indian flamped cluring Company Limited and incorporated under the provisions of the companies Act, 1913 and thereafter deemed to be incorporated under the provisions of the Companies Act, 1956 and having its registered effice at 5 of Vitha das Chambers, 16, Bornbay Samachar Marg, Munibar 4000011 (the Griginal Owner") and Capricon Rearty Limited, a company incorporated under the provisions of the Companies Act, 1956 and having

Page 1 of 20





its registered office at Sir Vithaldas Chambers, 15, Bomboy Samachar Marg, Mumbal 400001 ("the Present Owner") have by and under a Development Agreement dated August 24, 2004 (registered with the Sub-Registrar of Assurance at Mumbai under Sr. No. BBE-1 9565/2004) ("the said Development Agreement") read with the Security Trustee Agreement dated 18<sup>th</sup> February 2005 (registered with the Sub-Registrar ✓ Assurance at Mumbal under Sr. No. 5262 of 2005) ("the said Security Trustee Agreement') (the said Development Agreement and the said Security Trustee Agreement are herejositier cullectively called "the Agreements"), inter-alia, granted to the Developer, development rights in respect of the "the Developable Land" admeasuring 60054.63 sq. mits. (as described in the said Security Tractee Agreement and in the Schedule hereunder written and demarcated in Red Colour Soundary lines on the Plan bereto annexed and marked Annexure "A") on the terms and conditions more particularly contained therein. The development of the Developable Land as envisaged in the said Agreements Is also known as and hereInafter referred to as the "Mahalaxmi Project". The capitalized terms referred herein but not defined shall have the same ancoming as assumed to them under the Agreements.

As per the Agreements, the aggregate Chargeable Area as available for development on the Developable tand has been divided in the following mannor:

- (i) an area admeasuring 379741 square, feet. Chargeable Area ("Debt Asset Swap Pramises") is swapped by the Debt Asset Swap Bank (as defined in the said Agreements) as provided in the said Agreements and the same is to be constructed by the Developer and on completion is to be handed over to the Debt Asset Swap.Banks;
- (ii) The Developer is encided to develop and market on its own-ascount and for its own benefit on area 350530 sq. ft. Chargeable-Alea ("the Developer's Promises") together with all other largette under the said Agreements;
- (iii) The remaining Charmeable Area after deduction of ILe-Debt Asset

  Syrap Premises and Ring-propagate Premises ("the Residual

  Premises (3) to pridered to assume that the Developer and
  the representations from such Market St. It to distribute in the act of

  52:49 Stiffs cent Owner": "Developer 1" Agreed Rabit 1 0.02"

Pursuant to cause this of the soid Deversor) and Agreement to recover the Advance (as defined fraction), the Deversor is enddled to and vessed with the right to exceed with the propositionately 197206 sq. ft. out of the Residual Premises ("Adjusted Residual Premises") together with all other rights under the sold Devils read with the sold Agreements, which has been confirmed under the Decilian respect of the Adjusted Residual Premises dated 26th Fobruary 2007.



registered with the Sub-Registrar of Assurances at Bombay under Sr. No. 8275/ 2007 read with the Deed of Rectification dated 25th July 2007 registered with the Sub-Registrar of Assurances at Bombay under Sr. No. 8276 2007 and executed between the Developer, the Owner and the Present Owner.

O. Further, the Developer has also purchased and acquired rights of IDBI under the said Agreements in respect of the Developable Land v2, the IDBI premises being the Premises (out of the Debt Asset Swap Premises) equivalent to 74432 square feet Chargeable Area together with all other rights under the said Deeds read with the said Agreements, which acquisition has been confirmed under the Deed dated 4.17 registered with the Sub-Registrat of Assurances at Bombay under Sr. No. 2444 2007.

\$41 cs

The Deed dated 26" February 2007 read with the Deed of Rectification dated 25" July 2007 in respect of the Adjusted Residual Premises and the Adjusted Residual Portion and the Deed dated 6.2 In respect of the IDB? Premises and the IDB) Portion are hereinafter collectively referred to as the "paid Deeds".

Mil



The Present Owner and the Onginal Developer have on 26th February 2007 agreed (the said Writing) and the same is recorded in the letter of even date, that, Instead of the Original Developer Marketing the existing Ralance Residual Premises (as per the existing FSI available in respect of the Developable Land) of 1,60,954 sq. ft. (Chargezble Area) and thereafter sharing such Realisations in the Agreed Ratio as recited in Recital B(iii) hereinabove, to divide such existing Balance Residual Premises in accomplance with the Agreed Ratio i. e; \$3696 square feet. Chargeable Area to the Present Owner and 77,258 sq. ft. Chargeable Area to the Original Developer ("Developers Sharm in the existing Balance Residual Premises") together with all other rights under the sald letter read with the said Agreements . The Present Owner and the Original Developer have also confirmed that all future FSI that will be available in respect of the said. Developable Land shall be constructed by the Original Developer and the realization of the same shall be abared to the Agreed Ratio, as provided in the said Agreements. The farmal documentation in respect of such sharing of the existing Balanton as gual Franciscs has guilt to be executed between the Present Ownering the Original Developer Deeds and the said witting are

Accordingly, the Develope's Premises computes of Chargestie 44-93 of 6,22,168 square feet as failured in Bestals B(ii) & Q & D above together with the right to construct and exclusively market 77,258 sq. ft. Chargeable

росителіз.

F.

DO



G.

Area being the Developers Share in the existing Balance Residual Promises as recited in Recital Ethereingbove together with all other rights, under the said Documents.

The Assigned Developer has effered to the Original beveloper to acquire the entire development rights (including to exclusively develop and market the prival persist register with all the obligations of the Original Developer under the said Agreements and the said Deeds and the ofore-recited Letter dated 26th February 2007 and the below-recited said NICC Letters (hereinafter collectively referred to as the "said Rights and Obligations"), at or for the condiceration and the terms and conditions herein contained and the Original Developer has agreed to assign the same to the Assignce Developer in the manner and on the terms and conditions hereinbelow recorded.



1.

The Debt Asset Banks mightary comprised of ICIG Bank Umited, Union Bank of Lidas, UCO Bank, Punjab National Bank. One, Reliance India Limited has informed the Original Developer that it has actelled from ICIG Bank the ICIG Premises being a portion of the DAS Premises. One, Hirmani Properties Pvr. Uto. has informed the Original Developer that it has acquired from ICO Dank the UCO Premises being a portion of the DAS Premises. One, A to 2 Broking Services Private Limited has informed the Original Developer that it has acquired from Punjab National Bank, 3390 sq. ft. Chargeable Area of the PNB Premises being a portion of the DAS Premises. Kamal Agri Properties Private Limited has Informed the Crismal Developer that it has acquired from Funjab National Bank, 3390 sq. ft. Chargeable Area of the PNB Premises being a portion of the DAS Premises. By unitue of the PNB Premises being a portion of the DAS Premises. By unitue of the 2Gresaud, Reference India Limited, Himani Properties Pvt. Ltd. A to 2 Broking Services Private Limited and Kamal Agri Properties Private Limited have purchased and acquired, ICIG Premises, LiCO Premises and location in the purchased and acquired, ICIG Premises, LiCO Premises and location in the purchased and acquired, ICIG Premises, LiCO Premises and location in the purchased and acquired, ICIG Premises, LiCO Premises and location in the purchased and acquired.

The parties had agreed that the consent of the Chiginal Owner Presents © (1) (2) Owner and Debt Asset Swap Barry Lundon beared orton to the assignment as envisaged here and Official Bears has addressed letters to aCICI, UCO and Prisagnor Recogning the consent of the Premises at afteresting to ICICI Premises, UCO Premises and him Premises at afteresting By and under a letter dated 25° recovery 20°7, the Original Owner and the Present Owner have granted their no objection for the assignment of the Original Developers rights and objections under the said

PNB Premises and the balance portion of PNB Premises, respectively

Assignment of the Original Developers name and Objects and the affore-recited etter dated 26 February 2007 to the Assignment Developer in the manner and on the terms as state therein Accordingly, on account of the herein recited accountries, Reliance India Limited, Himani Properties Pvt. Ltd., A to 2 Broking Services Private Limited

JÂ,



and Kamal Agri Properties Private Limitos, have each resuled liciters dated 5° June 2007, 5° June 2007, 22° April 2007 and 18° June 2007 respectively granting their no objection for the assignment and transfer of the Original Developers obligation under the said Agricuments to construct and hand over the Debt Asset Swap Premises to the respective Debt Asset Swap Bank on the terms and conditions contained therein. By and under its letter dated 28° June 2007 Union Bank has granted its no objection for the assignment and transfer of the Original Developers obligation under the said Agricuments for construct and hand over the URI Premises to Union Bank on the terms are conditions contained therein. (The MOC Letter dated 26° February 2007, the NOC Letters dated 5° June 2007, 5° June 2007, 23° April 2007 and 18° June 2007 and the NOC Letter dated 28° June 2007 are Ferenanter cohectively referred to as "the said NOC Letters")

Each of the Parties haveto confirm and declare that they have the necessary authority and power, and also the requisite approval to enter into an execute these presents and that each of the signatures to these these are duty constituted and fully authorised to execute these presents.

NOW THIS DEED WITNESSECH AND IT IS HEREBY AGREED BY AND BEDWEEN THE PARTIES HERETO AS UNDER:

- DEFTMITIONS: The under mentioned expression shall have the under mersioned meaning in addition to the definitions set out in the reditals aforesaid and elsewhere in this Agreement.
  - (a) "AGREEMENT/S" shall mean and include any deeds, documents, writings, Letters of Albitment, Letters of Resorvation, Memoranda of Understanding, Letters of Intent, Amargements under any statute or scheme for disposal, transfer, Marketing, Sale or alteration of the Developers Premises / future Residual Premises / Developable Land or parts thereof inchasing Lease/Salb-Lease/ Leave and tikennya/ Rusiness Centre etc.
  - (b) "ASSOCIATION" shall mean and inclusions and inclusions of the rempany, quidominute, Association in a specific promises as may be formed to the Asion Developer of Associations with law.
  - (c) Thebt Asset Swap Beats shell mean and ind assigns romness, at provided three and Agreements.
  - (d) "MARKETING" (and all its on the sets) shall mean and (i) the the fixation and receipt of price, second where the base, count sale, granting of lease, granting of lease, granting of lease, granting of lease at Themse granting of occur tool as a business centre or any other method of disposal, transfer or alternation of Premises as may be from the to time be decided by the Assigned Developer in respect of the Developers Premises and the future

W,

Agreements, the seid Deeds, the said NOC Letters and the afore recited Letter dated 26° February 2007 and the Original Developer confirms that, to the best of its knowledge, the Present Owner has rest done any act of commission or omission which prejudicially effects the representations of the Present Owner (under the said Agreements, the said Deeds and the afore-rected Letter dated  $26^{\circ}$  February 2007) or the said Agreements or the said Deeds or the afore-rected Letter dated Letter dated Letter dated  $26^{\circ}$  February 2007 or the said Deeds or the afore-rected Letter dated Letter dated Letter dated  $26^{\circ}$  February 2007 or the said Development Rights.

 The Original Covelaper doth berety further declares, represents and warrants to the Assignme Developer that (subject to the said Agreements, the said Cheds, the said MOC Letters and the afore-redted Letter dated 25th February 2007) the Original Developer is absolutely and fully entitled to develop the solid Developable Land and has evaluating, interocrable and uninterrupted development rights with respect to the said Developable Land and has an irrevocable license to enter the said Developable Land under the said Agreements and the Original Developer has not done any act of commission or emission which prejudicially affects the said Development Rights and that the title of the Original Developer to the said Development Rights is clear and marketable and free from all enguinbrances and there is no he-pendens, Edgaton, attachiment, acquisition, merva prohibitory order, andice of any nature who soever in or upon Development Rights and (sawe and except as disclosed in the said Agrees the said Bends, the said MOC Letters and the afore-region Letter February 2007) mobody either as a co-owner, partner, tenants, engined trespassers, occupants, or otherwise howspeyer has any right, the claim or demand of any nature whatever in to or upon the said Develop or any part thereof including by way of sale, agreement for sale, charge mortgage, g.ft. trust, lease, sub-tease, license, tenancy, easement, endimbran or otherwise howspewer and there are no outstanding Developable Land taxes, income tax ducs, rates, duties, casses, levies including non agriculture assessments. Assessments, water charges, electricity charges or any offer amount due and payable to any authority in respect of the said Davidopable Land and the Original Developer has good right, full power and absolute authority to easign and transfer the said Development Rights (including said obligations) to the Assignme Daveloper, as envisaged herein, and has no done any act of commission or omission whereby its said Development Contra 90 in any manner prejudicially affected and that the said Agreements, The said Deads and the afore-recited Letter dated 26° February 2007 and the spid NOC 3° 15 - 13 Letters are valid and subsisting and the Original Developer has not received any nedge from the Present Owner, the Original Owner, the Debt Asset Swep Banks, Relance Inda Limited, Himani Properties Pvt. Ltd., A to Z Broking Services Private Limited, Kamai Agri Properties Private Limited and NCD Banks for breach of any terms and conditions of the said Agreements. The Original Developer has not omitted to disclose to the Assignme Developer any material fact, in respect of

rage 9 of Z0

the said Developable Land, which is within the knowledge of the Original Developer.

- 8. The Catgoral Developer has not done and an iterate shall not do any act of commission or pression of allow any person or party to do any act of commission or omission whereby the rights and the said etergations of the Assignee Daveloper under the said agreements, the said Deeds, the afore-recited Letter dated 26th February 2007, the said NOIC Letters and this Deed are prefutationally affected.
- 9. On the execution hereof, the Assignme Doveloper shall, enterty at its risk, responsibility, costs, charges and expenses, be absolutely, fully, exclusively, freely and without any interruption from the Original Developer, sotilled to error upon the said Developable Land, and evergge the said Development Rights and develop the said Developable hand as per the terms and conditions contained in f the said Agreements, the said Deeds, the afore-rectied Letter dated  $26^{\rm th}$ February 2007 and the said NOC Letters and carry our all the obligations towards strion Bank of India, Reliance India Limited, Himani Properties Pat. Ltd, A to Z Broking Services Private Limited and Kartal Agri Properties Private Limited, the Original Owner and the Present Owner and the Original Developer shall cuoperate and execute, all such necessary deeds, documents and writings as and when called upon by the Assigned Developer to as to enable the Assigned Doveloper to deal with the said Developable Land and develop the said Developable Land and market the Developers Premises and the future Residual Premises as provided in the said Agreements, the said Deeds, the affine letter dated  $36^{\rm m}$  February 2007 and the said NDC Letters.
- 10. The Original Developer has represented that subsequent to the growt 9! Development Rights, the ringing Daveloper has undertaken various seep in respect of the said Developable Land and the Assignes Developer Incresy confirms that it has verified at the applications, documents, papers, approvals, orders, etc., made/received by the Original Developer in respect. development of the said Developable Land, The Original Daveloper comment the assignment of the said Development Rights shall induce the the benefit arising out of all the steps taken / works undertaken height filed / approvals and orders received, combacts entered, appointments made, etc. by the Onginal Owner / Present Owner / Onginal Developer Lower Sand in respect of the dovelopment of the said Developable hand including by the Original Developer in the evertise of the said Crevelopment Rights, including the Sensit of the various approvals, appointment of architects etc. and also of all the obligations and liabilities thereunder incurred upto the data hereof. The Original Developer shall not be entitled to any additional impries of reimbursement of any costs, changes and expenses in respect of the same and the consideration reserved hereunider shall be deemed to be inclusive of all such coers, charges





Residual Premises 🖨 the constructed on the Developable Land and ta respect of the Developoble Land or parts, thereof to the Prospective Purchaser and to execute Agreements in respect of such Marketing, and to receive and accept the Resilisations on account of such Marketing and give full and effectual discharge for the payenests received and to execute such Agreements and receipts in respect thereof subject to the provisions of the said Agreements. The expression "Marketing" shall also mean and induce the expression "Friding".

- (e) "PREMISES" shall mean and include all the flats/dwelling units/floor area/ units / apartiments / any salsable / buildings / transferbale area or night in the buildings to be constructed by the Assignee Developer on the said Developable Sand under these presents including proportionate car parking and common areas and arrenities etc.
- (f) "PROSPECTIVE PURCHASER" shall mean and include a person? company) partnership/ body contracte/ firm / trust/ Financial Institution/ identifies by the Assignme Developer, who has or will be entening into an Agreement in seaspeut of sakib Marksted premises, on the Marketing of the Developer's Premises and the future Residual Propises.
- (g) "REALISATIONS" (with all its derivatives and cognitive expression) shall reean and include the gross sale price, gross amount of deposit and/or premym on the granting of Losse/sub-lease) License or business centre or any other basis, the gress Repl, gross lucense feelingingentation or arm other gross amount by whatever name called that may be received? receivable by the Aksignee Developer from the Prospective Purchaser on the Marketing of the Cevelope's Premises and the share of the Assignee Developer on the Marketing of the "Future Revidual Premises". It is datified that amounts such as Association Deposits, Residual Maintenance charges, Residual Security charges and other accountable charges of such nature shall not be included to the terms of "Realisablum" and the Assignee Developer shall collections charges separately from the Prospective Purchaser and majoral register for the collection and receipt of the series and waster families that menies expended by the Assigner December on the Marketin and Scientising of the Developers' Premises and the "Future Residual memory are not deductible from the Rossisations "Words" / "Phrases" / "expression" unless defined finishment and shall be the same as defined in the said Acceptorias, the said Double 18 of the afore-recited wetter dated in

the Diginal Developer in the manner provided in Chause 4 hereinbelow, the Original Developer hereby grants and assigns to the Assignor Developer, all the

⊋φo⊌

[.#NEPS=

Pursuant to the aforesaid agreement and in consideration agreement becomes benefits and all the said obligations (ve. obligations under the said Agreements





and the said Deeds and the afore-spotted Letter dates  $26^\circ$  February 2007 and the said NOC Letters), including the said Development Sights as set out in Clauses 3 & 8 of the solid Dovelopment Agreement in respect of the solid Developable Land together with all other rights under the said Decuments including specifically (ii) the right to exclusively develop and market the Developers Premittee aggregating to 0,93,426 square feet Chargeable Area together with all other highlis under the said Documents, on its own account and for its own banefit (ii) the obligation to construct and hand over the Dobt Asset Swap Premines to the transferoe of the respective Optil Asset Swap Sank (iii) the obligation to construct and handover the Present Owners share in the existing Balance Residual Premises and (iv) the obligation to construct and market the future Residual Premises and share the massations in indipect of the future Residual Premises, if any, that may be available for development, in the mapping as provided in the sold Agreements and the Assignee Developer has agreed to accept the assignment and transfer of the same for the consideration in the manner and on the terms and conditions hereic contained.

- 3. On the execution of hereof, the Assignce Developes has deposited and shall keep deposited with the Original Developer, a sum of Rs.50,00,00,000/- (Rubes4 funely Clores Only) as and by way interest free refundable security deposit (https://doi.org/10.100/- 10
  - 4. (a) In consideration of the assignment as contempated herein and all the benefit and all the obligations under the said Agroements, the said Deeth, the said NOC Letters and the allore-redied Letter dated 26th February 2007 as provided in clause 2 above by the Original Developer to the Assignee Developer, the Assignee Developer shall pay to the Original Developer an amount equivalent to passignee Developer shall pay to the Original Developer an amount equivalent to the (i) 15% (Fifteen percent) of all the Developer and Provided Assignee Developer, from the passignee Developer. From the possibility of the Assignee Developer, from the provided Assignee Developer, from the provided Assignee Developer, from the provided Assignee Developer.

(b) It is desirted that the full Realisetics from the Nameting of the Developer Premises and from the Developer's Share in the medium or the future Residual Premises, shall belong to the Assignee Developer shall issue full receipt to the Prospective own banefit and the Assignee Developer shall issue full receipt to the Prospective own banefit and the Assignee Developer shall issue full receipt to the parties hereto purchaser in respect of the same [it is agreed by and between the parties hereto that in the first instance, the consideration to be past by the Assignee Developer that in the first instance, the consideration to be past by the Assignee Developer to the Original Developer being the amount estimated to 15% of the

مامة مسرا



Realisations payable by the Assignce Developer to the Original Developer as algresald, shall first be edjusted and appropriated by the Assignee Developer and the Drighted Developor against the Security Deposit all the Security Deposit is completely adjusted and appropriated. Once the Security Deposit is completely adjusted and appropriated, Usen all further Realisations shall be received by the essignee Developer in the following manner :

(i) 15% of the Rzalisatoru payable by the Assigner Developer to the Criginal Developer as aforesaid, shall be collected by the Asagane Developer for and on behalf of the Original Developer from the Prospective Purchaser by way of a separate meque /pay order issued in this name of the "Original Developer" and such cheque/pay order shall be forthwith, without demoir, hended over by the Assignee Developer to the Original Developer. The Assigned Developer shall issue receipts to the Prospective Purchaser in respect of the same;

(ii) the balance 85% (Fighty Five percent) of all such Rootsations about by the Assignee Developer from the Prospective Purchaser by way of cheque/pay order to be issued in the name of the assigner. De 경 중 선 19



### S. On the execution hereof :

- (a) the Original Developer has assigned its irreviously likewe to this fill the Developable Land to the Assignee Developer.
- (b) The Original Developer has executed irrevocable substituted powers of attorney in favour of the Assignee Devoloper in respect of each power of ectorney (listed in Annexure "B" hereto) received by the Onginal Developer from the Original Owner and Present Owner.
- (c) The Original Developer has handed over to the Assignee Developer all the original documents (including the said Agreements, Deeds, NOC Latters etc.), writings, contracts, correspondence, undertakings, applications, orders, permissions, approvals of all the Public/Statutory Authorities/Bodies/Institutes and revenue records relating to the said Developable Land Including all the original powers of approxy received by the Original Developer from the Original Owner and Present Owner;
- (d) The Original Developer and the Assigned Developer never intimated the Original Owner, the Present Owner phoses Security Trustee, about the completion of the assignment as contemplated herein.
- (e) The Original Developer shall are will from time to time and at all times horeafter, at the cooks, charges and explanes of the Assistant Developer, sociale such deeds, documents and writings and do such acts deeds. things and assurances as may be sequired by the Ausignee Developer respect of the assignment as contemplated herein herein provided.
- $\S$ . The Original Developer dominineraby confirms that save and except the formal ofte of the Present Owner to the said Developable Land, the Original Developer is  $- \{\hat{X}_i\}$ fully entitled to develop the said Developable Land subject to the said



and expenses, montes expended by the Original Developer  $tF/tC^{\bullet}$  October 2006 in respect of the said Developable Land. However, the Assignee Developer shall he liable to reimburse the costs, charges and expenses incomed by the Original Developer in exercise of the development rights, on and from  $10^{\rm th}$  October 2006 till date. It is futher agreed that any refund of the amount of Staircase Fromium or any other refundable deposit paid by the Ovgina' Developer in respect of the development of the said Developable sand, which has been paid/deposited by the Original Developer prior to 10° October 2006, shall belong to like Original Developer and refund of any such amount paid by the Original Devretoper subsequent to 10<sup>th</sup> October 2006, shall belong to the Assigned Developer and accordingly if the Assignee Developer receives the refundable deposit which pertains to a period prior to  $10^{\rm h}$  October 2006 , then the Assignee Developer small refund the same to the Original Developer and if the Original Developer receives the refundable deposit which peraling to a period seed  $\otimes$   $10^{6}$  October 2005 , then the Original Developer shall refuse = 350ássign<del>és</del> Developer.

11. The Assignee Developer has represented to and assured the Original Developer 4: 19 that the Assignee Developer shall be responsible and embled to drain all the necessary approvals, permissions, consents, no objections from the relevant authorities for the development of the said Developable tand and in exercise of the said Development Rights entitlely at its own risk, responsibility, cost, charges and expenses, including payment of any premiens etc. Meither the Original Developer nor the Original Owner ( Present Owner shall in any manner whatsoever be responsible or liable for the development of the said Developeole Land and for any consectionors or implications thereto and/or for any martier concerning on regarding the development / Marketing of the said Developable Land. The Assignee Developer also hereby agrees, declares and conficts that it shall, at its own, risk, responsibility, costs, charges and expenses, fulfil / comply with / undertains all the said collegations, save and except as stated in clause at hit B-App hereinbelow, then agreed to be undertaken by the Original Developer in the second of the said Developable Land and/or towards the Obginal Owner Owner / Union Bank of India/ Reliance India Limited/ Himam Properties Full Ltd./ A to 2 Hicking Sennoes Private Limited / Kamal Agri Properties Private inflience under the said Agreements/said Deeds/ the alcre-recited Letter web 25 February 2007/said NOC Letters, and the Original Developer shall not for the same. The Assignce Developer has executed appropriate indemnities in favour of the Original Developer. The Original Developer shall however remain liable under the indemnities issued by it in favour of the Original Owner / Present Owner for the period from the date of execution of the aforesaid Development Agreement LM the date hereof and from the date hereof for suph interiorities, the Assignee Developer shall be liable to the Original Owner / Present Cymer under the indemnitives begund by the Original Developer in favour of the Original Owner

) Present Owner,

12. The Assignee Developer agrees, confirms, declares and coverants that it shall maintain a proper register recording therein full particulars of the Marketing of the Developers Premises and the future Residual Premises, including the date of Agreement, names and full addresses of the Prospective Purchaser, the consideration, paid and/or payable dates of payment and amount of instalments. if any, date of receipt of instalments, celayer defaults, if any and interest charged and/or received if any, returns / repayments received, if any and shall give full, tree and complete inspection of the same as and when required by the Original Developer on reasonable notice of atteast two working days. The Assignee Developer shall furnish to the Original Developer, on the 15° day of every month the extract of the aforeseld register duly certified by the Developer as "True Copy" alongwith the certified copy of the Agreement/s executed with the Prospective Purchaser of the Developers Premises and the future Residual Premises. The Assignée Developer shall give clarifications relating to the progress Premises. The Assignee Developer start growth and and the Marketing of the development of the said Development by the said Development is may be reasonable. Developers Premises and the future Residual Premises at may 40ووس sought by the Original Developer.

13. The parties agree, declare, confirm and covenant that in the evening old Agreement with any Prospective Purchaser of the Developers Premises or the tuture Residual Premises is lawfully terminated by the Assignee Developer ( Prospective Furcheser and the Assignee Developer and the Original Developer are required to refund (in accordance with the terms and conditions of such Agreement/termination) to such Prospective Purchaser the consideration or any part thereof received from such Prospective Purchaser under such Agreement, then the Assignme Developer and the Original Developer shall forthwith refund to such Prospective Purchaser the amount required to be refunded to the proposition of 15% by the Original Developer and 85% by the Assignce Developer and as received by them. It is clarified that in the event such results is to be made proto the complete adjustment and appropriation of the Security Deposit, they the Assignee Developer shall by liable to make the complete before of the amount required to be refunded (that is including amount pertaining to the share of the Original Developer) and the adjustment and appropriately the prount so refunded against the Security Deposit shall stand reversed. However, beganning to complete adjustment and appropriation of the Security Deposit as provided bereinabove, the amount required to be refunded shall be refunded in the proportion of 15% by the Original Developer and 85% by the Assignee Developer and as received by them. It is danned by the parties hereto, that other than on account of adjustment and appropriation, as provided herein, the Security Deposit shall not stand reduced below the said sum of Rs.;93 Crores-

14. It is hereby agreed by and between the parties herefo that the Assigned Developer has undertaken and shall market the Developer's Premises and the future Residue: Francises, from time to time, and shall do the same at the fair price as provident at the time of such Marketing.

It is denote agreed by and boween the parties hereic. First in  $\widehat{\mathbb{R}_p}$  of C(P)15. (6)

the said 15% Registment payable by the Assignee Developer to the Original Developer under Crase 4 hereinabove. If any of the "Developers Prentises" on "Premises coming to the share of the Developer in the future Residual Premises" have not been Marketed and/or any unsold (hereinafter pollectorely referred to as "Unmarketed Premises", at the time of explry of the period of 5 years from the date hereof or when all the Buildings in which the Developers Premises or Future Residual Fremises are contained are completed, then on such data, (i) 19% of the Unimprise Premises shall west and belong solely and excusively to the Original Developer and the Original Developer shall be solely entitled to deal with the same as it so desires without any reference to the Assigned Developer and on its own account and its own benefit, but subject to the Ary lease/floored agreements their **easing and (ii) 85% of the Unmarketed Premises shall vest** and belong solely and exclusively to the Assignee Developer and the Assignee Developer shot the salety entitled to deal with the same as it so desires without any reference to the Original Developer and on its own account and its own benefit but subject to the any loase/licema agreements than existing. The actual division and decreasion of the Unstableted Premises, in keeping with the some, aforesoid shall be done in an equitable manner, such that, only emplete "Plans/Apastments/Units/Car Parking Spaces" are divided and vested in each of the parties in the aforesaid proportion. If on Implementation of this dause, it results in zome "Plats/Apartments/Umas/Car Packing Spaces" remaining balance (as they would otherwise have to be divided into two portions to effectuate the division), then instead of divident such Pals/Apartments/enits/Car Parking Spaces in the aloresald proportion, expropriate accounting / payment at a fair price prevalent of the relevant time shall be made between the parties for the same, so that effectually the principle underlying the provision contained in this douse is adequately buildled and authored to. The Assigned Developer shall execute such recessing agreement, deeds, documents and writings for effectual bansfer of the Umarketed Premises contemplated herein (as may be required) In favour of the Original Ocycloper (its nominee), Any stanto duty or registration charges, payable on the instrument of transfer, of the Unimarketed Premises, by the Assignee Developer to the Original Developer or its inordinal physical to this cause shall be borne and paid by the Onginal Developer or its namines. Any STEMP L'uty or registration charges, passante on the strong service assignment / trensfor of the undivided portion of the Chicanal Developer of the Assignee Developer acquirefeth to the Billion of Args of the Unmarketed Premises pursuant to this clause, shall be both and paid by the Original Developer / Assignee Developer or thek respect case may be.


- (b) the parties ineresto agrees that in the event, any Premises remain unconstructed (whether on utilisation of existing FSI or future PSI) on the expiny of 5 years from the date nereot, then all the relevant provisions of this Deep shall apply to sock Unconstructed Premises upon the same belong constructed.
- Notwithstanding the assignment as emissived herein, it is agreed between the Grigonal Developer and the Assigner Developer that the obligation of the Original Developer to pay any amount to the Debt Asset Swap Banks under the circumstations as stated in clause 27 (e), (f) & (g) of the Development Agreement and/or to the MCD Bapks under the circumstances as stated in danse 23 of the Dryelopment Agreement, shall be continued to be of the Original Developer, subject to the rights of the Original Developer under the said Agreements and the correspondence / documents exchanged between the parties to the said Agreements/their assigns. The Assignee Developer hereby agrees to indominify and keeps indemnified the Original Developer in respect of any payments required to be made by the Original Developes to the NCD Banks! Union Bank of India Reliance India Limited, Himani Properties Pvt. Ltd., A for Z Braking Services Private Limited and Kamal Agri Properties Private Limited, under Chases 23 or 32 (f) / 52 (g) of the Development Agreement. It is clarified that the Assignee Digital oper shall not indemnify the Original Developer against the payment of interest obligation as provided in deuse 32(e) of the Development Agreement.
- 17. The Assignme Developer agrees to indemnify and keeps indemnified and save harmless the Onglina' Owner / Present Owner and the Origina' Developer (their respective directors and employees (existing and thase in the future), from and against any and all actions, stills, dallins, proceedings, costs, damages and expenses (collectively, "loss") relating to or arising out of  $\tau$ 
  - (a) From and against all losses, damages or consequences arising out of the implementation of this Deed/ said Agreements and/or consequential, incicental or pursuant to the same and against any act of commission or onvision in pursuance of the said Agreements, the said Deads, of prore-regited letter deemd 26° February 2017 and the said it contains 56109 by the Assignee Developer;
  - (b) From and against all claims, demands, actions, sides, higherian and o o (g) proceedings of every nature by government agencies, requisitor authorities or otherwise relation to and/or arising out of the said Developable Land and or the said Agreement, the said Deeds, the alore-recrited letter dates as Festillary 2007 and the said MCC Letters. which the Original Owner / Present Owner Original Developer, their respective directors and employees (existing and those in the future) may face or suffer or to which they may be pretty became tag

2.12-Page 14 of 20





- (c) From anti-against any contravention by the Assigner Developer of any law, ruses, regulations, conditions, supulations atcl. of any statutory or regulatory agency or otherwise;
- (d) And generally from and against all losses, penalties, damages, costs, thanges and expenses, which the Original Dwarer / Present Coner / Original Developer, their respective directors and employees (existing and those in the future) may directly or indirectly incur, suffer or face in the future) may directly or indirectly incur.
- (a) The Assignee Developer has handed over to the Original Developer an Indemnity in favour of the Original Owner / Present Owner / Original Developer indemnitying the Original Owner / Present Owner / Original Developer as hereinabove provides.
- 18. Nothing contained in this Deed shall be deemed to constitute a partnership or a joint venture or association of persons between the parties hereto. It is hereby agreed and declared that each of the parties has undertaken obligations and has rights specified hereinabove on their own account and on principal to principal hasis and not on behalf of, or on account of or as agent of any of them, or of anyons size. It is hereby destrict and confirmed that the Present Owner shall continue to he the owner of the said Developable Land and the Debt Asset Swap Premises and the Assignee Developer shall be "owner" of the Residual Premises (existing and future, however subject to the terms or the afore-recited lotter dated 26th February 2007 in respect of the Owners Share in the existing Salance Residual Premises) and the Developer Premises till such time the said Residual Premises) and the Developer Premises (or parts thereof) as the case (existing and in future) and Developer Premises (or parts thereof) as the case may be, are conveyed (by a proper dead)s of tenseepanded.







- 22. All disputes, claums and questions whatsoever which may arise during the development of the said Developable Land between the parties hereto touching or relating to or arising out of these presents or as to any act of commission or omission of any party or as to any other matter in anyway relating to these presents shall be referred to the arbitration of a Sole Arbitrator, if mutually agreed upon by the parties or to three Arbitrators, one to be appointed by each party to the dispute and the two appointed arbitrators shall appoint the third arbitrator. Such arbitration shall be held in accordance with the provisions of Arbitration and Conciliation Act, 1996 or any statutory modification or re-endance thereof for the time being in force. The Arbitration proceedings shall be held in Mumbai.
- 23. The Stamp duty and registration charges, payable on this Deed of Assignment, Substituted Powers of Attorney and any other deed, writing or document incidental thereto to be executed in favour of the Assignee Developer shall be borne and paid by Assignee Developer. Each party shall bear its respective Advocates fees.

IN WITNESS WHEREOF the parties hereto have hereinto set and subscribed their respective hands to this Deed on the day, month and year and hereinabove written.

#### SCHEDULE

FIRSTLY: All that piece or parcels of Freehold land and ground bearing Cadastral Survey No.1903 (part) of Byrulla Division admeasuring 1(92.35 sq. mis. or the readuling inclusive of proposed set back area lying and being at Maulana Azad Road, Island Mumbal in the registration District of Mumbal and bounded as follows:

On or towards the East.

By Maulana Azad Road & Sub-Plot B3 🧿 🔊 🕬 🕓

On or towards the West

By C. S. No.1903 (pc) of Byour at Division (parties

SUB-PLOT "A"] (Building known as "Kaleateco"

Heights) & Sub-Plot B3

On or towards the North

By C. S. No.1904 (pt) of Byculla Division [part of

SUB-PLOT "B"]

On or bowards the South

By C.S. Nos.1907, 1908 and 1/1908 of Bycula

Division

SECONDLY: All that piece or parcels of freehold land and ground bearing Cadastral Survey No.1905 of Byculla Division admeasuring 38711.56 sq. mis. of thereabouts inclusive of proposed set back area stunted at Sane Guruf Mary and Maulana Azad Road, Jacob Circle, Mumbal in the registration District of Mumbal and bounded as follows:

On or towards the East

partty By Maulana Azad Road and C.S.

No.1906of Byculla Division

On ar towards the West

Partily by Sane Gorufi Marg and C.S. No. 2/1905

of Byradia Division [part of SUB-PLOT "B"]

Page 15 of 20

On or towards the North

By C. S. No. 1910

On or towards the South

Partly by C.S. No.1906 and by CS No.1904 (et) and 1/1905 both of Bycutta Division (part of

SUB-PLOT 15"7

THIRDLY: All that piece or parcels of freehold land and ground bearing Codnotral Survey No.1/1905 of Byoulla Division admeasuring 210.70 sq. bits. or thereabouts situated, lying at Jacob Circle, Mumbai in the registration District of Mumbai and bounded as follows:-

On or towards the East

By C.S. No. 1905 of Byoulla Division (part of SUE-

PLOT 1B11

On or towards the West

· By C.S. No.1904(pt) of Bytuka Division [part of

SUB-PLOT 1817

On or towards the North

Partly by C. S. No.1935 and C.S. No.2/1905 both

of Byculla Division [part of SUS-PLOT "B"]

On or towards the South

By C.S. No.1904(pt) of Byoulla Division (part of

SUB-PLOT "B"]

FOURTHLY: All that piece or parcels of freehold land and ground bearing Cadastral Survey No.2/1965 of Byculla Division admeasuring 71.54 sq. mts. or thereabouts inclusive of proposed set back area situated, lying at Jacob Orde, Mumbal in the registration District of Mumbal and bounded as follows:-

On or towards the East

By C.S. No. 1905 of Byoulla Division [part of SUB-

PLOT "B"]

On or towards the West

By C.S. No.1904(ct) of Byculla Division [part of

508-PLOT 1973

On or bowards the North

Partly by C. S. No. 1905 of Byzulla Civision (part

of SUB-PLOT "B"] and partly by Same Guraji

Marg

On or towards the South

By C. S. No. 1/1905 of Bycufa Division [part of

SUB-PLOT "B"]

FTFTHEY: All that piece or parcels of leasehold land and ground bearing Cadastral Survey No.1904 (part) of Byculla Division admeasuring 19878.68 sq. mts. or thereabouts

inclusive of proposed set by Maulana Azad Road, Jacobs

bounded as follows:-

grand between Dr. Anand Rao Nati

On or towards the Est

partly av Belliana Azad Road and CS Res

1/1905 of Byculia Division part of

and by portions of C.S. No. 1904

Mumbal) by handed over to BMMP and MHADA)

On or towards the West

To by the junction of Sane Guruji Marg and Dr. Anand Rao Nair Road and C. S. No.1/1904

(pt) & C. S. No. 1903 (pt) of Byculla Civision. [part of SUB-PLO? "A"] (Bulkling known as "Kalpstery Heights) and by portions of C.S. No.

4

Ach or towards the North

1904 (pt) being handed over to BMMP and MHADA)

Partly by C. S. No. 1905 & C.S. No. 1/1905 [part of SUB-PLOT "B"] and C.S. No. 1906 of Byculla

Division

On or towards the South

Partly by C. S. No.1/1904 (pt) (part of SUB-PLOT "A") (Quinding known as "Kalipataru Heights) & C. S. No. 1903 (pt) of Byculla Division and by a portion of C.S. No. 1904 (pt) being handed over to BMMP)

The above developable land aggregates to 60064,63 squmbrs, as under: -

Firstly C.S. No. 1903 of 1192.35 sq.rmts, Secondly "1905 "38711.56 "
Thirdly 1/1905 "210.70 "
Fourthly 2/1905 "71.54 "
Fifthly 1904 / 19878.68 "

**गंबह-1** ट्या १८ २००७

Total

60064.83

-----

SIGNED AND DELIVERED BY THE
Within named Onghal Developer
K. RAHEJA CORP PRIVATE LIMITED

By the hands of Mr. A.D. Probley who is the authorised signatory under the Board Resolution deced 3 10 2006

in the presence of Mr. Sawam - Dawar

Kahoja Corp. Pvi. Ltd.

Director/Authorised Signatory

SIGNED AND DELIVERED BY THE )
Within named Assignee Developer )
GENEXT HARDWARE & PARKS )
PRIVATE LIMITED )
By the hands of Mr. Signatory Under the )
Board Resolution dated 3 DC-7 (2006) in the presence of Mr. Ashum S (4006)

Danishi -

For Generi Hardware & Parks Pro. Ltd.,
ALH. Sign. Missian

#### RECEIPT

Received of and from the withinnamed Assignee Doveloper a sum of Rs. 2,00,00,000/-(Rupses Two Crores <n'y) by cheque bearing No.171201 dated 10<sup>th</sup> October 2006drawn On UT Bank Ltd. together with the sum of Rs. 88,60,00,000/- (Bulgeau Eighty Eight Croves only) by chaques bearing Nos. 17129/ 17129/ 18100-18100-18100-18100-18100-18100-18100-18100-18100-18100-18100-18100-18100-18100-1810 (Rupees Minety Orders Cinity) towards the Security Deposities withinmentioned.


Place : Myrchal Date : <u>eré/</u>05/2007

We Say Received For K. RAHSIA CORP PVT. LITO. (Odginal Developer)

(Authorised Signatory)

Titnessess:

O FRAMISKS








Power of Attorney dated 25<sup>th</sup> February 2005 and registered with the office of the Sub-Registrar of Assurances at Bombay under Sr. No. 345 of 2005 in respect of marketing of the Developors Premises and Sectional Premises.

Power of Attorney dated 25<sup>th</sup> February 2005 and registered with the office of the Sub-Registrar of Assurances at Bombay under Sr. No. 345 of 2005 in respect of davelopment of the Developable Lend.

Power of Attorney dated 25<sup>th</sup> February, 2005 in respect of conveyance of the Power of Attorney dated 25<sup>th</sup> February, 2005 in respect of conveyance of the


3 Devokspers Portion and Residual Portion.



For Ornert Audeurt & Parks Pet. Ltd.,

Por K. Rabeja Corp. Pvi. Ltd.







CERTIFIED TO 22 TRUE CAPP

N. N. Konkar ADPOCATE & NOTARE 54, ALLI CHAMBERS. TAMARIND LAND. PONSERF - 400 923

न्याकान्य जाशायः । H CASTA DESCRIPTION OF PROPERTY OF SERVICE AND THE SERVICE OF THE -176 ■1.1分割では他に変わる合きであっているのではなる。 17 CONTRACT CONTRACTOR क्षातिक क्षातिक दी (1), Grand (1), Snerfolmbric Schill, Son lee 'ui halit law (1) كالجناف هلاؤجل إا وأبعضاء -110404 120-01 2003 191-1914 19-16-1914 23.774.65 HE OR HE CONTROL OF MALE & MALE THE DESCRIPTIONS OF THE DESCRIPTION OF THE PARTY OF THE RESPONDED POLICIES WHICH SALE IN TO LIVE THE CONTROL BY LIVE AND A SALE OF THE SALE AND A SALE physical appropriate the impositions of the con-1 Same 1 1/451455 and both desired to see it. N. P. P. DELLIN. ILLOGODISMA S. TOLLANDO. Land St. Casad 4 (MANUEL ELINE NOT PERFO VIR. 8. E-10.2.117-18 e ma talli Sile m. firilitz ¥ - II + HOPELE KROTON YANG 60 EASE THE UNITED 0 1. Stered ha TOWN AND WESTERN TO LOVE OF COMME. CALL SHARE MINISTERS AND ASSESSED AND ASSESSED ASSESSEDA ASSESSEDA ASSESSEDA ASSESSEDA ASSESSEDA ASSESSEDA ASSESSEDA ASS J. Britishad I is the self-besself in investigation in the latest the second se 0 LA PRESENTE THE CHARLOW HOURS AND The state of the State of State TE 55371 न्तुष्टल france fracti apply to the fall by the to 1 100 10 1

400

NA WERDY OF THE STANDARY OF SEA COLDINGS IN THE PLANT OF COLDINGS OF THE STANDARY OF THE STAND

E AIE (3) 東北部門。

स्तित हिन्द्रका कई कृष्णीक आन्ध्रिक्ट में च्येतात्रमाने एम ६,६६,६८,८८८ है।

A MAY LECORD THA BURE SO HE'S LED ONLY IT THE BEEN HAR SERVED HAR THE SE SE NOT THE THE RESISTED BELLY GALONIZATION IN THE PARK THE TO SECURING THE PROPERTY AND ALCONIZATION IN THE SECURING THE SECURING THE PARK THE PARK THE SECURING THE PARK THE SECURING THE SECUR

tion of Spiritary LANGA (COLORARY) has all applications recovered to consecute the automotive and the street that the street and applications at least spiritary.

(including of P septent does not probled.)

Her a fair is the new order of the design to which have part of the allin words.


Her a fair is the group of the design is \$1000 MHz at \$100 MHz.

Her and the group of the form is \$100 MHz.

Her and \$100 MHz.

Her an

White Cir tress at Latherine








CHIRTON STANCE INSTRU Included SE Collectors Seathers in a 化分离电池 医克里特氏病 医阿里特氏性 医阴道性 医阴道性 医阴道性 promote the factors of the second sec ngi hjilba kaya Ajibin bi 348 ti 8 akadaba सार मधानाम् औ 15. Send | 15. Sept brouders billed | Red dec. in | Personal Perso طابعت دمراسان المفتقاء Synthetic (Controlled to Controlled to Contr \* | W \* | Paraward, Lecturer core on per 100 for 100 and shir 60 bb (f) | Lecturer R Same | 12821 HESTER BELEENSTAND OLD MOUND BY SAN-BAS BUT IN 11'T 14'
(B), AN ALTHRACKE BUT IN THE OWN, NOW IN BUT, BY SAN-BASIN MOALE PER SAN-THE OWN, AS A SELECT BUT IN OWN. THE OWN A PARIS OF SUIT OF ORSELS REMITTED FOR.
THE POLICY STREET, STEEL SAN-BASIN SAN-BASIN OF SUIT. NOWARD BLOOM HOME A COLD STORE HEALTHING OLDS. CORDS. POSESTA IN COLUMNO DE DIACO, O ANO OF OR MINIMO DE CONSTINUAÇÃO DE DIACO, O ANO O O O O O O O O O TOS DESCRIPTOS DE CONTRACTOR DE DISTRIBUTOR DE SEGLI EXPORTA O COMPAGNAÇÃO DE DISTRIBUTOR DE CONTRACTOR DE COMPAGNAÇÃO DE DISTRIBUTORA DE CONTRACTOR DE TORS. SINGLE STATE FOR THE BROOM PROCESS NOT JUST 185. 1 trans 1 SALL II ्रम् । अस्ता । अस्त । अस्तु स्थाप्त अस्ति । । । इत् । । इतः Select States and an open at the principal state of the selection of the s 4.1 St. Bath of Apoly 15th by Privat Sour-15. 医氯化二 15. 医氯化二 area by ologo, u passion us michi sant sastema. Pagewal passion us michi sant sastema. | १.कथा \* Kolines THE RESIDENCES M. Same from Milit Soly or fill ride, Ē LANGUAGE CHOISING WHEN HE WAS CHILD A Security 1 Library. M. C.C. I de mille debe erranne, Consider | 15, 3pe 6 Prof. In breight heavily APPEICE STATE CONTROL TO STATE OF THE CONTROL OF TH THE PROPERTY INVESTIGATION OF THE PROPERTY OF Sal Fall THE RESIDENCE OF THE RESEARCH A TANK NOTICE WE IN THE PROPERTY OF T, beach 41111 11. Negjud fran POR EG.(I) Follow 1830 Rejelts In. 115 150 100 114411 1.24.1

20

<u>يا ج</u>



Space. For the Child Control of the C PARTIES MALKS IN. Carton hy h. 1、由1、 11年4年至4年8月5日8年7年5日8日 18年1日11日 William P. State of the Party o тите жалан озғыленденденденден. Қи-Оумы<u>м бо</u>л THE BOUNDARY TRUE Liberto : Lincolna Secusio. Taleste. COUNTY REALM.

COUNTY OF THE ACTION OF THE MARKET BASINGS INTO I THE BEST OF THE MARKET BASINGS IN THE BASINGS IN THE ACTION OF THE BASINGS IN THE BASINGS I 14. (Ash). (4) 1.93(6.0) SECTION OF STREET THE RECEIVED FAIL OF THE PLANT OF THE PROPERTY TOTAL CONTROL OF SECURISION OF BUILDING AND WIND CHARGE TO A MINING THE SECURISION OF THE SECURICIES OF THE SECURISION OF THE SECURICIES OF THE SECURISION OF THE SECURICIES O HOUSE RESERVOIR INCOMEDIATION INCOMESSED AND INCOME. t S. Litters K 10ee 1 AND THE STATE OF THE PROPERTY 155 TERCOLO POLICIONE DE COMO DEL See In (श्रीकृष्टी हैं। Libridge 2 The Enner from Phillic has, or Prinade 祖子の日からいるの - 93 Detail (Alexand House Sonic of North Black and Alexand (Alexand ) Care House Michael (Alexandra) 南南 1. Statistical 10, the of bron in brainal heaville 1 小型なが 別席 ロ THE PERSON NOT THE **3** 0 17.10 THE : PERCHASI CONTRACTOR OF THE PROPERTY OF A Right from Serial Mills of Petals In John M. 10 No. R. 49 \* 111 \* dia. CON CONTRACTOR S


THE SENT HOUSENESS WELL MINIOR OF YELLS IN BUSINESS WELL IN WIND WHOCK WITH WEST AND THE RESERVE TO THE RESERVE THE WEST WELLS AND THE WEST WELLS WELLS WITH THE WEST WELLS WE

POSITORE SHOWNER WITH STORY PLANTAGE A CHESCONICE WITH PROPERTY OF THE PROPERTY.

ነበርያ መንዘነስ አማርጋርን ያንፈትላት ላይ ፒተርያል ነዋ ነጻ መፈፀ ላይ ነן መስረንድ መለተለበነው ም መረባዊ ጥርካ? ባነብ ውስኒያ መተፈፀ መርስ

) became in the may an argonomeration and the control of a feet of a feet in the management of the feet in the feet of the feet in the feet of the fee

I keltagajar "Li Banta'a sobra mara dentra i Basa - Inti ni al bat daga di ba Barba'a di Kalagajar anta tama melar 1945 dilan maseri Mara de ama di the proper professor in monta in "Marilla Sa, socies, Charac dan Parisas anta dagana fanta. "Basa mara na assa, lin di Mara has agai melitasi di the original count and food served.





New of April Carl S. McLau OSP, Ind., No., No. of April Califor 2005 2000.
For experyed St. Likeli (20.0).
Better of Larves W/M2005.

COURT IN THE COURT

5

THE RIGHT

Priority POLLS Egisteria, 191 Natili, 5,

	Latter of Start to 11, street to	I f. Street like					
	्राप्तकार —	-	Charles :	 	A MANAGED I	hallest, by Lingbles Serve for Bulletten.	1 A. Odbeley, 85, fa.
ę	MS 185W	-1-	<u>*</u>	1,1935	SCES SACES	AC C Pool 100.	Philips age   Philips age   Full Calastral
			-	-	MAIL		
fi. Frant Prei	Front Dell   Sk Ber of Departs in Institute to	and the	M. Bak of Assistante by America	20	-	of the softwarft. St.	Jah.

3	1 0.00 suu s		THE RESIDENCE OF PERSONS AND PROPERTY.	Little to "Manufactual Co.
- Mill - CLUS AND STREET OF MACHINE STREET	REPORTED	LO DIRAP LING	[191-4] K. E. A. A. G. G. S. A. C. C.	
TEACHT TRANSCOUNT OF THE STATE	NG ONEATT LIN	豆	THE STREET OF BUILDING WITH THE BUILDING TO BE USED AND THE BUILDING THE BUILDING WITH STREET WAS ASSESSED.	
io Mondo dulti un.			TO THE STATE OF THE WAY IN THE STATE OF THE	
J&	3 ;	र्ववर्ष	The tracers and otherwise as the control of the con	
	98	1	THE PROPERTY OF TABLET WAS	
The control was the factor of any	8	1	Control of the contro	pishoda k. Balia.
- Table (1817)	SALES WITH SALES	The State of P	The state of the s	

HEART IN SEASON TO A REPORT BY NAME OF YOR HEART PARTY OF THE WARRY

- Author

HARROOF BEHIND OF TALAD OF HARROOF SERVING PROPERTY OF THE PRO

1. 183

1 Version Lentrature as yet be to the region in the region of the region

L Linital



Religio (GLC) Popision in the Precion of J. 1885. J.

The large mater to the 100 of the field from the 1886.


The Art of Arabidina Private Goog 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	The state of the s		1. Jeonal Street p. 1. Manuals.	1.55mlfb.	हर है है कि है है   चार्क्स है   चार्क्स है   चार्क्स है	World Ind Was sell for the Personal Indian	
The first of Australian in Treast force of the Australian in Australia	The Martin of Annichment from 16 (1644) Services (1614) 114.  The Martin of Annichment from 16 (1644) Services (1614) 114.  The Martin of Annichment from 16 (1614) Services (	1	700		- :		A delikin in i
Citati denesity  El delle sup correction  El delle sup correction  (Interpretation for the International Correction in Section  (Interpretation for the International Correction in Section  (Interpretation for the International	Handle of Amelialine in French Comp.  (No. 197-24 C. 6 b) the of the Hymin. In page 26.  (No. 197-24 C. 6 b) the of the Hymin. In page 26.  (No. 197-24 C. 197-24 C. 6 b) the of the Hymin. In page 27.  (No. 197-24 C. 197-24 C. 197-24 C. 2-1-1-25 C. 2-1-1-2 C. 197-24 C. 2-1-1-2 C. 2-1-2 C.			<b>.</b>		W 12.455 1 PK.	Lange Des
HATTER STATE OF THE PENING, IN PAGE 20.  HE CALL TO STATE AND HE LINES THEN THE THE PAGE AND	FRIES I GOTOR LINE ELL.  INVESTIGATION DE LA CONTROL DE LA	A	A The said beautiful	, Meson	=	100	-
THE WATER AND A STATE OF THE PARTY OF THE STATE OF THE ST	The state of the s	7 7 9	HIPPING BEACKING REBEL I AGAIL HIPPING BEACKING CONTROL C. LEURISSE RATE (1).	en jaich i			4
	At Soil Cracket, If my				THE WALL WAS A STALL BY, THE WALL BY THE W	8	

TO SENSE THE SECTION SHOWS TO SECTION AND ACT OF SECTION ACT OF SECTION ACT OF SECTION AND ACT OF SECTION ACT OF SECTI Description of the political fifth and rule delay. If the management of the political fifth and rule delay. If the management of the political field of the political fields and the political field - 12 を ここ Between an fallight of pro-72. 1-318 Amount and a few to an action of many actions of the state of an action of the state of the stat L. Service

Ē

Ą





PKY NE NEDITINA MINING	*	02000	2
78/			· -
Results thousand cody			- [
			5
TL PO (86360		Rs. 61441532538420,000.5	5
51 No.		C.P!	2
CLAMAN CIE MARIA MARIA All Augusta San Chapman II All Augusta (San Chapman II)	Sippur	83	_ !
HI I WALLEY TO SEE THE	(ASTROPOSED SHOWS TOTAL	KISHORE KHUFI	(ASI)





ү <del>р</del>увыс ис <sup>185</sup>





Drives Locate Annual Control of the Control of the






PORM 6 (See Bule 19(1))

MR. Ashwin

Sommile raughter of Me Dijamber

Kombli



amporary address/ Official addresa (Fany)

Permanent Adoress
1-18 Hendaz Bida,
2-50: V.P. Rd., Hingason
Muzn-99
Data de tint. 21-11-7472

Educational qualifications

Diggs group with FIM lactor (Optional)

The holder of this Teence is licensed to drive throughout indicates vehicles of the following description:—


MICTURE WITH GRAR

WORDER CYCLE WITH GEAR

The licency to drive a motor vehicle other than transport vehicle is walld.

From 1 1-0 4 to 2.0-11 (2022 Rs. (LO) 23 Separation and leightation

Warming (Endow)





### 

दाल क. (४२६) ६८१ ५-३(५४) दा गोववारः काजार मुक्द :22e20e4000 मोबदानः 22e20e4000 भरतेले पुराष्ट कृत्य : 22600000

੍ਰਿਆ ਸ਼ੁਆਰ ਬੋਜ਼ਟਾਡਾ ਵਿਸ਼ਾਬਾ ,05/05/2007 04:00 FM देसाहरूक दिनाक *0स/08/200*°

PUBLIC क्या हरूर करगा-वाधी भई : 4ce 108

्रिक्टाम प्रकार ६) करारका किया जाते अधिकेत किया करार संक्षेप्रतेस विकास क. १ वी केल .

हिन्दान अवस्था भू करणाचा मान्या जाड करणाचा प्रकार वर्गार व किरवान क. १ जी देख : (वर्षा वर्षा वर्षा १८०६) र ४ ६० मिन विक्रमा क. १ वी देख : (वर्षा १८०६) १८०७ र १८० मिन विक्रमा क. ३ वी देख : (वर्षा वर्षा १८०८) १८०० मिन विक्रमा क. ४ वी वेख : (वर्षा वर्षा १८०८)

em नांद्र केल्टाक किर्माक - 06/08/2007 01:07 FM

जोकश्च : खानील इस्त असे निपेदीत करसात की, है उत्तर्यक सकत देगा-धना वस्तीक ऑळकात.

य रमांची श्रीकव्य रद्धितातिः तेलव सुरान स्तर्त : ,पर/प्रसंड के मित्रन छन्न

गुरुसी/रक्ताः ३ स मोश्रीकर राह

हैसारतीचे गणः । र्मास्य 🕏 -

पेट/दशास्त्राः ⊞टामुण पू

शहरामारः मु बनुबः -पिरः ६४

2) व्यन्धित दिगक क्षेत्रकी - क्षक्र कृतिह में अनि हैंद्रें गुरुवं(१९वक्षा: की पी शब

हेमानतीचे नागः -ईमारत न. -

भेद्धवसाहतः ।

शतकारका जिल्लाम मु

तातुकाः -चेन्: ४

ः दस्स गीवदारा मार्ग - 🗷

संबद्धा दस्त क्रमांक (RB71/2007)

36--प्यती क..थ३५५ कवारीचे वर्णन

बाज सीनेक्ट हाईदेशर प्रेंड कर्मस प ति थे ओंचो तिले गोरवन की कुकरेजा

33000 - संदर्भी की १२३ : अक्कल (अ. ११(१)), मृद्यकलाची नयरण jam natahi, रुजवार (स. 😭 व ध्वसाचित्रण (अ. १३) 🐟 एकडिल औ

3073D পূরণ

कड़ी, भूगई कड़ान

MUNKE

भवत्यार कार्यात होते ह**ी** हा कामा र एक हैं। WATER TO THE अमेलाई Day and the

Schward brench 11.03 Colomana 618/4

20/08/03

DAY OF AUGUST 2007

K.RAHEJA CORP PREVATE LIMITED
....Original Developer

AND

GENEXT HARDWARE & PARKS PRIVATE LIMITED

DEED OF ASSIGNMENT FOR TRANSFER OF DEVELOPMENT RIGHTS

## RAKESH KUMAR

ARCHITECT

Plot No. C-30, Block 15: Oop, SiDBI, Bandra Guta Complex, Bandra (E), Mumbail 400-051 Tel. 2656-4000 Fax: 2656-4604

Date: 13/05/2019

To, The Member Secretary, SEAC-II Environment Department, 15th Floor, Mantralaya, Mumbai-400032

Subject: Environment Clearance for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot on sub-plot 8 of property bearing CS No 1903, 1904, 1905, 1/1905, 2/1905 of Byculla division abutting Dr. A.L. Hair Road and Maulana Azad Road, Jacob circle, Mahalaxmii by Genext Hardware & Parks Pvt. Ltd.

Reference : 96th Meeting of SEAC-II, 15.04.2019 Item No 5 in Agenda (Online Unique Application No 0000001765)

Architect area certificate for area constructed on site as on 13/05/2019

Sr.Ne	Suilding Details with configuration as per EC dated 29.09.2014	Floors Constructed Up to	FSI Acen in Sq.M.	Non FSI Area in (Sq. M.)	Total BUA in (Sq. M.)
1	Bidg, no 1 (Fower 01,82,A) i.e. Tower A, 8,C) Skiff + 41 Upper floors over two levels of podium	As per EC dated 29.09.2014. (Work Completed)	65,846.16	1,36,629.23	1,82,485,39
2	Bldg, no 2 2 Sasaments + 2 Parking Floors + Stilt + 44 upper floors	As per EC dated 29.09.2024 (Work Completed)	33,935.07	33,870.88	65,805.90
\$	Composite Bidg no 3 Municipal Public Parking lot. 3 Basements (pt) + Ground (pt) + A upper floors (pt).  Residential Wing 3 Basements (pt.) + Ground (pt) + Intermediate Parking floor + S Parking Floors (pt.) +2 Parking Floors (full) + Stift + 43 floors	As per EC dated 29.09.2024 [Work Completed] Work completed as below, 3 Basements (pt.) + Ground (pt.) + 4 Parking Floors (pt.) + 2 Parking Floors (full.) + Stilt	FWL. 576.8	65,563.61 79,928.24	65,563.61 30,505.04
	Total		96,357.98	2,46,001.96	3,44,359.94

Built up area as per EC dated 29/09/2014 u/n SEAC-2014/CR-35/TC-1 is 3,88,031.81 Sq. A4. Built up area completed on site admeasures 3,44,359.94 Sq. M., which is less than built up area as per EC dated 29/09/2014 u/n SEAC-2014/CR-35/TC-1.

Thanking You, Yours faithfully

RAKESH KUMAR

RAKESH KUMAR. Architect CA/90/13582

# Agenda of 96th Meeting of State Expert Appraisal Committee (SEAC-2)

## SEAC Meeting number: 96 Meeting Date April 15, 2019

Subject: Environment Clearance for for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot at Sub Plot 'B' bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A.L. nair Road and Maula Azad Road, Jacob Circle, Mahalaxmi by Genext Hardware & Parks Pvt. Ltd.

### Is a Violation Case: No

1.Name of Project	Hindustan Mill
2.Type of institution	Private
3.Name of Project Proponent	Genext Hardware & Parks Pvt, Ltd. C.A to Capricon Realty Ltd.
4.Name of Consultant	Dr. D. A. Patil, Mahabal Enviro Engineers Pvt. Ltd.
5.Type of project	Residential Project along with Municipal Public Parking Lot
6.New project/expansion in existing project/modernization/diversification in existing project	Amendment in existing project. (Vertical expansion to residential wing of Building No.3 has been proposed)
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	We have obtained EC u/n. SEAC-2014/CR-35/TC-1 dt. 29/09/2014 for the plot area 61,520.46 m2 and FSI area of 1,29,988.78 m2, Non FSI area of 2,58,043.03 m2 with total construction area of 3,88,031.81 m2 (Entire project).
8.Location of the project	Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra
9.Taluka	Mumbai
10.Village	Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi
Correspondence Name:	
Room Number:	
Floor:	
Building Name:	Raheja Tower
Road/Street Name:	Plot No. C-30, Block G, Opp SIDBI,
Locality:	Bandra Kurla Complex
City:	Bandra (East), Mumbai.
11.Area of the project	Municipal Corporation of Greater Mumbai (MCGM)
	OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u/no.EB-907-E-A dt.11/02/2018
12.IOD/IOA/Concession/Plan Approval Number	10D/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u/no.EB-907-E-A dt.11/02/2018
	Approved Built-up Area: 210603.62
13.Note on the initiated work (If applicable)	On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846,16 m2) and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935,02 m2) has been completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over all construction completed on site is 326537.40 m2.
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018
15.Total Plot Aréa (sq. m.)	61,520.46 m2
16.Deductions	4,470.19 m2
17.Net Plot area	57,050.27 m2
	FSI area (sq. m.): 1,32,331.76 m2 (Entire Project)
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 2,60,802.75 m2 (Entire Project)
14011-1 31)	Total BUA area (sq. m.): 393134.51
	Approved FSI area (sq. m.): 1,28,688.95 m2 (Entire Project)
18 (b).Approved Built up area as per	Approved Non FSI area (sq. m.): 2,56,764.51 m2 (Entire Project)
DCR	Date of Approval: 11-02-2018
19.Total ground coverage (m2)	24,531.61 m2



20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky) 43% 21.Estimated cost of the project 8356193347

	2	22. Number of	buildings & its confi	guration
Serial number	1-	ing Name & number	Number of floors	Height of the building (Mtrs)
1	Bldg No	.1 (Tower B1, B2 & A1)	Stilt + 41 upper floors on 2 levels of podium	172.275 m
2 Bldg No. 2		Bldg No. 2	2B + 2 Parking Floors + Stilts + 44 Upper Floors. (41 habitable floors + 2 fire check floors + 1 service floor)	177.65 m
Bldg No. 3:- Composite Bldg a) Residential Wing			2B (pt) + Gr (pt) + intermediate Parking Floor + 4 Parking Floors (pt) + 2 Parking Floors (full) + stilts + 44 Upper floors (habitable floors) + 2 fire check + 1 service floor	206,50 m
Bldg No. 3:- Composite Bidg b) Municipal Public Parking Lot			3B + G (pt) + 4 Upper Floors (pt). To be handed over to MCGM and 5th & 6th Floor above MPPL will be retained for Residential parking.	25.10/ 26.30 m
23.Number tenants and		Bldg. 2: 110 Nos. Bldg. 3: 126 Nos.	Mark Office Control	A TO BUILD
24.Number expected re users		1,545	C N	
25.Tenant o per hectare		90/Ha	AN TO	
26.Height ( building(s)		1	7	
27.Right of (Width of the from the ne station to the proposed by	he road earest fire he	36.60 m wide Dr. A.L. N	air Marg on West side & 27.43 m wide	e Maulana Azad Marg on East side
28.Turning for easy acc fire tender movement f around the excluding tl for the plan	cess of from all building he width	9.00 m		
29.Existing structure (s		NA		
30.Details o lemolition v lisposal (If applicable)	with	NA		

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Not applicable	Not applicable	Not applicable	Not applicable



	Source of water	MCGM
	Fresh water (CMD):	117 KLD
	Recycled water - Flushing (CMD);	61 KLD
	Recycled water - Gardening (CMD):	33 KLD
	Swimming pool make up (Cum):	
Dry season:	Total Water Requirement (CMD)	178 KLD
	Fire fighting - Underground water tank(CMD):	As per CFO NOC
	Fire fighting - Overhead water tank(CMD):	As per CFO NOC
	Excess treated water	71 KLD
	Source of water	MCGM + RWH
	Fresh water (CMD):	99 KLD + 18 KLD
	Recycled water - Flushing (CMD):	61 KLD
	Recycled water - Gardening (CMD):	
	Swimming pool make up (Cum):	
Wet season:	Total Water Requirement (CMD) :	178 KLD
	Fire fighting - Underground water tank(CMD):	As per CFO NOC
	Fire fighting - Overhead water tank(CMD):	As per CFO NOC
	Excess treated water	104 KLD








7.		3	3.Detai	s of Tota	l water o	consume	d			
Particula rs	Con	sumption (C	(MD)		Loss (CMD)		E	Effluent (CMD)		
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
/10		Level of th		3 m						
	Size and no of RWH tank(s) and Quantity:		2 Nos.of RV	VH tanks wit	h 74 m3 cap	acity each.	0			
		Location of tank(s):	f the RWH		ment for bld & 3rd baseme	g. no 2, 2nd ent for PPL	Basement fo	or Residentia	l tower	
34.Rain \ Harvestii		Quantity or pits:	f recharge							
(RWH)			harge pits	NA NA						
		Budgetary (Capital co		25 Lakn						
		Budgetary (O & M cos		2 Lakh/year						
		Details of U if any :	UGT tanks	Residential: PPL: 3rd Ba	2nd Baseme sement	ent				
				- 1						
35.Storm	water	Natural wa drainage p		Toward Eas	t and West S	Side				
drainage	water	Quantity of water:	storm	2980.71 m3/hr						
1. 420		Size of SWI	D: (	0.35 x 0.35 m, 0.45 x 0.6 m, 0.6 x 0.8 m						
		- 6	11/2							
		Sewage ger in KLD:	neration	167 KLD						
		STP techno	logy:	MBBR Tech	nology					
26 Cours	ge and	Capacity of (CMD):	STP		3 STPs will be provided with total 220 m3 capacity i.e. 100 m3 (for bldg No. 2), 100 m3 (for bldg No. 3) and 20 m3 for PPL					
Naste w	THE RESERVE OF THE PARTY OF THE	Location & the STP:	area of	Bldg No. 2: Lvl. & b. PP		r, Bldg No. I loor.	3: a. Resi. Bl	dg: 2nd Floo	r Parking	
	9	Budgetary (Capital cos		45 Lakh		1 -1				
		Budgetary a (0 & M cos		9 Lakh/yea <b>r</b>						









Waste gen	eration in	Waste g	eneration:	Construction debris: 4	.200 m3			
the Pre Co and Const phase:	nstruction	Disposai	of the tion waste	The construction debris will be disposed as per the "Construction an Demolition and Desilting Waste (Management and Disposal) Rules 2016.				
		Dry wast	e:	269 Kg/day				
		Wet was	te:	403 Kg/day				
Waste de	aste generation		us waste:	Used oil from DG				
in the operation Phase:  STP Slu		Biomedicable applicable	cal waste (If le):	NA				
		STP Slud sludge):	ge (Dry	2 KLD				
		Others if	any:	Household E-waste ger	neration			
		Dry waste	e:	Dry garbage will be dis		2/		
		Wet wast	e:	Wet garbage will be composted using Mechanical Composting used as organic manure for landscaping.				
Mode of I	lienneal	Hazardous waste:		Authorized recyclers				
Mode of Disposal of waste:		Biomedical waste (If applicable): STP Sludge (Dry sludge):		NA NA				
				Sludge use as manure for gardening				
		Others if	any:	Authorized recyclers	1	Fig.		
		Location(	7-3 45.7					
Area requireme	ent:	Area for to of waste & material:	he storage à other	100 m2				
		Area for r	nachinery:	25 m2				
Budgetary a	llocation	Capital co	st:	Rs. 12 lakh				
Capital cos O&M cost):	tand	0 & M cos	st:	Rs. 6 Lakh/year				
-			38.Ef	fluent Charecter	estics			
Serial Number	Param	eters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)		
1	Not app	licable	Not applicable	Not applicable	Not applicable	Not applicable		
mount of eff CMD):	luent gener	ation	Not applical	ble				
apacity of th	e ETP:		Not applical	ole	W			
mount of tre ecycled :	ated effluer	nt	Not applicab	ile				
mount of wa	ter send to	the CETP:	Not applicab	le				
embership (	of CETP (if 1	equire):	Not applicab	ile				
ote on ETP t	echnology t	to be used	Not applicab	le				
isposal of the	ETD clude	.0	Not applicab	10				



Serial			39.Ha	azardous	Waste I	<b>Details</b>	-		
Number	Desc	cription	Cat	UOM	Existing	Proposed	Total	Method of Disposal	
1	Not a	pplicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
			40.S	tacks em	ission D	etails			
Serial Number	Section	Section & units		ed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	Not a	pplicable	Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable	
			41.De	tails of F	uel to b	e used		01	
Serial Number	Ту	Type of Fuel		Existing		Proposed		Total	
1	No	t applicable	1	Not applicabl	e l	ot applicabl	e	Not applicable	
42.Source o	of Fuel		Not a	pplicable			000		
43.Mode of	Transporta	tion of fuel to	site Not a	pplicable			20		
2							0		
		Total RG	area :	Existing lan	dscape: 14,4	126.20 m2, F	G proposed	on ground is 425 m2.	
		No of tree	s to be cut		0	200			
44.Gree	n Belt	Number o be planted		146 Nos.					
Develop	ment	List of pro	•	As Below	3				
		Timeline f	n of	2 years					
		plantation							
Samuel	45.Nu	mber and	d list of t	rees spe	cies to b	e plante	d in the g	ground	
Serial Number			d list of t		Quar		Characte	ground eristics & ecological importance	
	Name of	mber and	A .	n Name		ntity	Characte	eristics & ecological	
Number	Name of	mber and	Commo	n Name scholaris	Qua	ntity 5	Characte Shady Tree Medium	eristics & ecological importance	
Number 1	Name of Sa Ba	mber and the plant	<b>Commo</b> Alstonia	n Name scholaris fistula	Quar 2	ntity 5	Characte Shady Tree Medium Beautiful you	eristics & ecological importance  , white fragrant flowers sized deciduous tree. ellow flowers, Butterfly	
Number 1 2	Name of Sa Ba	mber and the plant twin	<b>Commo</b> Alstonia Cassia	n Name scholaris fistula hosperma	Quar 2	ntity 5 2	Shady Tree  Medium Beautiful y  Medium Beautiful on	eristics & ecological importance , white fragrant flowers sized deciduous tree. ellow flowers, Butterfly host plant sized deciduous tree. range flowers, Butterfly range flowers, Butterfly	
Number 1 2 3	Name of Sa Ba Pa Kac	mber and the plant twin hava	Commo Alstonia Cassia Butea mo	n Name scholaris fistula hosperma phallus mba	Quan 2 4 1	ntity 5 2 0 3	Shady Tree  Medium Beautiful you  Medium Beautiful or  Shady, larg growing growing growing	ristics & ecological importance  white fragrant flowers sized deciduous tree. ellow flowers, Butterfly host plant sized deciduous tree. range flowers, Butterfly host plant ge deciduous tree, fastaceful tree, ball shaped	
1 2 3 4 5	Name of Sa Ba Pa Kac	mber and the plant twin hava	Commo  Alstonia  Cassia  Butea modeling and the cada  Polyanlthia	n Name scholaris fistula hosperma phallus mba longifolia	Quar 2 4 1	ntity 5 2 0 3	Shady Tree  Medium Beautiful you  Medium Beautiful or  Shady, larg growing growing growing	eristics & ecological importance  , white fragrant flowers sized deciduous tree. ellow flowers, Butterfly host plant sized deciduous tree. range flowers, Butterfly host plant ge deciduous tree, fastaceful tree, ball shaped flowers.	
Number  1  2  3  4  5  46	Name of Sa Ba  Pa  Kac  Asl	mber and the plant twin hava alas damb	Commo  Alstonia  Cassia  Butea mo  Anthoce cada  Polyanlthia	n Name scholaris fistula hosperma phallus mba longifolia	Quar 2 4 1 1	ntity 5 2 0 3	Characte  Shady Tree  Medium Beautiful y  Medium Beautiful or  Shady, larg growing gro	ristics & ecological importance , white fragrant flowers sized deciduous tree. ellow flowers, Butterfly host plant sized deciduous tree. range flowers, Butterfly host plant ge deciduous tree, fastaceful tree, ball shaped flowers. with red-yellow flowers	
Number 1 2 3 4 5 46	Name of Sa Ba  Pa  Kac  Asl	mber and the plant twin hava alas damb	Commo  Alstonia  Cassia  Butea mo  Anthoce cada  Polyanlthia	n Name scholaris fistula hosperma phallus mba longifolia	Quar 2 4 1 1 species	ntity 5 2 0 3	Characte  Shady Tree  Medium Beautiful y  Medium Beautiful or  Shady, larg growing gro	ristics & ecological importance , white fragrant flowers sized deciduous tree. ellow flowers, Butterfly host plant sized deciduous tree. range flowers, Butterfly host plant ge deciduous tree, fastaceful tree, ball shaped flowers.  with red-yellow flowers the podium RG:	




**SEAC** Meeting **No**: 96 Meeting Date: April 13, 2019 (SEIAA-STA**TEME**NT-0000001765) SEAC-MINUTES-0000003829

(M. M. Adlani) Page 6 of Shri M.M.Adtani (Chairman SEAC-II)

	- 13			48.E	Inergy			
		Source o supply:	f power	ТАТА				
			onstruction Demand	500 kVA				
Dorwore		DG set as back-up c		500 kVA				
		During O phase (Co load):		10.8 MW				
	Power requirement:  During Oper phase (Den load):			5.2 MW				
		Transform	ner:	.e.	0.			
	DG s		Power luring phase:	• Building kVA • MP	No. 2: 1 x 1250 <b>kVA • Building No. 3: Resi</b> . Bldg:1 x 1500 PL: 1 x 750 kVA			
		Fuel used	:	HSD				
	Details of high tension line passin through the plot if any:		ne passing	NA				
		49.En	ermy savir	ng by ng	on-conventional method:			
Solar Hota	safor exetor		ial Buildings	ng by ne	n conventional method.			
Provision of	of Solar PV P	anels	im nandnigs	54				
		5	0.Detail	calculat	ions & % of saving:			
Serial Number	F		ervation Me	easures Saving %				
1		Total I	Energy Saving	g 23.6%				
		51	.Details	of pollut	ion control Systems			
Source	Ex		tion control		Proposed to be installed			
Not		Not	applicable		Not applicable			
applicable	-11	P. 11 1	rona.					
(Capital	allocation cost and	Capital co		Rs. 15 Lakl				
0&M	cost);	0 & M cos	t:	Rs,				
52	.Envir	nment	tal Man	ageme	ent plan Budgetary Allocation			
	7	a)	Construc	tion pha	se (with Break-up):			
Serial Number	Attril	outes	Param	ıeter	Total Cost per annum (Rs. In Lacs)			
hamb.	Water spra				4.5			
2	Site sanita Potable Wa to La	ter Supply	-		5			







3	Environmental Monitoring	guidelines through MoEF Approved laboratories - Ambient Air-RSPM, PM2.5, SO2, NOx, CO), Noise: Leq day time and Night Time	8
4	Health check-up & first aid	i <del>s</del> i	6
5	Safety Personal Protective Equipment	Helmets, Safety Shoes, Safety Belt, Goggles, Hand Gloves etc.	10
6	Traffic Management	Sign Boards, Persons at entry exit and Parking area	4.5
7	Tyre cleaning and Vehicle maintenance	×	320
8	Storm water Management	= = =	000
9	Safety Training to Workers (Twice in Year), Safety Officer	-	5
10	Safety nets		14
	SEACH		

b) Operation Phase (with Break-up):					
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)	
1	STP (Tertiary)	Continuous O & M Environment Monitoring: Monthly, STP outlet water quality for pH, BOD, COD, SS and O & G	45	9	
2	Solar System	Weekly	15	2	
3	Rainwater harvesting	During rainy season (cleaning of UG tanks and filtration units before rainy season)	25	2	
4	Solid Waste Composting plant	Continuous O & M Environment Monitoring: Monthly to assess the compost quality	12	38%	
-5	Landscape	Daily	116	12	

# 52. Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# 53. Any Other Information

No Information Available

# 54. Traffic Management

Nos. of the junction to the main road & design of confluence:


 $36.60~\mathrm{m}$  wide Dr. A.L. Nair Marg on West side & 27.43 m wide Maulana Azad Marg on East side



(Secretary SEAC-II)

Hellen -

	Number and area of basement:  • Building No. 2: 2 Nos. 11,738.02 m2. • Building No. 3: 3 Nos. N Basements: Total Area of Basements: 36342.09 m2.					
	Number and area of podia:					
	Total Parking area:	• Building 2: 22653.12 m2 • Building 3: Residential Parking: 29 m2 • Municipal Public Parking Lot: 65,631.60 m2	167.1			
	Area per car:	• Building 2 : 37.23 m2 • Building 3 • Residential: 38.06 m2 • M 48.88 m2	PPL:			
	Area per car:	• Building 2: 37.23 m2 • Building 3 • Residential: 38.06 m2 • MPPL: 48.88 m2				
Parking details:	Number of 2- Wheelers as approved by competent authority:	proved by arking provided: PPL: 258 Nos. Residential: 144 Nos.				
	Number of 4- Wheelers as approved by competent authority:	• Building No. 2: 327 Nos • Building No. 3 (Residential) : 352 No Public Parking Lot: 1316 Cars	os •			
	Public Transport:	23 Nos. of Transport vehicles	180			
	Width of all Internal					
ile org	roads (m):	9 m	2			
		9 m	<i>v</i>			




Hollen

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA.
Category as per schedule of EIA Notification sheet	8 (b)
Court cases pending if any	No
Other Relevant Informations	Environmental Infrastructure provided for Bldg. No. 1 (B1, B2 & A1 Bldgs.)  • No. of Tenements: 318 Nos.  • Water Requirement: 232 KLD (Domestic: 145 KLD + Flushing: 75 KLD + Gardening: 12 KLD)  • Sewage generation: 176 KLD  • STP provided: 200 KLD (SBR technology)  • Solid waste generation: 783 kg/day (Biodegradable component is composted using mechanical composting machine & Non-biodegradable component is handed over to authorized recyclers)  • RWH Tanks: 1 tank with 63 m3 and 2 tanks with 60.5 m3 capacity  • Connected Load: 5.7 MW  • Demand Load: 4.8 MW  • DG sets: 10 x 1250 kVA & 3 x 500 kVA  • Parking (4W): 718 Nos.  The estimated project cost mentioned in item No. 21 is for Bldg. 2 & 3 only.
Have you previously submitted Application online on MOEF Website	No
Date of online submission	









Representative of PP Mr. Nikhil Mehta was present during the meeting along with environmental consultant M/s. Mahabal Enviro Engineers Pvt. Ltd.

PP informed that, the project under consideration is Residential Project along with Municipal Public Parking Lot Project - Redevelopment Type. PP further stated that, the total plot area of the project is 61,520.46 Sq.mt. having total construction area area 393134.51 Sq.mt. (FSI - 1,32,331.76 sq.mt + NON FSI 2,60,802.75sq.mt) and the building configuration is as follow-

Building Name & number	Number of floors	Height (Mtrs)
Bldg No.1 (Tower B1, B2 & A1)	Stilt + 41 upper floors on 2 levels	172.275 m
Alj	of podium	0,5
Bldg No. 2	2B + 2 Parking Floors + Stilts +	177.65 m
	44 Upper Floors. (41 habitable	7
	floors + 2 fire check floors + 1	1
	service floor)	
Bldg No. 3:- Composite Bldg a)	2B (pt) + Gr (pt) + intermediate	206.50 m
Residential Wing	Parking Floor + 4 Parking Floors	
	(pt) + 2 Parking Floors (full) +	
	stilts + 44 Upper floors (habitable	
VE SE	floors) + 2 fire check + 1 service floor	1
Bldg No. 3:- Composite Bldg b)	3B + G (pt) + 4 Upper Floors (pt).	26.30 m
Municipal Public Parking	To be handed over to MCGM and	
Lot	5th & 6th Floor above MPPL will	
	be retained for Residential parking.	

It is noted that the project earlier considered in 85th SEAC-2 meeting held on 19-01-2019 and deferred as PP was absent.

It is noted that, the project has received Environmental clearance in 2006 & amendment in 2014.

The project proposal was discussed on the basis of presentation made and documents submitted by the proponent. All issues related to environment, including air, water, land, soil, ecology and biodiversity and social aspects were discussed. Committee noted that the project is under 8a (B1) category of EIA Notification, 2006. Consolidated statements, synopsis of compliances, form 1, 1A, presentation & plans

submitted are taken on the record.

SEAC Meeting No: 96 Meeting Date: April 15,

Mr. Surykant Nikam
(Secretary SEAC-II)

SEAC-MINUTES-0000003829

SEAC-II)

Page 12
Shri M.M.Adtani (Chairman SEAC-II)

### DECISION OF SEAC

In view of above, the proposal is deferred and shall be considered only after the compliance of above observations.

### Specific Conditions by SEAC:

- 1) It is noted that, representative of PP not submitted the authority letter. PP to submit the same along with copy of company resolution.
- 2) PP to submit the company merger document.
- AC decision above. 3) PP to submit dated Architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014.

Mr. Surykant Nikam (Secretary SEAC-II)

SEAC Meeting No: 96 Meeting Date: April 15, 2019 (SEIAA-STATEMENT-0000001765) SEAC-MINUTES-0000003829

Page 13

(M.M. Adlani) Shri M.M.Adtani (Chairman SEAC-II)

Hollen

# MUNICIPAL CORPORATION OF GREATER MUMBAI No. CHE/HRB-787/DPWS 05 NCV

OFFICE OF THE: Chief Engineer (Development Plan) Brihanmumbai Mahanagarpalika, Municipal Head Office, 5th Floor, Annex Building, Mahapalika Marg, Fort, Mumbai-400 001.

Mr.Rakesh Kumar,

Architect. Plot No.C-30, Block 'G', Opp.SIDBI, Bandra Kurla Complex, Bandra(E), Mumbai-400051.

Proposed development of composite Bldg.No.3, having Residential Tower & Municipal Public Parking lot on plot bearing C.S.Nos.1903, 1904, 1905, 1/1905 & 2/1905 of Byculia Division, at Dr.A.I.Nair Road & Maulana Azad Road, near Jacob Circle, Byculla, Mumbai, in 'E' Ward (for Dev.: M/s. Genext Hardware & Parks Pvt. Ltd.).

Architect: Mr.Rakesh Kumar

Str.Con:

M/s.Sterling Engineering Consultancy Services

Pvt.Ltd.

Geotech.:Con.:M/s.Geocon International Pvt.Ltd. Env.Con.: M/s.Pristine Consultants Pvt.Ltd. Developer: M/s.Genext Hardware & Parks Pvt.Ltd.

Ref:- Your letter dtd.13.4.2018.

Gentleman,

With reference to your above referred representation regarding subject matter, I have by direction to inform you that the High Rise Committee as constituted by the Govt. in Urban Development Deptt. as per G.R. U/No.TPB/4313/CR-41/2013/UD-11 dated 9<sup>th</sup> June,2014 has accepted your proposal for proposed development of composite Bldg.No.3, having Residential Tower & Municipal Public Parking lot on plot bearing C.S.Nos.1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, at Dr.A.I.Nair Road & Maulana Azad Road, near Jacob Circle, Byculla, Mumbai, in 'E' Ward (for Dev.:M/s.Genext Hardware & Parks Pvt.Ltd.), as per the High Rise Committee meeting held on 6.10.2018, subject to the terms & conditions as mentioned below:-

The proposal envisages construction of proposed high rise composite building comprising of parking lot & residential building. The parking lot building is comprising of three level basement + ground floor + 1st to 6th upper floor whereby three basements + ground + 4 upper floors are proposed for public parking lot and entire  $5^{\text{th}}$  &  $6^{\text{th}}$  floors are proposed for captive parking of residential building with a total height of 34.80 mtrs. from the general ground level to podium level. The High Rise Residential Building comprising of 2 level basements + ground floor + intermediate floor + 6 parking floors + stilt (podium floor) +  $\mathbf{1}^{\text{st}}$  to  $47^{\text{th}}$  floors including 1 service and 2 fire check floor with total height of 206.50 mt. from general ground level upto terrace level.

### MANDATORY CONDITIONS:

- Access roads to the site and roads on the site that will be required as per plan permanently should be minimum water bound macadam road and constructed before construction activities commence. This will help in reducing local dust emissions to a great extent. The road can be converted to a black top road once the construction activities are completed.
- 2. As the site is located in an developed urban area, it is essential to enclose the site using barriers, to reduce the noise and dust impacts on surrounding buildings and sites.
- Jack hammers and other construction equipments tend to generate a lot of noise, it is therefore essential that noise protective equipments like ear muffs & ear plugs be provided to the operator of the machine. To reduce the noise from the equipment, silencer/ dampers should be attached to the equipment.
- 4. All Stationary machinery that create noise should be installed at points away from sensitive receptor area.
- 5. Noise prone activities should be restricted to the extent possible during night time, particularly during the period 6p.m. to 6.a.m.
- 6. During excavation and transportation over un-metalled roads near the project site, there is a scope for local dust emissions. Frequent water sprinkling in the vicinity of the construction activity should be done and it should be continued even after the completion of the excavation till construction is complete.
- 7. Excavation should be carried out in such a manner that it will not reduce slope stability. As much of the top soil and waste materials as possible should be used for landscaping and leveling activities in the surrounding area. As far as possible store the excavated soil (the amount that would be required later for leveling and landscaping) on site, so that the soil can be reused during landscaping.
- A basic surface drainage system for the site should be worked out to avoid water runoff on to the surrounding properties and roads, especially during the monsoon months.
- If during excavation, water accumulates in the excavated areas, then it should be pumped out and disposed off either in the municipal storm water drain or into recharge soak pits of bore wells.
- Load and unload trucks with construction material on site and not on surrounding roadside.
- 11. The responsibility to carry out the work as per submissions made to the Committee solely rests with the project proponents.
- 12. If the project attracts the provisions of the MOEF Notification under SO No.114(E) dt.19.2.1991 and recent Notification dt.6.1.2011 and Notification dtd.07-07-2004 & revised EIA Notification dtd.14.9.2006, the clearance in this respect shall be obtained and all the conditions mentioned therein shall be complied with.
- 13. The approval of High Rise Committee is for the proposed high rise building having total height of 206.50 mt. only from general ground level up to terrace level, subject to obtaining sanction from Competent Authority as per various provisions of D.C.P. Regulations 2034 amended up to date,

- such as deficiency in open spaces, CFO requirement, parking requirement, Civil Aviation NOC, if any, etc.
- 14. The conditions as stated in the NOC from C.F.O. U/No.FB/HR/CITY/150 dtd.30.5.2012, FB/HR/CITY/661 Dtd.18.6.2013 and Dtd.18.6.2018 shall be complied with. If the plans cleared by Committee, differ from the plans of CFO NOC, revised CFO NOC shall be submitted to the concerned Zonal Building Proposal Office.
- 15. That the NOC from Civil Aviation Authority for the height of the building under reference shall be obtained, if applicable, and all the conditions thereof shall be complied with.
- 16. The acceptance of proposal by High Rise Committee is not indicative of admissibility/approval of the proposal regarding D.C.P. Regulations 2034 other statutory compliances & the necessary building proposal shall be submitted to concerned Ex.Eng.(Bldg.Proposal) for requisite approval. The aspect such as permissible FSI applicable DC.P.Rules & policies in force shall be verified by the concerned Executive Engineer (Building Proposal) before approval of plans.
- 17. The Technical Committee for High Rise Buildings, however, reserves right to alter/ modify/ augment fire safety related provisions as well as disaster management related provisions, on the basis of decision to be taken in the upcoming meetings.
- 18. That the permission is granted based on the documents submitted by the Architect and if at any time are found fake/ fraudulent, then the permission issued shall be treated as revoked/ cancelled without further notice.
- 19. After the clearance given by HRC for a proposed building, not further changes of any kind shall be effected without permission of the HRC (Technical Committee for High Rise Buildings). If any changes made in the proposal without obtaining clearance from HRC, earlier clearance given by the HRC shall be treated as revoked/invalid.
- That the aspect regarding approval/ final NOC to the 33(24) component, if any, and its respective permission shall be scrutinized by Dy.Ch.Eng.(B.P.) as per the prevailing policy and the sanction from respective HPC shall be obtained.
- The necessary other permissions from various other Departments/ Committees/ Authorities shall be obtained as per requirements.

## Recommendatory Condition

- At the time of site clearance, care must be taken to minimize the need for cutting of trees and damage to the native vegetation.
- Clearing of site area may involve removal/ transplantation of trees, underbrush, vines, fences, shades etc. All the unwanted vegetation then becomes solid waste that needs to be disposed off site. As this is organic matter, instead of disposing it offsite, the mater should be composed on site.
- 3. Phase out the site clearing process to only areas that need excavation initially this will reduce the dust emission from currently unused areas. If site has been cleared, vegetate the area by growing temporary groundcover plants or flower beds in the area. Alternatively cover the ground with a sheet, this sheet can be made out of empty cement bags,

and the area then used to store materials, this will help reduce the dust emissions from these areas and provide a clean surface to store material on.

- 4. To reduce dust emissions and erosions from slopes on the site, apply non toxic chemical soil stabilizers (Geotextiles) to the area.
- The short term traffic management plan should be worked out to prevent unnecessary traffic problems. One measure to be incorporated is to avoid trucks during the morning and evening rush hours i.e. before 10.00 a.m. and after 5.00 p.m.
- In cases where the construction of paved access or Water bound macadam road is not possible, frequent water sprinkling required to reduce local dust emissions.
- Traffic speeds on unpaved roads should be reduced to 15 Km.ph. or less, and all the vehicles should have reverse horns.
- 8. On windy days avoid excavation activities to reduce dust emissions.
- Prevent the excavated soil from spilling out of the site boundaries onto adjoining roads and properties.
- 10. Prevent other garbage waste such as construction debris, plastic material from mixing with the excavated soil that is being transported out of the site for dumping off site. This soil will be used for land filling and mixing of garbage with it can lead to soil contamination.
- Water the site at least twice a day to reduce the dust emissions. Once during mid morning and once in the evening.
- Soil stockpiled for more than two days shall be covered, kept moist or treated with soil binders to prevent dust generation. (A good cover sheet can be formed by stitching empty cement bags silt open to form a sheet).
- 13. Since, there is likelihood of fugitive dust form the construction activity, material handling and from the truck movement in the vicinity of the project site, project proponents should go for tree plantation programme along the approach roads and the construction campus.
- 14. Re-vegetate disturbed areas as early as possible.
- As soon as construction is over, the surplus earth should be utilized to fill up low lying areas. The rubbish should be cleared and all un built surfaces reinstated.
- 16. Construct appropriate temporary housing structures for the labourers on the site with due approval from the competent authority. Houses should be provided with proper light and ventilation, and should be located at a safe location on the site.
- 17. Provisions should be made for providing them with potable, drinking water.
- 18. The construction site should be provided with sufficient and suitable toilet facilities for workers to allow proper standards of hygiene. These facilities would be connected to septic tank and maintained properly to ensure minimum environmental affect. Care should be taken not to route the sanitary effluents to the river or any other natural water body.
- 19. To prevent unauthorized falling of trees in the nearby undeveloped areas by construction workers for their fuel needs, it should be ensured that the contractor provides fuel to the construction workers.
- Arrangements should be made for daycare and education to construction workers children. Certain NGO's working in this area can be associated

- with or alternatively one female worker can be paid to oversee the younger children and to prevent them from coming in harms way.
- 21. Solid waste generated from the labour camp as well as the construction site should be disposed off properly. Organic waste can be composted, and inorganic waste should be disposed in nearest municipal bins.
- 22. To sweep and clean adjacent roads of the site that get soiled due to the frequent movement of trucks to and fro from the site, at least once a day.
- 23. All outdoor lighting, including any construction related lighting should be designed, installed and operated in a manner that ensures that all direct rays from project lighting are contained within construction site and that residences are protected from spillover light and glare.
- 24. Parking for construction site workers should be provided on site to prevent clogging of surrounding roads.
- 25. Tea stalls if established for the site should be given space on site and not on access roads. This will prevent the gathering of labourers on the roads and obstruction of traffic.
- Rotary piling method can be adopted for construction of bored cast in site/ bored pre-cast piles. Preferably, M.S. liner can be provided upto hard stratum.
- Preferable minimum grade concrete in sub structure foundation can be M-40 grade and use of anti corrosive treatment can be considered for M.S. reinforcements.
- 28. Ground Water in Mumbai is likely to be saline and further there is a possibility of sewage contamination in well water, as such, municipal water be used for construction.
- 29. Withdrawal of ground water should be restricted as it may cause sudden draw-down and subsidence of surrounding land/buildings.
- 30. The electric meters and substation in the buildings be located on higher level to prevent power failure during floods.
- 31. The earlier HRC NOCs issued vide letter U/No.CHE/HRB-434/DPWS dtd.19.8,2013 is treated as cancelled.
- 32. Other features shown in the plan like temple on ground floor and swimming pool on podium floor, etc. are not in the purview of High Rise Committee and approvability of the same shall be separately dealt by concerned Planning Authority i.e. Building Proposal Section.

Note: That the total height of Crown/ Architectural Elevation features above the terrace slab shall not be more than 9.00 Meter.

If your client is agreeable to the aforesaid terms and conditions, you may approach to the DY.CH.ENG.(B.P.)CITY, who is being informed separately regarding subject matter.

Yours faithfully,

Acc:- A Set of Plan + EMP Book

(R.B.Zope)
Chief Engineer
(Development Plan)
Member Secretary,
Technical Committee for
High Rise Buildings



### FORM FOR FILING ANNUAL RETURNS

[To be submitted by producer/manufacturer/refurbisher/dismantler/recycler/bulk consumer by 30th day of June following the financial year to which that return relates]

### Submitted For

April 2021-March 2022

### Apply As

**Bulk Consumer** 

### 1. Name of the Bulk Consumer

Address of the Bulk Consumer /recycler

M/s. Genext Hardware & Parks Pvt. Ltd.

Sub plot B, CTS No 1903(pt),1904(pt),1905,1/2/1905, Byculla Div., Jacob circle,

Mahalaxmi, Mumbai-11

2. Name of the authorised person

Full address of authorised person

Mr. Manish Kothari (Associate Vice President)

Sub plot B, CTS No 1903(pt),1904(pt),1905,1/2/1905, Byculla Div., Jacob circle,

Mahalaxmi, Mumbai-11

Telephone

9820880060

Email

mkothari@kraheja.com

Fax

**Place** 

02226564306

3. BULK CONSUMERS:

Type Quantity(MT)

Fluorescent and other Mercury containing lamps - CEEW 5 0.010

User terminals and systems - ITEW 9 0.030

4. Name of the destination where E-waste is channelized Address of the destination where E-waste is channelized

D-48, Mahad MIDC Industrial Area, Dist. Raigad, Maharashtra- 402309.

Mercury Metal Industries

Mahalaxmi, Mumbai

Jun 24, 2022

# MUNICIPAL CORPORATION OF GREATER MUMBAI No. EEBPC/1638/E/AL of 22/08/12

Shri Bihari Lund Architect. Plot No. 0-30, Block G ODD. SIDBI Bandra Kurla Complex Bandra (East) Mumbai 400 051

Et. Ing. W. F. Sal (City)-II \ E' Ward, Municipa Office, 3rd Floor, 10, S. K. Hafizudd a Marg. Byculla, Mumbai - 400 008.

Sub: Proposed amended layout under modified D.C.Regn.58 and sub division and layout on the property bearing Sub Plot B of C.S. No. 1903 (pt.), 1904 (pt.), 1905, 1905/1 and 1905/2 of Bygulla Division at Dr. A.L. Nair Marg, Jacob Circle, Byculla, Mumbel for M/s Hindoostan Spg. and Wvg. Mills Ltd. (Unit A & B)

Your letter dated 25.11.2011 Ref


With reference to the above, this is to inform you that, the amended layout plans submitted by you are hereby approved subject to following conditions.


- That the 12.00 M wide temporary right of access provided for MHADA and M.C.G.M. plots shall be maintained in good condition, and be made available to both authorities till regular access from Maulana Azad Road is available.
- That the terms and conditions of the layout dated 23.9 2004 are applicable and shall be complied with.
- That the revised MOEF NOC for Building No.3 Le. public parking for and 3 residential building shall be submitted.

One set of plan duly signed and stamped is hereby returned in token of approval.

Yours faithfully.

. Chief Engineer Milding Proposal) City





1 - 11 - 24

# MANARASHIER MURLITARING CHARLEST MC. ACAD.

# : 24020781/24016497

id: 24024068

Pakara :

http://mpcb.mah.nic.in e-mail: macb@vsnl.net



EALPATARM POINT, \*\* \$ \*\* \*\* \*\* \*\* \*\* Sion Circle Opp. Cineplanet, Near Sion Circle Sion (East), MUMBA1 \* 400 0/2

**ORANGEASI** 

Content No. BOROIPAPU 367

Consent to Establish is granted to

Dala: Jo (pa/2006

Mfs. K. Raheja Corporation Pvi. Ltd., CA to Caprison Realty Ltd., (Hindustan Mill), Sub Plot B. C.S.No. 1903 (pt) 1904 (pt), 1905, 1/1905, 2/1905 of Byoulia Divn., Off Dr. A.L. Nair Rd., Maulana Azad Rd., Jacob Circle, Sycrila, Numbai.

located in the area declared under the provisions of Water Act (P&CP) 1974, Air Act (P&CP), 1991 and Authorization under the provisions of H.W (M & H) Rules and amendments thereby subject to the provisions of the Acts and the Rules and the Orders that may be made further and subject to the following terms and conditions :-

1. The Consent to Establish is fesued to We. K. Rahejs Corporation Pvt. Ltd.,
CA to Caprison Reelly Ltd.,
(Hindustan Mill), Sub Plot B, C.S.No. 1903 (pt)
1904 (pt), 1905, 1/1905, 2/1905 of Byoulds Divin.,
Off Dr. A.L. Nak Rd., Maulana Azad Rd.,

Jacob Chele, Byculla,

For development of land/plot as new construction activities named as Mrs. K. Raheja Corporation Pvt. Ltd., CA to Capricon Realty Ltd., (Mindusten Mill), Sub Ptot B; C.S.No. 1903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 of Bycuta Divn., Off Dr. A.L. Nati Rd., Mautana Azad Rd., Secob Circle, Bycuta, Mumber on 91520.36 equates including utilities and services such as commercial residential/beducational/peatth and recreation ementions six, as per construction commencement coefficient issued by local body.

2. CONDITION UNDER WATER ACT :-

The daily quantity of (a) sewage elfluent from above construction project including (b) waste water from awarening tank/water sports shall not exceed 370 cubic meters per day.

(i) Sowage Effluent Treatment: The Applicant shall provide a comprehensive sewage freatment plant as is warranted with reference to influent quality and corresponding mode of disposal and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:-

PARAMETERS	Limit	<ul> <li>Standards for sub- streams</li> </ul>			
THE CONTRACTOR OF STREET	Self-	(A)	(B)	Unit	
0H	In between	5.5 to 9	7 to 8.5	-17.16	
Suspended Solids .	Not to exceed	100	10	med	
B.O.D. 3 days 27 C	Not to exceed	30	10	rogit	
Oil & Grease · .	Not to except	10	NUL	một	
Dissolved Phosphates (ea P)	Not to exceed	5	5	nug/i	
Dissolved Oxygen	No less than	5	5	m;cul	
R. Chlorine	Not to exceed	0.1	0.1	Mg/l	



(I) Sawage offluent Dieposal:-

The treated sawage efficient shall be recycle to the maximum extent for flushing, fire fighting etc. and excess treated efficient shall be disposed of on land for gardening/ irrigation/ lawns/ tree-plantations within own premises, and/or excess breated sawage efficient shall be disposed into to under ground drainage actions provided by local body. In no case, efficient shall find its way to any water body directly indirectly at any time.

(lii) Non-Hazardous Solld Waster-

The total quantity shall not exceed 1410 Kg per day and shall be segregated and treated as follows:-

St	Type of Segregated solid waste	Quantity -	Treatment	Disposal
1	Orgenic	- 665	hwissal Composting at alta coly	Self-use
2	Invert	885	Secregation	All approved landfill
3	Paper Packang		Segrepation	Sale .
4	Rubber		Segregation	Al approved landid
5	Glass		Samegation	Salo
6	Miscellameous(STP Sludge)	40	Segregation.	Sale/All approved land

3. Other Conditions:-

- All ectivities shall be in resonance with the provisions of Indian Forest Act, 1927 (18 of 1927), Porest (Conservation) Act, 1980 (59 of 1980) and Wildlife (Protection) Act, 1972 (53 of 1972), CR2 notification, and special notifications published for Dahand, Murod Jengire, Matheren and Maitableshwar area wherever applicable and all the Environmental Statutes and Instruments.
- This Consent to Establish is issued only for Developing Construction Project purposes.
- 3. No quarrying desirities shall be commenced in the area unloss appropriate permissions are obtained for a saised quarrying texternal required for construction of local residential housing and traditional road maintaneous work, provided that such quarrying to not done on Forest Lands and the resterial to not expected to the quiside area.
- There shall be no lotting of lines whether on Forest, Covernment, Revenue or Privaty lands except as per prevailing Rules.
- 5 Ediración of Groundwater for the residential complex shall requise prior permission of the State Oround Water Authority of other relevant authorities, as applicable:
- Near the activities that are related to water (two activity of water parks, water sports) and/or in the vicinity of take, Dissolved Oxygen shall not be less than 6 mg/liter.
- 7. In order to ensure that the water from this residential complex do not enter trip outside environment, the natias crossing the township/complex premises, shall be lined, covered and made water tight by the applicant within the promises with Intermittent inspection of chambers following good engineering practices as per the regulations of local body. This management shall be such as also to help in excluding the external pollutants degrading the internal environment of residential complex.
- The Applicant shall prepare management plen for water harvasting, roof-water reclamation, water/storm water conservation and implement the same before handling over of complex for occupation.
- 3. The Applicant shall draw plans for the segregation of solid wastes into biodegradable and non-biodegradable components. The biodegradable material shall be recycled through scientific in-house composting with the approval of local body and the inorganic moterial shall be disposed off at approved Municipal Solid Waste landfill site of local body environmentally acceptable location and melhod. It is clarified that the term solid waste includes domestic, commercial, and garden wastes, but does not include hazardous and bio-medical wastes. The activities of bio-composting and engineered land fit shall be as per the Municipal Solid Weste (M&H) Rules, 2000.

- 10. Applicant shall be responsible to take adequate precautionary measures as detailed in this consent
- 11. The applicant/generator shall be responsible for safe and scientific collection, transportation, treatment and disposal of Blo-Medical Weste as per the provisions made under the Bio-Medical Waste (Management & Handling) Rules, 1998. Any activity as defined under BANV (N. & H.) Rules has to obtain a separate Authorization from Maharashire Pollution Control Board.
- 12. The applicant, during the construction stage shall provide Septic tank and soak pit of adequate capacity for the domestic effluent generated due to workers residing at site. Proper loading and unloading of construction material, excavated material and its proper disposal as per MSW (MSH) Rules 2000. Cutting of trees is not permitted, however in unavoidable conditions necessary permission from the local body shall be obtained. Green both of 33% of the open space shall be developed excluding lawns.
- The Applicant shell comply with all the provisions of, the Water (Prevention and Control of Pollution) Cess
  Act,

1977 (to be reterred as Cess Act) and Rules as Amended ,2003 and Rules there under :-The daily water consumption for the following categories shall not exceed, as under

The Applicant shall regularly submit to the Board, the returns of water consumption in the prescribed form and pay the case as specified under Section 3 of the cold Act.

#### 5. CONDITIONS UNDER AIR ACT >

The Applicant may install two numbers of diesel generating sets (DC Sets), of capacity 400 & 200 (CVA, and shall be occurred with comprehensive control system as is warranted with reference to generalize of emissions and operate and maintain the same continuously so as to exhibit the level of policiants to the following clandards:

#### it Standards for emissions of air Poliutants

	SPMITPM	Not to Exceed	150	mo/Nm3
1)	BOI	Not to Exceed	60	PPM
iii)	NOx	Not to Exceed	60	PPM

#### (ii) The Applicant shall observe the following fuel patterns

30	Type of Fuel	
	I Alach de Litera	Quantity

### (III) The Applicant shall erect the Chimney (s) of the following specifications

Mo.	Chimney altrached to	Height above roof level

- a) The Applicant shall provide ports in the chimney and facilities such as ladder, platform sto for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's staff. The chimneys shall be numbered as S-1, S-2 etc and these shall be printed/ displayed to facilitate identification.
- b) Water spraying shall be done on ground to avoid fugitive emissions.
- Construction material shall be carried in enclosed vehicles during constriction activities.



### (iv) Conditions for DG Sets >

 Noise from DG Sets shall be controlled by providing acoustic enclosure or by treating the room acoustically. Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room shall be designed for minimum 25 dB(A) insertion loss or for mooting the ambient noise standards, whichever is on higher side. A suitable exhaust mulfiler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss shall be done at different points at 0.5 maters from accounts enclosure/ reem and then average.

The Applicant should make efforts to bring down noise level due to DG Set, outside the premises, with ambient noise level requirements by proper setting and control measures.

Installation of DG Set must be strictly in compliance with recommendations of DG set manufacturer,

A proper routine and preventive maintenance procedure for DG Set shall be set and followed in consultation with the DC manufacturers, which would help to prevent noise levels of DG Sets from deteriorating with use.

The DG set shall be operated only in case of power failure. The applicant shall make arrangement for regular electrical power.

The Applicant shall not cause any nuisance in the surrounding area due to operation of DG sals.

In case of problems, the D.G. set shall not be operated until it is set back to continuously position.

(v) Conditions For Utilities like Klichen, Eating Places etc., I-

1. The letcher shall be provided with extraust system channey with all catcher connected to chimney through ducting

The tollet shall be provided with exhaust system connected to channey through ducting

The air conditioner shall be vibration proof and the noise shall not exceed 66 dB(A). The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs, higher than the nearest talled

- building through ducting and shall discharge into open air in such way that no nuisance is caused to neighbors.
- (a) The Applicant shall take adequate measures for control of noise levels from its own sources within the complex (residential corn Commercial) in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the elight time. Day time is neckened as between 6 a.m. to 10 p.m. and night time is reckened between 10 p.m. to 6 a.m.
- (b) Construction equipments generaling noise of less than 86/80 clb(A) are permitted.
- (c) No construction work is permitted during night lime.
- 6. CONDITIONS UNDER HW IN & HI & AMENDMENT RULES 2003

The Applicant shall red generate or transle any hazardous waste,

- 7. The proposed activity comes under Entry 31 (New Construction Project) listed in schedule 1 of the EIA Notification dated January 27, 1994 (as amended till date) issued by Ministry of Environment & Ferest, Govt. of India, New Dathi and therefore, Environmental Clearance from Govt. of India (MoEF) shall be required as per conditions in the amended EIA Notification dated July 07, 2004.
- 8. The applicant shall certify that the bricks used in construction are manufactured using the set from Thermal Power stations if it is within a radius of 100 km from Thermal Pawer Plant and submit the names of tricks manufacturer.
- 3. This "Consent to Establish" is issued subject to the planning permission and permission for nonagricultural (N.A.) use from the Compolent Authority.

10. The applicant shall obtain Environmental Clearance from NoEF, GOI before taking any sleps to develop/ start construction the # to. Spiles

- 11. The applicant shall not hendover the residential complex unless obtain Consent to Operate/NOC from Maharzehitza Poliution Control Board and compliance of Environment Clearance granted by MoEF Government of India.
- 12. The applicant shall take the proper remediation measures to ensure that the ground water and soil contamination is prevented and follow due diligence at the construction stage.
- 18. This Board resurves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.

e olling Машына

For and on behalf of the Maharashtra Pollution Control Board

> MMende-(Or. D.B. Boralkar) Member Secretary

To, Me. K. Reheja Corporation Pvt. Ltd., CA to Caprison Really Ltd., (Hindustan MEI), Sub Piol B. C.S.Alo. 1903 (pt) 1904 (pt), 1104, £11905, 211905 of Byoulia Dhra. Off Or. A.L. Mair Rd., Maujana Azad Rd., Jacob Circle, Byeulla, literated.

Copy forwarded with compliments to

1. The Collector Mumbal.

Copy to

Regional Officer MPCB, Murroat:

- 2 Sub Regional officer, MPCB, Mumbal,
- 3 Chief Accounts Officer, MPCB, Mumbol

Received consent fee of

Amoun!	DD No.	Date	Drawn on
Ra. 5,09,000	UB2337	14.10,2005	UTI Bank

- 4. Cose Branch, MPCS, Mumbel.
- 5. Master No. 8. EIC, M.P.C.Board, Murrical.

### MAHARASITIRA POLLUTION CONTROL BOARD

Phone 4010427/4020761

/1077124N035273

+ax 24(144832)4074(48)4022516

Linail enquiry@mpchgovin



Kalpalaru Povit. 3rd 6 4th floor Story Maturkia. Schenie Road No. 2, Cop. Cine Planet Ciriemo, Near Binii Circle Binii (F)

Mumbar 400 07)

Consent order No :- Format 1.0/BOKAC-relifeticMU-\$938 -11/CTOKAC- 7436

Tie.

Mrs. Genexi Hardware and Packs Pvt. Ltd.,

"Raheja Tower",

Blit', handra (18), Murabai.a.

Subject: Consent to Establish for expansion i.e. Bldg no 2 & 3 for residential building compatible packing building project is Orange Category.

1. C to E (bldg no.1) granted vide no. BORO(P&P)367 dated 19.4.2006.

2. Minenes of 11th CAC meeting of 2014-15 held on 19.7.2014

Your application CE14080003.14 Dated: 5.6.2614

For Consent to Establish for birds no.2 & 3 for residential building cum public parking building project

- The Consent to Establish is granifed for a period up to commissioning of the unit of 3 rears whichever is earlier.
- " The capital investment of the project (part) is Bs. 1132.13 Crs. (As per undertaking submitted by PF)
- 4. The Consent to Establish is valid for Bidg no.2 & 3 of residential building cum public parking building project of Mis. Genexi Herdware and Parks Pvt. Ltd. on sub-plot it bearing CTS no. 1903(pt), 1904(pt), 1906, 1/1905, 2/1906 of byculla Division of Dr. A.L. Nahr Road, Manham Arad Road, Jacob circle, Byculla, on total plot area. Cl.320.36 sq. cutrs. BUA (bldg no. 2 & 30 FSI)-61224.46 sq. in. and construction area. 206546.42 sq.in. (PSI toon FSI) as per the commencement certificate issued by local budy.

1. Conditions under Water (P&CP), 1974 Act for discharge of effluents

Sr. ho.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
l.,	Trade efficient	NIL	NA	NA
2,	Domestic eMuent	159 CMD	As per Schedule -1	60% recycle for secondary purposes such as flashing, ac exoling, gardening ste and remaining discharge to
1000				manicipa sewer

5. Condition under Air (P& CP) Act, 1981 for air emissions

Sr.	Description of stack / source	Number of Stack	Slandards to be achieved
1	DG Set (2x1250 KVA)	1002 1105	As per Scharges, 11
2	DG Set (2x500 kVA)		As par School (16 -1)
31	DG set (1x 250 KVA)		An wex Michaelanter - III

in manifestation and their for the SECONDERS DIRECTOR



Jana 1

6 Conditions under Musicopal Solid Waste (Management and Handling Rule, 2000).

Si.	Type Of Waste	Quantity & LloM	Treatment	Disposal
1	Biogegradable	385 kg/day	Mechanical composting	Use as manure
2	Non-blodegradable	257 kg/day		Sale to anthorized

7. Conditions under Hazanducer Waste (MH & PM) Rules, 2008 for treatment and disposal of bazardous waste.

St. Type Of Waste	Cotagory	Gunning 300M	Treatment	Disposal
Nil				

5. The Econd reserves the right to review, amond, suspend, revoke etc. this consent and the same shall be binding on the industry.

5. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

10. PP shall submit the affidavit in Board's prescribed format within 16 days in the prescribed format regarding the compliance of conditions of EC/CRZ elegannes and C to E.

The applicant should not take any effective steps for implementation of the project before obtaining Environmental Clearance as per Ela Sectionation 2008 and amendments thereto. As per form 2 of ElA notalization dated-tates/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEP vide office memorandism on J-1103/41/2006-IA.11(I): Dated-13/8/2010/tencing of the site to protect it from notation engreeched & construction of temporary should for the guard(s) & acquisition of land shall not be treated as an effective area.

For and on behalf of the above Board

(Rayer Huma Mich. to

Becaived Coosest top of-

Sr. Amount(Rs.)	DD, No.	Date	Drawn On	<b>在海温</b>
1 1102106/-	109603	2.6.2014	Axis Bank	
2. 1164000	109305	2.6.2014	Anis Bank	

#### Copy to:

- 1. Regional Officer Mumbai and Sub-Regional Officer-Mumbai 1, MPCB, Mumbai They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbri.
- in COCAC deak-for record & website updation purposes.

## Schedule-I

## Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have proposed three Sewage Treatment Plant (STPs)
  with the design capacity of 100 CMD each for hldg. no.2 and 2 and 20 CMD for public
  parking bldg.
  - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules inside there under from time to time, whichever is strangent.

Sr No	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pil
01	800 (3 days 27oC)	\$0 E-10 E-10 E-10 E-10 E-10 E-10 E-10 E-1
02	Suspended Solvás	50
03	coo	100
04	Residual Chlorine	Jepm /

- C) The treated effluent shall be 60% recycled for secondary purposes such as tolled flushing, air conditioning, firelighting, Agriculture, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.
- D) Project proponent shall operate STP for five years from the date of obtaining occupation conditate.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant scrup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade efficient or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any creatment and disposal system or and extension or addition, thereto.
- 31 The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by Installing water meters, Sling water cess returns in Form-1 and other provisions as contained in the said act.

Sr. no. Purpose for water consumed Water consumption quantity (CMD)

1. Domestic purpose 232

e chulter of the Part Y

### Schedule-II

Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to install Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. Nn.	Stack Attached To	APC System	Height in Mirs	Type of Fuel	Quantity & UnM	8.%	50.
1	(2x1250 KVA)	Acoustic enclosure	Mtra Each	HSD	208.8 bi/hr	1	97.8
2.	DG-Sel (2x500 KVA)	Acoustic enclosure	Mtra Each	HSD			
	DG Set (1x250 KVA)	Acoustic enclosure	Mitza Easib	HSD			

<sup>\*</sup> shove the roof of the building to which it is installed.

 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	Hall mg/Nms.	
matter			

- The Applicant shall obtain necessary prior permission for providing additional control
  equipment with necessary specifications and operation thereof or alteration or
  replacement alteration well before its life come to an end or erection of new pollution
  control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Control of the Annual of the A

## Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of I		Purpose of BG	Compliance Period	Validity Date
	Proposed					
i	Consent to establish (expansi on)	Rs. laidi	10 15 days from date of issue of consent	effective steps towards implementation of		Five years from date of issue of consent
2		Rs. lakh	from date of issue of consent	Towards compliance of consent conditions	Upto Commissioning or Spears which ever is civilize	Five years from date of issue of consent



But I

#### Schedule IV

### Conditions during construction physic

- Utring construction phase, asptigant stail provide temporary senage disposal and MSW facility for staff and workersquarters.
- h Unring construction phase, the ambient air and none-quality should be closely mountained to achieve Ambient Air Quality Scandards and Noise by the project proposest through MoVF approved laboratory.
- Noise governing activity shall be carried out during day time only

#### General Conditions:

- If The applicant shall provede Good is for adjection of environmental attopies and complex of trade and sewage efficients our conscions and hazardous waste to the Board staff at the terrinal or designated points and shall pay to the Board for the services rendered in this lights!
- 2) Industry should proporty effluent quolity, etack emissions and ambient air quality monthly/greaterly
- 3) The applicant shall provide ports in the chimney(s) and facilities such as ladder, plaufonnete, for monitoring the air emissions and the serov shall be open for inspection toland for use of the Poard's Staff. The chimney(s) vents attached to various sources of emission shall be disagnated by numbers such as S-1. S-2, etc. and these shall be pointed/ displayed to facilitate identification.
- 4) Whenever due to approcrident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, congerned Police Station, office of Directorate of Health Services. Department of Explosives, Inspecturate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an abstract electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent in the absence, the applicant shall step, reduce or otherwise, control production to shide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the Joth day of September every year, the Environmental Statement. Report for the financial year ending 31st March in the prescribed Form-V as per the previsions of rule 14 of the Environment (Protection) (Second Appendment) Rules 1992.
- 7) The industry should comply with the Hazardonas Waste (M.H. & TM) Rules. 2016 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsona Waste (M.H. & TM) Rules. 2008 for the preceding year April to March in Form IV by 30% June of every year.
- 40 An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) The applicant shall obtain Consent to Operate from Board before commissioning of the project.
- In Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1984 and Environmental Protection Act, 1986 and industry specific standard under EP Itules 1986 which are available on MPCB websiteteness appel gov.in).
- 11) The industry shall constitute an Environmental cell with qualified staffpersonneliagoncy to see the day to day compliance of consent condition towards Environment Protection.
- 12) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial efficient treatment plants and sir pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 13) Conditions for D.O. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclarate or by treating the main acoustically.

Plage to and ?

STOREST PROGRAMMENT POR LES SOLD STANDARD BROKENS STANDARDS

- he industry sheald progress accurates problems for control of range. The sections on target usuala trentment of the area of and be deserged for interpolar 25 att attendant beor for measure the suite of pures semilarde extendence is on higher side. A suita to external resister write marginar less of 25 all (2) shall also be provided the measurement of operation loss will be done at different points of \$5 m ters from Me angle a melecularity and their acategor
- es d'adjuste should neuk enlants tertenny denvernouse level doncte. Dit son constab ataliente d' becomes a mind ampoint these areanaments to broken within any conference because
- 33 Installation of Dil Set mass in specific in complication with manuscratifications of Dil Set manufacture.
- c) A proper wouldness and processive maintenance arecording for 1965 we about the set and historied in consentration with the DG manufacturer which would help to prevent neightorals of Call out from desproyating with uso
- A D.G Set shall be operated only in case of power failure.
- in The applicant should not couse may nursines in the sourceinding when does to operation of Dil Ber
- by The applicant shall enoughly with the notification of McfCF dated 17 05, 2002 regarding mount limit longo norator were run with dissel-
- 11) The aduater should not cause any unisant in surrounding area.
- 16) The industry shall take adequate measures for control of noise levels from its own sources within the promises so as to manerain ambient air quality standard in respect of mose to less than 75 dB (A) during day time and 30 dB (4) during night time. Day time is reckoned in between 8 a.m. and 10 p.m. and night time is reckened between 10 p.m. and 6 a.m.
- (6) The applicant shall maintain good house beging
- 17) The applicant shall bring minimum 32% of the available open land under green coverages plantation. The applicant shall subnot a statement on available open plut great member of longs surviving as on the March of the year and number of treexplanted by September and with the Environment Statement
- 12) The non-assaulate solid waste prising in the factory premises, sweepings, etc. be disposed of searchforth so at not to cause any nursano: 7 pullation. The applicant shall take overasary poemissions man civic authorities for disposal of solid wants
- 19) The applicant shall not change or ofter the quantity, quality, the case of discharge, temperature or the mode of the effluentiemissions or hazardous grantes or control equipments provided for without previous written permission of the Board. The industry will and carry out any activity. For which this consent been and been granted/without prior consent of the Board.
- 20) The industry shall ensure that fugative emissions from the activity are controlled so as to modistain cloub and safe environment in and around the factory premises.
- 21) The industry thall submit official e mail address and any change will be duly informed to the 超图集
- 22) The industry shall achieve the National Ambient An Quality atandards prescribed side Chremoment of India, Notificacion dt, 16 11,2009 as amendod



### MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

a ax

24044532/4024068 (4023516)

Email

enquiry@mpcb gay in

Visit At

http://mych.govan



Kalpatan: Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp Cine Planet Cinema, Near

Sion Crutt, Sion (£), Mumba: - 400 022

Consent order No : Formati. WBO/CAC-cell/EIC-MU-5100-13/O(part)/CAC | 0539 Date - 3.2014 | 17.11.2614

To

Mis. Gonest Hardware and Parks Pvt. Ltd.,

CA to Capricon Realty Ltd...

"Robeis Tower",

Plot no. C-30. Block 'G'.

Opp. SIDBI, BEC, Bandra (E), Mumbal-51,

Subject: Consent to 1° operate tpart) for residential building no.1 in Orange Category. Ref

L. C to E (bldg. no. 1) granted vide no. BO/RO(P&P#367 dated 10.4.2006.

 C to E (bldg, no.2 & 3) granted vide no. Format1.0/BO/CAC-cell/EIC-MU -5978 -14/CE/CAC- 7496 dated 8.8.2014.

 EC granted by MoEF, Gol vide no. 31-68/2006-IA.III dated 1.9.2006 and by GoM vide no.SEAC-2019/CR-35/FC-1 dated 29.9.2014.

Minutes of 19th CAC meeting of 2014-15 held on 13.10.2014

Your application CO1310000380

Dated: 28.10 2013

For: Consent to Operate for residential building project under Section 26 of the Water (Prevention & Control of Pollution) Act. 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardons Wastes (M. H & T M) Rules 2008 is considered and the consent is horeby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV approach to this index:

- 1. The Consent to Operate is granted for a period up to 31,10,3015.
- 2 The capital investment of the project (part) is Rs. 825.51 Urs. (As per CA certificate snomitted by PP)
- 1. The Consent to Operate is valid for residential building wat of M/s. General Hardwaye and Parks Pvi. Ltd. on sub plot B bearing CTS no. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of byealth Division of Op. A.L. Nair Bond, Maulana Azad Ruad, Jacob circle, Byealth, on total plet area. 61.520.36 sq. mtrs & and (FSI BUA of 65846.16 sq.m., Non-FSI BUA of 118639.23 sq.m.) caustruction BUA of 182485.39 sq.m. (as per revised EC) as per the occupation cartificate issued by local body.

Canditions under Water (P&CP), 1974 Act for discharge of effment:

riter Filter	(Messeries)	Permitted quantity of discharge (CMI)	Standards to be nelvieved	Disposal
1.	Trade effluent	NIL.	NA	N.A.
2.	Domestie efficient	176 CMD	Asper Schedule -1	60% recycle for secondary purposes such as flushing, ac cooling, gardening etc and remaining discharge to municipal sewer.

Conditions under Air (P& CP) Act, 1981 for pir graissions.

Sc.	Description of stack/source	Number of Start	Standards to be achieved
	UG Set (10x1250 KVA)	10	As per Schedule - II
1 2	DG Sel (3x500 KVA)	3	As per Schedute - II

the new traderse and regulation in "holy on a Mate Montan (1900) And Material



6 Conditions under Municipal Solid Waste (Management and Handling) Rule 2000:

Sr. no.	Type Of Waste	Quantity & CoM	Treatment	Disposal
Kenyy	Biodegradable	685 kg/day	owc	Use as manure
2	Non-biodegradable	685kg/day		Sale to authorized recycler
3	STP sludge	40 kg/day		manure

Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr.	Type Of Waste	Category	Quantity	NOO	Treatment	Disposal
NI		10 10 17 1				

- s. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be hinding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. PP shall submit the affidavit in Board's prescribed format within 15 days in the prescribed format regarding the compliance of conditions of EC and C to O.
- 11. PP shall comply with the conditions stipulated in Environmental Clearance granted by Gol vide no. 21-88/2008-IA.III dated 1.9.2006 and revised EC granted by GoM vide no. vide no.SEAC-2014/CR-35/TC-1 dated 25.5.2014.

For and on behalf of the thurshire Pollution Control Board

Rajeev Kumar Mital, 198) Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No	Date	79:44-24 Ob	Remarks
1.	1457800V-	106496	5.10.2013	Axis Bank	The consent fees is obtained
2.	14942134	110900	5.11.2014	Axis Bank	as C to O for a period from 1.7.2013 to 31.10.2015 and C to Brevalidation (Rs. 1218000-).

Copy to:

- 1. Regional Officer-Mumbai and Sub-Regional Officer-Mumbai I. MPCB. Mumbai

   They are directed to ensure the compliance of the consent conditions.- BO shall
  Inform the Bank to return the BG of Rs. 10 lakh obtained against C to E (expansion)
  (dtd 6.8.2014) for compliance of condition of not to take effective steps prior to
  obtaining EC, as PP has obtained the same on 22.2.2014.
- 2 Chief Accounts Officer, MPCB, Mumbel.
- 3. CC/CAC desk- for record & website updation purposes.

## Schedule-I

## Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have provided Sewage Treatment Plant (STP) with the design capacity of 200 CMD.
  - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board Limiting Concentration in mg/l, except for pH		
01	ROD (3 days 27of.)	30		
02	Suspended Solids	50		
	COD	100		
04	Residual Chlorine	1ppm		

C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing oir conditioning. Firefighting Agriculture, on fand for gardening etc and remaining shall be discharged in to the municipal sewerage system.

D] Project proponent shall operate STP for five years from the date of obtaining occupation

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Gess Act, 1977 and as amended, by installing water meters, filing water ress returns in Form-1 and other provisions as contained in the said act.

Sr. no. Purpose for water consumed Water consumption quantity (CMD)

1. Domestic surpose 232

2508 pure consultan consul

Page 3 of 7

## Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

St.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub>
L.	DG Set (10x1250 KVA)	Acoustic enclosure	Mtrs Each	HSD	Kg/hr	pool	
2	OG Sel (3x500 KVA)	Acoustic englishine	Mtrs Each	HSD	Kg/hr	L	

above the roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	160 mg/Nm*
matter		

- The Applicant shall obtain necessary prior permission for providing additional control
  equipment with necessary specifications and operation thereof or alteration or
  replacement alteration well before its life come to an end or erection of new pollution
  control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Come is the discussion and park I'm and thing on a SRC (American IIII)

Page 4 of 7

# Schedule-III Details of Hank Guarantees

Sr. No.	(C to E/O/IC)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
				Existing		
1	Consent to establish (expansi	Rs. 10	-41.	Towards compliance of consent conditions	Upto Commissioning for 5 years which ever is earlier	For years from date of issue of consent
				Proposed	P	
	Consent to Operate	Rs. 10 lakh	15 days from date of issue of consent	pollution control	continuous	28.2.2016



#### Schedule-IV

### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney!(a) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection toland for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1. S-2. etc. and these shall be painted/displayed to facilitate identification.
- d) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwich Reported to Board, concerned Police Station, office of Directorate of Health Services. Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source auffurent to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 81st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry should comply with the Hazardous Waste (M.H. & T.M.) Rules. 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M.H. & TM.) Rules, 2008 for the preceding year April to March in Form-IV by 2012 June of every year.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 11) The industry shall constitute an Environmental cell with qualified stoffpersonneliagency to see the day to day compliance of consent condition towards Environment Protection
- 12) The applicant shall metall a separate meter showing the consemption of energy for operation of domestic and industrial efficient treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 13) Conditions for D.G. Sec.
  - a) Nove from the D.G. Set should be controlled by providing an acquatic enclosure or by treating the morn applicable.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) inscript has or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 05 meters from acoustic enclosure/noin and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper atting and control measures
  - d) Installation of DC Set must be strictly in compliance with recommendations of DC Set manufacturer
  - c) A proper routine and preventive maintenance procedure for DG set should be set and followed to consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

General September 2001 pasts. Por Bell Tiddy on 1 SEC House in 1/16/61/1904

Page 6 of 7

6 D.G. Set shall be operated only in case of power failure.

g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

14) The industry should not cause any nuisance in surrounding area.

15) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckined in between 6 a.m. and 10 p.m. and night time is reckined between 10 p.m. and 6 s.m.

16) The applicant shall maintain good housekeeping.

17) The applicant shall bring numinum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plut area, number of trees surviving as on 31º March of the year and number of trees planted by September end, with the Environment Statement.

18) The non-hazardous solid waste arising in the factory premises, sweepings, see be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take-

necessary permissions from civic authorities for disposal of sulal waste.

19) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without provident of the Board.

20) The industry shall ensure that fugitive emissions from the activity are controlled so as to

maintain clean and sale environment in and around the factory premises.

21) The industry shall submit official e-mail address and any change will be duly informed to the MPCB

22) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.



Page Tul 7

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax. 24023516 Website: http://mpcc.ocs.in E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2" - 410 Floor Opp. Cine Planet Cinema. Near Sion Circle, Sion (E) Mumbai-400 022

Consent order No :- Formatt 0/80/CAC-ctfl/EIC-MU-6910-15/CO(Part-I)/CAC-7/5/0 2\_ Date- 22/06/2016

M/s. Genext Hardware and Parks Pvt. Ltd.

Sub plot "8" bearing CTS no. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of Byculla Division of Dr. A.L. Nair Road, Maulana Azad Road, Jacob circle, Mahalasmi, Mumbai

Subject: Renewal of Consent to Operate (Part-I) for Residential Building no.1 in Orange Category. Ref

- 1. Lonsont to Catathia (bidg. no. 1) granted vide no HU/RO(whit)/167 dated 10.4.2008.
- ?. Consent to Establish (bldg. no.2 & 3) granted vide no. Format1.0/80/CAC-ceft/EIC-MU -5978 -14 /CE/CAC- 7496 dated 8.8.2014.
- J. EC granted by MoEF, Gui vide no. 21-68/2006-IA.III dated 1.9.2006 and by Gold vide no. SEAC-2014/CR-35/TC-1 dated 29.9.2014.
- a. Consent to Operate granted vide BO/CAC-Ceft/EtC-MU-S406-13/O(part)/CAC-10539 dated 17.11.2014 valid upto 31.10.2015.
- 5. Your application approved in 15th CAC meeting of 2015-2016 held on 09.03.2016.

Year application CR3510000030, Dated: 23.09,2015

For: Renewal of Consent to Operate (Part-I) for Residential Building no.1

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M. H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, N , III & IV annexed to this order:

- The Consent to Operate is granted for a period up to 31.10.2021.
- 2. The capital investment of the project (part) is Rs. 964.59 Crs. (As per CA certificate submitted by applicant
- 3 The Consent to Operate (Part-I) is valid for Residential Building no.1 of M/s. General Hardware and Parks Pvt. Ltd. on sub plot "8" bearing CTS no. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of Bytulla Division of Dr. A.L. Nair Road, Maulana Azad Road, Jacob circle, Mahalaxmi, Murribai on Total Plot Area of 61,520.36 sq. mirs and construction BUA of 1,82,485.39 sq.m. (as per revised 6C), including utilities and sorvices.
- Conditions under Water (PSCP), 1974 Act for discharge of efficient:

Sr.	Descriptio	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Trade	Wr	NA	NA
2.	Domestic effluent	176 CMD	As per Schedule -)	The treated effluent shall be 60% (i.e. 106 CMD) recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc and remaining shall be connected to the sewerage system provided by total body.

General Procedure and portable that bloom in 1. Site redunction 1. (http://www.sico.

Pare Lold

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack / source	Number of Stack	Standards to be
60.			achieved
	DG Set (10x1250 KVA)	10	As per Schedule -II
2	DG Set (3x500 KVA)		As per Schedule -II

6 Conditions under Municipal Solid Waste (Management and Handling) Rule, 2008:

\$r. no,	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Biodegradable	685 kg/day	owc	Use as manue
2	Non-biodegradable	685kg/day		Sale to authorized
3	51P sludge	40 kg/day		uisunis ischeiei

Conditions under Hazardous Waste (MM & TM) Rules, 2008 for treatment and disposal of hazardous waste.

Sr.	Type Of Waste	Category	Quantity	ПОМ	Treatment	Disposal
No.						
MI						

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any
  other Government authorities.
- PP shall comply with the conditions stipulated in Environmental Clearance granted by Gol vide no. 21-68/2006-IA.III dated 1.9.2005 and revised EC granted by GoM vide no. vide no. SEAC-2014/CR-35/TC-1 dated 29.9.2014.

For and on behalf of the Maharashtra Pollution Control Board

Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	19 29,3007-	0.68858	28.08.2015	Axes bank
2	38,58,239/-	74125	23.05.2016	Axis bank

#### Copy to

- Regional Officer, Mumbai and Sub-Regional Officer MPC6, Mumbai-I
   Hey are directed to ensure the compliance of the consent conditions.
- 2 Chief Accounts Officer, MPCB, Mumbai.
- 3 CC/CAC desk- for record & website updation purposes.

#### Schedule-I

## Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have provided Sewage Treatment Plant (STP) with the design capacity of 200 CMD.
  - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Soard Limiting Concentration in mg/l, except for pH				
01	800 (3 days 27oC)	10				
92	Suspended Solids	10				
03	COD	50				
ia i	Residual Chlorine	1ppm				

- C) The treated effluent shall be 60% (i.e. 106 CMD) recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firelighting etc. and remaining shall be connected to the sewerage system provided by local body. In no case, effluent shall find its way to any water body directly/indirectly at any time. Project proponent shall provide flow meter to ensure 60% recycling of treated sewage and shall maintain the record with data logging system. Project Proponent shall achieve the treated domestic effluent standard for the parameter 800-10 ring/lit. and shall install online monitoring system within 4 months.
- Of Project proponent shall operate STP for five years from the date of obtaining occupation tertificate.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to astablish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- d) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution).

  Cess Act, 1977 and as amended, by installing water meters, filling water cass returns in Form-1 and other provisions as contained in the said act.

Sr. no.	Purposu for water consumed	Water consumption quantity
		(CMD)
1.	Domestic purpose	232



#### Schedule-II

### Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to install Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Se. Nic.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	5%
1	OG Set (10x1250 KVA)	Acoustic enclosure	7.1* mirs each	HSD	Kg/hr	1
2	DG Set (3x500 KVA)	Acoustic enclosure	4.5* mtrs each	H\$O	Kg/hr	1

<sup>\*</sup> above the roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm	
matter			

- The Applicant shall obtain necessary prior permission for providing additional control equipment
  with necessary specifications and operation thereof or alteration or replacement alteration well
  before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



# Schedule-III Details of Bank Guarantees

Sr. No.	(C to E/O/R)	Amt of BG Imposed	Summission Period**	Purpose of BG	Compliance Period	Validity++
1	Renewal of Consent to Operate	Rs. 10 Jakn	15 days from date of issue of consent		Continuous	Validity of this consent + 4 months

- The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
- ++ The Sank Guarantee(s) shall be valid for a period upto: Yakdiny of consent + 4 months
- A Existing BG obtained for above purpose if any may be extended for period of validity as above.

#### General Conditions:

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this henalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011.
- If Drainage system shall be provided for collection of sewage elfluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- Weblotes hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak indust.
- 34 Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - D) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient moise standards, whichever is on higher side. A suitable enhance multiple with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Applicant shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day, time and 45 dB(A) during the night time. Day take is reckoned between 6 s.m. to 10 p.m and night time is reckoned between 10, p.m to 6 a.m.
  - d) Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
  - e) installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - g) D.G. Set shall be operated only in case of power failure.
  - h). The applicant should not cause any nursance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEF dated 17.05, 2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (Ma H) Rule 2011.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB
- 8) Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the Infancial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the finvironmental (Protection) Second Amended rule 1992.
- (11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the explry of the consent.

Cichesa handware, and pout 150 and policy in a NEW expression of Consussational

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/ 24010437

Fax: 24023516

Website: http://mpcb.gov.in E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

Consent order No: - Format1.0/BO/CAC-cell/UAN No. 0000049585/CO[Part-I]/CAC- | 90300 | 472 Date- 26 | 03 | 2419

To.

M/s Genext Hardware & Parks Pvt. Ltd.,
Sub Piot - B of C.S. No. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division,
Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbal-400 011.

Subject: Grant Consent to 1<sup>st</sup> Operate (Part-I) for Building No. 2 (Tower-D) of Residential & Composite Building with Public Parking in RED Category.

- Ref : 1. Environment Clearance accorded by GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
  - 2. Consent to Establish granted by Board vide no. BO/RO(P&P)/367 dtd. 10/04/2006.
  - Minutes of Consent Appraisal Committee meeting held on 25/10/2018.

### Your application No. 0000049585 Dated 26/05/2018

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Consent to 1<sup>st</sup> Operate (Part-I) is valid for period upto 30/06/2019.
- The capital investment of the project (Part) is Rs. 402.67 Crs (As per C.A. Certificate submitted by project proponent and capital investment of complete project is 888 Crs).
- 3. The Consent to 1<sup>ct</sup> Operate (Part-I) is valid for Sale Building No. 2 (Tower-D) of Residential & Composite Building with Public Parking of M/s Genext Hardware & Parks Pvt. Ltd. at Sub Plot B of C.S. No. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle; Mahalaxmi, Mumbai-400 011 on total plot area of 68,274.86 Sq. Mtrs. for construction BUA (FSI) 31,935,02 Sq. Mtrs. out of Total construction BUA of 2,05,546.42 Sq. Mtrs. as per Environmental Clearance No. SEAC-2014/CR-35/TC-1 dated 29/09/2014 and Commencement Certificate issued by local body including utilities and services.
- 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	<b>D</b> isposal
1.	Trade effluent	NIL	NA	NA
2.	Domestic effluent	59	As per Schedule-I	The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/ source	Number Of Stack	Standards to be achieved
1	DG Sets (1 x 1,250 KVA)	1	As Per Schedule -II

Conditions under Solid Waste Management Rule, 2016:

Sr. no. Type Of Waste Quantity

M/s General Hardware & Parks Pvt. Ltd. (Part-I), SRO Mumbal V UAN No. 00000049585

Page 1 of 6

			Treatment	Disposal
1	Biodegradable	165 Kg/day	OWC followed by composting	Used as Manure
2	Non-Biodegradable	110 Kg/day	7	Segregate and Hand over to Local Body for recycling
3	STP Sludge	As actual Kg/D		Used as Manure

Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules,
 2016 for treatment and disposal of hazardous waste:

Sr. No.	HW Cat. & Type Of Waste	Quantity	UOM	Treatment	Disposal
1	5.1 - Used/ Spent Oil	As actual	Ltrs/A		Sale to Auth. Party/ Re-processor

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall comply conditions stipulated in Environmental clearance issued by SEIAA, GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
- Project Proponent shall submit an undertaking in Board's prescribed format within 15 days regarding compliance of Environmental Clearance (EC) and Consent to Operate conditions.
- 12. Project Proponent shall submit the undertaking within 15 days in the prescribed format towards part of the built up area/ building for which application for 1st Consent to Operate (Part-I) is made and that the same is included in the Environmental Clearance accorded.
- 13. Project Proponent shall achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.
- The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening.
- Project Proponent shall submit the Bank Guarantee of Rs. 25 lakhs towards O & M of pollution control system.
- Project Proponent shall operate organic waste digester along with composting facility/ bio-digester (biogas) with composting facility for the treatment of wet garbage.
- Project Proponent will be responsible for proper operation & maintenance of pollution control systems for initial period of five years after Society formation and afterward handover the facility to the Society for its further operation in good and working conditions.

For and on behalf of the Maharashtra Pollution Control Board

> (E. Ravendiran, IAS) Member Secretary

#### Received Consent fee of -

Sr. No.	DR/DR/RTGS/NEFT/TRXN No.	Bank Name	Amount	Date
1	TXN1805003337		Rs. 8.05,340/-	29/05/2018

#### Copy to:

- 1. Regional Officer (Mumbai)/ Sub-Regional Officer (Mumbai-I), M.P.C. Board.
  - They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbal.
- 3. CC/CAC desk- for record & website updating purposes.

#### Schedule-I

## Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided STP of capacity 100 CMD with MBBR Technology for the treatment of 59 CMD sewage.
  - B) The Applicant shall operate the Sewage Treatment Plant (STP) to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1985 and Rules made there under from time to time, whichever is stringent:

Sr. No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
01	BOD (3 days 27°C)	10
02	Suspended Solids	20
03	COD	50
04	Residual Chlorine	1 ppm

C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. In no case, effluent shall find its way to any water body directly/indirectly at any time. Project proponent shall provide flow meter to ensure 60% recycling of treated sewage and shall maintain the record with data logging system.

Project Proponent shall install online continuous monitoring system for the parameters Flow, BOD & TSS at the outlet of Sewage Treatment Plant with the connectivity to MPCB Server within 3 months.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system and/ or extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall consume water as follows:

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boller feed	0.00
2.	Domestic purpose	74.0
3. 🦠	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

#### Schedule-II

## Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to installed the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.		Quantity & UoM	S%	SO <sub>2</sub> (Kg/D)
1,	D.G. Set (1,250 KVA)	Acoustic Enclosure	4.5	HSD	197 Kg/Hr	1	95

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particulate matter	Not to exceed	150 mg/Nm <sup>1</sup>

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

# Schedule-III Details of Bank Guarantees

Sr. No.	Consent (Renewal Of C to O)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity
1	1 <sup>st</sup> C to O(Part-I)	Rs:25 Lakh	Within 15 Days	Towards O & M of pollution control systems	30/06/2019	31/10/2019

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

#### Schedule-IV

#### General Conditions:

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust mulfiler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - a) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of 5eptember every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

----00000-----

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.ln Email: cac-celk@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sign Circle, Sion (E), Mumbai-400022

No:- Format1.0/CAC-CELL/UAN No.0000073917/CE - 1910000 789

To

M/s Genext Hardware & Parks Pvt. Ltd., CS Nos. 1903, 1904,1905,1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai.

Sub: Grant of re-validation of Consent to Establish for construction of remaining part of the Project i.e. Building No. 3 & Public Parking Lot under Red Category

- Ref: 1. Environment Clearance accorded by Env. Dept GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
  - 2. Consent to Establish accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC-MU-5978-14/CE/CAC-7496 dtd. 08/08/2014
  - 3. Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC-MU-6910-15/CO(Part- D/CAC-7502 dtd. 02/06/2016
  - 4. Consent to Operate accorded by Soard vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000049585/CO(Part-I)CAC-1903001472 dtd. 26/03/2019.
  - Minutes of Consent Appraisal Committee meeting held on 14/08/2019.

Your application No.MPCB-CONSENT-0000073917 Dated 10.06.2019

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act. 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Revalidation of Consent to Establish is granted for a period upto commissioning of project or 5 years / or upto 08-08-2024 whichever is earlier.
- The capital investment of the project is Rs.673.56 Crs. (As per undertaking submitted 10 m by pp).
- The Consent to Establish is valid for for construction of remaining part of the Project I.e. Building No. 3 & Public Parking Lot of M/s Genext Hardware & Parks Pvt. Ltd., CS Nos. 1903, 1904,1905,1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai on total plot area 61,520.46 sq. mtrs. for remaining construction BUA 1,39,740.52 sq. mtrs. out of total construction BUA 2,05,546.42 sq. mtrs. as per Environment Clearance and construction permission issued by Local Body including utilities and services.
- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

St No	Description	Permitted	Standards to	Disposal
1	Trade effluent	Nil	NA	NA
2.	Domestic effluent	61		The treated effluent shall be 60% recycled for secondary purposes such as tollet flushing, air- conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to local body sewer line

Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No. Description of stack / source	Number of Stack	Standards to be achieved
5-1 & 5-2 DG Sets (750 & 1250 KVA)	1	As per Schedule -II

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
Ĩ	Biodegradable	163 Kg/Day	NA	Use as Manure
2	Non- Biodegradable Waste (Inert, Paper Packaging, Rubber, Glass)	128 Kg/Day	KA.	Dry garbage will be segregated and hand over to local body for recycling
3	STP Sludge	10 Kg/Day	NA .	Use as Manure

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantit	y UoM	Treatmen	Disposal
1	5.1	200	Ltr/A	NA	Sale to Auth. Party/ Re-processessor

- 8 This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10 PP shall provide STP so as to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.
- The treated effluent shall be 60% recycled for secondary purposes such as tollet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to local body sewer line.
- 12 PP shall install organic waste digester along with composting facility/bio-digester (biogas) with composting facility for the treatment of wet garbage.
- 13 PP shall obtain NOC from MCGM for disposal of construction debris at specific site inspected and approved by Municipal Corporation.
- 14 PP shall submit BG of Rs. 10 Lakhs towards compliance of EC and Consent to Establish conditions.
- 15 PP shall provide bus transport for resident/ employees to the extent possible directly or indirectly through the operator so as to reduce traffic congestion and resultant in reduction of air pollution.
- 16 Consent shalf be issued without prejudice to the order passed as may be passed by the Hon'ble Supreme Court of India in special leave petition Civil No. D23708/2017.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Ravendiran IAS), Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1347120.00	5451845	10/05/2019	RTGS

Balance fees of Rs. will be considered at the time of next renewal of consent Copy to:

- Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai I
- They are directed to ensure the compliance of the consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- CC-CAC Desk- for record & website updating purpose.

# SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity 120 CMD for treatment of domestic effluent of 83 CMD.
  - 8] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act. 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
1.	BOD (3 days 27o C)	10
2.	Suspended Solids	20
3.	coo	50
4.	Residual Chlorine	1ppm

- C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to local body sewer line. In no case, effluent shall find its way outside Project Proporient's premise.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- The industry shall ensure replacement of pollution control system or its parts after expiry of its
  expected life as defined by manufacturer so as to ensure the compliance of standards and safety
  of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	95.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

## SCHEDULF-II Terms & conditions for compliance of Air Pollution Control:

As per your application, you have proposed to provide the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

	Stack Attached To		CONTRACTOR AND A PERSON NAMED IN	Type of Fuel	Quantity & UoM
5-1	DG Set (750 KVA)	Acoustic Engineeral	0	22 200	
5-2	DG Sets (1250 KVA)	Second Circlesons	. 0	HSD	166.5 Kg/Hr
	of the huilding in w	ACOUSTIC Enclosure	10	HSD	397 Kg/Hr

\* Above roof the building in which it is installed.

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total District		
Total Particular matter	Not to exceed	150 mg/Nm3

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) Conditions for utilities like Kitchen, Eating Places, Canteens:
  - a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
  - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
  - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
  - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs, higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

# 5CHEDULE-III Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2E	1000000	15	Towards compliance of the Environmental Clearance & Consent to Establish conditions	08.08.2024	08.12.2024

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent, # Existing BG obtained for above purpose if any may be extended for period of validity as above.

### **BG Forfeiture History**

Srno. (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Pu <b>rpos</b> e of B <b>G</b>	Amount of BG Forfeiture	Reason of BG Forfeiture
		NA		1	

#### SCHEDULE-IV

## Conditions during construction phase

A	During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters.
8	During construction phase, the ambient air and noise quality should be closely monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MoEF approved laboratory.
c	Noise should be controlled to ensure that it does not exceed the prescribed standards.  During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

#### General Conditions:

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974. Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during nonpeak hours.
- 5 Conditions for D.G.Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 d8 (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 d8 (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nulsance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6 Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- B Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The freated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Poliution Control Board before commissioning of the project.

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0/CAC-CELL/UAN No.0000073142/CO 1910000 829

Date: 17/10/2014

To,

M/s Genext Hardware & Parks Pvt. Ltd.,

Sub plot B, CS Nos. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai.

Sub: Grant of renewal of Consent to Operate (Part-II) for Residential Building No. 2 of the Residential Project under Red Category

- Ref: 1. Environment Clearance accorded by Env. Dept GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
  - Consent to Establish accorded by Board vide No. Format 1.0/BO/CAC-Cell/EICMU-5978-14/CE/CAC-7496 dtd. 08/08/2014.
  - Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC-MU-6910-15/CO(Part-I)/CAC-7502 dtd. 02/06/2016.
  - Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000049585/CO(Part-I)CAC-1903001472 dtd. 26/03/2019.
  - 5. Minutes of Consent Appraisal Committee meeting held on 14/08/2019.

Your application No.MPCB-CONSENT-0000073142 Dated 14.06.2019

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The 1st Consent to Operate is granted for a period up to 30.06.2020
- The capital investment of the project is Rs.502.7843 Crs. (As per C.A Certificate submitted by industry).
- 3. The Consent to Operate is valid for \_\_named as Genext Hardware & Parks Pvt. Ltd., Sub plot B, CS No. 1903, 1904,1905,1/1905 & 2/1905,Building No. 2 on sub plot B, of CS No. 1903, 1904,1905,1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai, Mumbai, Mumbai city on Total Plot Area of 61520.46 Sq. Meters. SqMtrs for construction BUA of FSI: 31935.02 Sq. Mtrs + Non FSI area 33870.88 (Out of total construction BUA 2,05,546.42 Sq. mtrs) SqMtrs out of Total Construction BUA of SqMtrs as per EC granted dated 2014-09-29 including utilities and services
- 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted	Standards to	Disposal .
1.	Trade effluent	Nil	NA	NA TOTAL TOT
2,	Domestic effluent	59		The treated effluent shall be 60% recycled for secondary purposes such as tollet flushing, air conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilized on land for gardening and or connected to local body sewer line.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack	No. Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG Set (1250 KVA)	1	As per Schedule «II

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Bio Degradable	100 KOR19V	OWC followed by composting	Used as manure for gardening
2	Non-Bio Degradable	110 Kg/Day	NA:	Segregate and hand over to local body for recycling
3	STP sludge	5 Kg/Day	NA	Used as Manure

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

SrNo	Category No.	Quantity	<b>UoM Treatment</b>	Disposal
1	5.1	100	Ltr/A NA	Disposal by sale to authorized recycler

- 8 The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10 PP shall operate STPs so as to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.
- 11 The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilized on land for gardening and or connected to local body sewer line.
- 12 PP shall operate OWC followed by composting facility for the treatment of Biodegradable waste and compost obtained shall be used as manure in their own garden/ plantation.
- PP will be responsible for proper operation & maintenance of pollution control systems for initial period of five years after Society formation and afterward handover the facility to the Society for its further operation in good and working conditions.
- 14 PP shall provide bus transport for residents/ employees to the extent possible directly or indirectly through the operator for the residents so as to reduce traffic congestion and resultant air pollution.
- 15 PP shall extend existing BG of Rs. 25 Lakh towards O & M of pollution control system and compliance of consent to operate conditions.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Ravendran IAS), Member Secretary

### Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	200228.00	TXN1909001452	23/09/2019	Online Payment
2	1005569.00	5451945	14/06/2019	RTGS

### Copy to:

- 1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai I
- They are directed to ensure the compliance of the consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. CC-CAC Desk- for record & website updating purpose

# SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity 100 CMD for treatment of domestic effluent of 59 CMD.
  - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Standards prescribed by Board
	27	Limiting Concentration in mg/l, except for pH
ž.	BOD (3 days 27o C)	10
2.	Suspended Solids	76
3.	COD	
4	Residual Chlorine	50
(7.4)	residuel Cabing	1 ppm

- C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilized on land for gardening and or connected to local body sewer line. In no case, effluent shall find its way outside Project Proponent's premise.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.

Sr. No.		Water consumption
1.	Industrial Cooling, spraying in mine pits or boiler feed	quantity (CMD)
2.	Domestic purpose	0.00
		75,00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

# SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No	o. Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	
S-1	DG SET (1250 KVA)	Acoustic Enclosure	15	HSD	197 Kg/Hr	

<sup>\*</sup> Above roof the building in which it is installed.

 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Farticular matter	Not to exceed	150 mg/Nm3

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacementalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) Conditions for utilities like Kitchen, Eating Places, Canteens:-
  - a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
  - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
  - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
  - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs, higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

# SCHEDULE-III Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2R (Part-II)	2500000	Existing	Towards O&M of pollution control systems and towards compliance of the Consent conditions	30.06.2020	30,10,2020

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

# **BG Forfeiture History**

Reason o BG Forfeitun	nount of BG rfeiture	Purpose of BG	Submission Period	Amount of BG imposed	Consent (C2E/C2O/C2R)	Srno.
S-WE SHE SHIRLS IN	market areas and a second		NA			
į	rfeiture		NA	mposea		

### SCHEDULE-IV

### General Conditions:

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G.Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 d8 (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 d8 (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nulsance in the surrounding area due to operation of D.G.
     Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail-address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10. The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0/CAC-CELL/UAN No.0000076548/CO -200200 10 4 5

Date: 25 02/2020

To, M/s Genext Hardware & Parks Pvt. Ltd."Public Parking Lot", Sub Plot B, CS Nos. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbal.

Sub: Grant of Consent to 1st Operate (Part-III) for Public Parking Lot under Red Category

- Ref: 1. Environment Clearance accorded by Env. Dept GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
  - Consent to Establish accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000073917/CE-1910000784 dtd. 16/10/2019.
  - Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC MU -6910-15/CO(Part-I)/CAC-7502 dtd. 02/06/2016.
  - Consent to Renewal accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000073142/CO-1910000829 dtd. 17/10/2019.
  - Minutes of Consent Appraisal Committee meeting held on 07/01/2020.

Your application NO. MPCB-CONSENT-0000076548

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The 1st Consent to Operate is granted for a period up to 28.02.2021
- The capital investment of the project is Rs.91.49 Crs. (As per C.A Certificate submitted by industry).
- 3. The Consent to Operate is valid for Public Parking Lot of M/s Genext Hardware & Parks Pvt. Ltd. at plot bearing Sub Plot B, CS Nos. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbal on total plot area 61,520.46 sq. mtrs. for construction BUA 65,563.61 sq. mtrs. out of total construction BUA of 3,88,031.81 sq. mtrs. as per Environment Clearance granted dated 29/09/2014 and construction permission issued by local body including utilities and services.

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Environment Clearance	61520.46	388031.61
2	Consent to Establish	51520.46	388031.61
3	Consent to Operate (Part- I)	61520.46	182485.39
4	Consent to Operate (Part- II)	61520.46	65805.90

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 1 of 7



4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	14	As per Schedule - I	60% recycled for secondary purposes and remaining for gardening and/ or connected to local body sewer line.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG Sets (750 KVA)	1	As per Schedule -II

Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	<b>Tre</b> atment	Disposal
1	Biodegradable	40 Kg/Day	OWC followed by composting	Used as manure for gardening
2	Non-Bio Degradable	26 Kg/Day	Segregation/ Recycle	Auth, vendor/ Local Body

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantit	ty VoM Treatment	Disposal
1	5.1 Used /spent oil	100	Ltr/A Recycle	Sale to Auth. Party/ Re- processessor

- 8 The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10 PP shall operate STP so as to achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.
- 11 The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilised on land for gardening and or connected to local body sewer line.
- 12 PP shall operate OWC followed by composting facility for the treatment of Biodegradable waste and compost obtained shall be used as manure in their own garden/plantation.
- 13 PP shall extend existing BG of Rs. 25 Lakh towards O & M of pollution control system and compliance of consent to operate conditions.

For and on behalf of the Maharashtra Pollution Control Board.

(E. Reverdiran IAS), Member Secretary

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 2 of 7



### Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	125000.00	TXN1908000596	14/08/2019 Online	

### Copy to:

- 1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai II
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai
- 3. CC-CAC Desk- for record & website updating purpose.



Page 3 of 7



# SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- Al As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity 300 CMD for treatment of domestic effluent of 14 CMD.
  - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No. Parameters		Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
1.	BOD (3 days 27o C)	10
2.	Suspended Solids	20
3.	COD	50
4.	Residual Chlorine	1ppm

- C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilised on land for gardening and or connected to local body sewer line. In no case, effluent shall find its way outside Project's premise.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	15.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

 The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548



# SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity &
S-1	DG Set (750 KVA)	Acoustic Enclosure/ Stack	6.5	HSD	152 Kg/Hr

 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

 Total Particular matter	Not to exceed	150 mg/Nm3
	THE EST CALCEC	LOU ING/INITIS

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) Conditions for utilities like Kitchen, Eating Places, Canteens:-
  - a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
  - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
  - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
  - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPC8-CONSENT-0000076548

Page 5 of 7



# SCHEDULE-III Details of Bank Guarantees:

Sr. No.	Consent(C2E/C 20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2E	2500000	Existing	Towards O&M of pollution control systems and towards compliance of the Consent conditions	28.02.2021	30.06.2021

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

## **BG** Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	BG	Reason of BG Forfeiture
			NA		1.21	







### SCHEDULE-IV

# General Conditions:

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection
- Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only
- Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site 発
- Applicant shall submit official e-mail address and any change will be duly informed to the
- The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- The applicant shall make an application for renewal of the consent at least 60 days before

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 7 of 7



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbal-400022

No:- Format1.0/CAC-CELL/UAN No.0000077338/CE -200300084

Date: |3 03 2020

To,

M/s Genext Hardware & Parks Pvt. Ltd., Sub plot "B", C.S. Nos. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division, Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Mumbal.

Sub: Grant of amendment in Consent to Establish for construction of remaining part of the Project i.e. Building No. 3 under Red Category

Ref: 1. Environment Clearance accorded by Env. Dept GoM vide No. SEIAA-EC-000001987 dtd. 13/09/2019.

- Consent to Establish accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000073917/CE-1910000784 dtd. 16/10/2019.
- Consent to Operate (Part-I) accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC MU-6910-15/CO(Part-I)/CAC-7502 dtd. 02/06/2016.
- Consent to Operate (Part-II) accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000073142/CO/CAC-1910000829 dtd 17/10/2019.
- Consent to Operate (Part-III) accorded by Board vide No. Format 1.0/CAC-Cell/UAN No. 0000076548/CO-2002001045 dtd. 25/02/2020.
- 6. Minutes of Consent Appraisal Committee meeting held on 30/01/2020.

Your application NO, MPCB-CONSENT-0000077338

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Consent to Establish is granted for a period upto commissioning of project or upto 28-02-2025 whichever is earlier.
- The capital investment of the project is Rs.432.9442 Crs. (As per undertaking submitted by pp).
- 3. The Consent to Establish is valid for construction of remaining part of the Project i.e. Building No. 3 of M/s Genext Hardware & Parks Pvt. Ltd. on sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra, Mumbai, Mumbai city on Total Plot Area of 61,520.46 sqm SqMtrs for construction BUA of 3,93,134.51 sqm (BUA of building 3 residential wing: 79,279.61 sqm) SqMtrs out of Total Construction BUA of SqMtrs as per EC granted dated including utilities and services

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Environment Clearance	61520.46	393134.51
2	Consent to Establish	61520.46	393134.51

Genext Hardware & Parks Pyt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 1 of 8



3	Consent to Operate (Part- I)	61520.46	182485.39
4	Consent to Operate (Part- II)	61520.46	65805.90
5	Consent to Operate (Part-	61520.46	65563.61

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	80	As per Sch <b>edu</b> le - I	60% recycle for secondary purposes and remaining on land for gardening or into sewerage system provided by local body

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack /	Number of	Standards to be	
	source	Stack	achieved	
S-1	DG Set (1500 KVA)	. 1	As per Schedule -II	

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Dry Waste		Segregation	Auth. vendor/ Local Body
2	Wet Waste	189 Kg/Day	Mechanical Composting Unit	Used as Manure
3	STP Sludge	10 Kg/Day	Dewatering	Used as Manure

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantity UoM Treatment			Disposal	
1	5.1 Used /spent oil	20	Kg/M	RECVCIE	Sale to Auth. Party/ Re- processessor	

- 8 This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10 PP shall provide STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.
- 11 The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilised on land for gardening and connected to local body sewer line.
- 12 PP shall install organic waste digester along with composting facility/ biodigester (biogas) with composting facility for the treatment of wet garbage.
- 13 PP shall obtain NOC from MCGM for disposal of construction debris at specific site inspected and approved by Municipal Corporation.

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 2 of 8



- 14 PP shall extend BG of Rs. 10 Lakhs towards compliance of EC and Consent to Establish conditions.
- 15 PP shall provide bus transport for resident/ employees to the extent possible directly or indirectly through the operator so as to reduce traffic congestion and resultant in reduction of air pollution.
- 16 Consent shall be issued without prejudice to the order passed as may be passed by the Hon'ble Supreme Court of India in special leave petition Civil No. D23708/2017.
- 17 This Consent is issued with the overriding effect on earlier Consent to Establish No. Format 1.0/BO/CAC-Cell/UAN No. 0000073917/CE-1910000784 dtd. 16/10/2019.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Raverdiran IAS). Member Secretary

### Received Consent fee of -

		Transaction/DR.No.	Date	Transaction Type
1	865888.40	TXN1909001577	25/09/2919 0	Inline Payment

### Copy to:

- I. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai I
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai
- 3. CC-CAC Desk- for record & website updating purpose

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 3 of 8



# SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity 100 CMD for treatment of domestic effluent of 80 CMD.
  - B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	. Parameters	Standards prescribed by Board		
		Limiting Concentration in mg/l, except for pH		
1.	BOD (3 days 27o C)	10		
2.	Suspended Solids	20		
3.	COD	50		
4.	Residual Chlorine	lppm		

- C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilised on land for gardening and connected to local body sewer line. In no.case, effluent shall find its way outside Project's premise.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	85.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.



Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 4 of 8



# SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack	Stack Attached	APC System	Height in	Type of	Quantity & -
No.	To		Mtrs.	Fuel	UoM
5-1	DG Set (1500 KVA)	Acoustic Enclosure/ Stack	10	Diesel	574 Kg/Hr

 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3
I DODL I GI CICOTOI III DECE	1100 00 00000	Appropriate programme and a second

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) Conditions for utilities like Kitchen, Eating Places, Canteens:
  - a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
  - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
  - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
  - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.



# SCHEDULE-III Details of Bank Guarantees:

Sr. No.	Consent(C2E/C 20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	CZE	1000000	Existing	Towards compliance of the Environmental Clearance & Consent to Establish conditions	31.08.2024	31.12.2024

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

## **BG Forfeiture History**

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
		768	NA			



Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 6 of 8



### SCHEDULE-IV

### Conditions during construction phase

- A During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
- During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
- Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

## **General Conditions:**

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
  - Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.




- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPC8.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.



Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 8 of 8


















. . . . . .







(40) eq










# GOOD PRACTICES



Separate housekeeping team


Rubber mat available




Housekeeping at basement area





Monthly motivational program



Safe access provided at site








Doctor room



Labour camp

# Aquaguard purified water supply





Site illumination

....



### MUNICIPAL CORPORATION OF GREATER MUMBAI

(Solid Waste Management Department)

Office of Executive Engineer, SWM SWM Zonal Office 1,

Application Number - EB/5204/E/A-SWM, dated - 04/Jun/2018 Issued remarks Number SWM/000599/2018/E/CTY Dated 04/Jun/2018.

To (Architect / L.S),

CC (Owner).

Rakesh Kumar

Genext Hardware & Parks Pvt.Ltd C.A. to Capricon Reality

Raheja Tower, Plot No. C-30, GBlock

Ltd

Bandra Kurla Complex, Bandra (E) 400051

Raheja Tower, 'G'Block, C-30, Bandra Kurla Complex,

Bandra (E) 400 051

Subject :-

Approval to Construction and Demolition waste management plan for the site at CTS/CS Number 1903,1904,1905,1/1905

and 2/1905 of village Byculla at ward Ward E.

Reference:-

Your application / online submission for C & D Waste Management Plan leveling & filling at designated site Dtd.

04/Jun/2018

IOD No. and Date :- EB/5204/E/A-IOD & 06/Jul/2013

With reference to your application / online submission, the Construction and Demolition waste management plan submitted by you has been approved as per "Construction and Demolition Waste Rules 2016". You are allowed to transport Construction & Demolition waste from construction site to the designated filling & leveling site subject to following term conditions.

- This approval is subject to the orders given by Hon. Supreme Court u/no. in SLP (Civil) No. D23708/2017 dated 15.3.2018. You shall follow this order of Hon'ble Supreme Court and instructions therein.
- You shall handle & transport Construction & Demolition Waste to the extent of 3600 Brass X 2.83 = 10188 Cu. Mtr. Only to
  designated unloading site M/s. Thakur Stone Quarry Survey No. 208, (New 4/3) of village Bhayanderpada (Ovala), Taluka Thane,
  Dist. Thane (M/s. Mishra Transport Service)
- 3. You shall transport the C & D waste with proper precautions and employ adequate measures safeguards to dispersal of particles through the air.
- 4. You have mentioned designated site for transportation of C & D waste for filling and leveling purpose. The C & D waste shall be transported and deposited at the designated site only.
- 5. In the event for any reason whatsoever, the consent given by the Designated Site / Agency is revoked or the time limit for the designated site has expired or the capacity of unloading site is exhausted. In such case the builder / developer shall forthwith stop the transportation activities. The builder / developer shall submit revised Construction and Demolition waste management plan along with required valid documents for revalidation of existing C & D Waste Management Plan.
- 6. The Construction & Demolition Waste shall be transported through your Transport Contractor M/S. Bastiwala Infrastructure.
- 7. The deployed vehicles shall abide by all the R.T.O. rules and regulations. You shall ensure that the vehicles should be properly covered with tarpaulin or any other suitable material firmly to avoid any escape / fall of waste on road from moving vehicle. The body and wheels shall be cleaned and washed thoroughly to avoid spreading of waste on road.
- 8. The copy of approved Construction and Demolition Management Plan shall be accompanied with each and every vehicle under this approval. The developer shall issue the proper challan for each and every trip of vehicles and that shall be acknowledged by the agency of unloading site. The developer shall maintain record of C & D material transported and shall make it available to MCGM

- and / or Monitoring Committee whenever required for inspection.
- 9. The approval is granted presuming that the papers submitted by the applicants / Owners are genuine. For any dispute arising there from out of documents submitted by applicant, POA / Occupant / Owner shall be held responsible as prescribed under the law prevailing in force.
- 10. The approval is granted hereto does not absolve the other approvals required from the other department of MCGM or Govt. authorities.
- 11. In case of disputes, court matters etc. related to the subject site / land / property, this approval cannot be treated as a valid proof.
- 12. In case of any breach of condition is brought to the notice of MCGM or Monitoring committee, Show Cause Notice will be issued and decision will be taken within one month as expeditiously as possible, which shall be binding on you / land owner.
- 13. This approval is not permission for excavation or permission for dumping but is the only approval under Construction and Demolition Waste Management Plan for the transportation of Construction & Demolition Waste for unloading at designated unloading site.
- 14. You / Land owner shall submit valid Bank Guarantee from the bankers approved by the MCGM and the amount applicable as per attached table. The bank guarantee remains valid till grant of Occupation Certificate (OCC).
- 15. The license architect / license engineer shall upload compliance report in respect of Construction & Demolition Waste Management Plan, any breach will entitle the cancellation of building permission and work will be liable to stop immediately.


### Note:


- 1. The above remarks are system generated based on the input data submitted by Architect / Consultant / L.S and if in future it is found that the data is incorrect / fraudulent then the remarks deemed to be treated as cancelled and necessary action will be initiated.
- 2. The above remarks are system generated and does not require any signatures.



# Annexure XIII

# Landscape Development











# Maharashtra Pollution Control Board

# महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Form 4

See rules 6(5),13(8),16(6) and 20(2) of Hazardous and other wastes 2016

### FORM FOR FILING ANNUAL RETURNS

[ To be submitted to state pollution control board/pollution control committee by 30th June of every year for the preceeding period April to marchl

**Unique Application Number:** 

MPCB-HW ANNUAL RETURN-0000029383

Submitted for Year:

April 2021 to March 2022

1. Name of the generator/operator of facility

M/s. Genext Hardware & Parks Pvt. Ltd.

1b. Authorization Number

Format 1.0/BO/CAC-cell/EIC-MU-6910-15/CO(Part-I)/CAC-7502 Dated. 02.06.2016 valid upto 31.10.2021 & Format 1.0/CAC-CELL/UAN No. 0000093490/CR-2011000784 Dated 12.11.2020 valid upto 30.06.2021

2. Name of the authorised person

Mr. Manish Kothari (Associate Vice President)

Telephone

9820880060

**OTHERS** 

Fax

022-26564306

Submitted On:

27-06-2022

Address of the unit/facility

Sub plot "B" bearing CTS. No. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of Byculla Division of Dr. A. L. Nair Road, Maulana Azad Road, Jacob circle, Mahalaxmi,

Mumbai-400011

Date of issue

Date of validity of consent

Jun 2, 2016

Oct 31, 2021

Full address of authorised person

M/s. Genext Hardware & Parks Pvt. Ltd. Sub plot "B" bearing CTS. No. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of Byculla Division of Dr. A. L. Nair Road, Maulana Azad Road, Jacob circle, Mahalaxmi, Mumbai-400011

**Email** 

mkothari@kraheja.com

3. Production during the year (product wise), wherever applicable

Product Type \* Product Name \*

Not Applicable as project is for construction of residential building

& composite Building with Public Parking Lot

0.0000

Consented Quantity Actual Quantity UOM

--NA--

### PART A: To be filled by hazardous waste generators

1. Total Quantity of waste generated category wise

Type of hazardous waste Wate Name

Consented Quantity Quantity

**UOM** 

5.1 Used or spent oil

Used/ Spent Oil

0.100

0.50

KL/Anum

2. Quantity dispatched category wise.

Type of Waste

5.1 Used or spent oil

Quantity of waste UOM 0.50

KL/Anum

Dispatched to

Facility Name

Recycler or Actual user Mercury Metal Industries, B/5, Ground Floor, Porbandarwala Bldg., Chirag Nagar, Ghatkopar (W),

Mumbai- 400086.

Type of Waste

Name of Waste

**Quantity of Waste** 

HOM

Not Applicable

0

KL/Anum

4. Quantity in storage at the end of the year

Type of Waste

5.1 Used or spent oil

Name of Waste Used/ Spent Oil

**Quantity of Waste** 

**UOM** KL/Anum

PART B: To be filled bt Treatment, storage, and disposal facility operators

1.Total Quantity received

State Name

NA

2. Quantity in stock at the beginning of the year

**UOM** 

UOM

Maharashtra

KL/Anum

KL/Anum

3. Quantity treated NA

**UOM** KL/Anum

4. Quantity disposed in landfills as such and after treatment

Direct landfilling

UOM

NA

KL/Anum

Landfill after treatment

**UOM** 

NA

KL/Anum

5. Quantity incinerated (if applicable)

**UOM** 

NA

KL/Anum

6. Quantity processed other than specified above

UOM KL/Anum

**UOM** 

7. Quantity in storage at the end of the year. NA

KL/Anum

PART C: To be filled by recyclers or co-processors or other users

1. Quantity of waste received during the year

Waste Name/Category Country Name State Name Quantity of waste received from Quantity of waste imported(If any)

Units

NA

NA

NA

NA

India

Maharashtra

NA

KL/Anum

2. Quantity in stock at the beginning of the year

Waste Name/Category

Quantity

domestic sources

**UOM** KL/Anum

3. Quantity of waste recycled or co-procesed or used

Name of Waste

Type of Waste

Quantity

NA

NA

NA

**UOM** KL/Anum

4. Quantity of products dispatched (wherever applicable)

Name of product

Quantity

NA

NΔ

**UOM** KL/Anum

5. Total quantity of waste generated

Waste name/category

quantity

**UOM** 

6. Total quantity of waste disposed

KL/Anum

KL/Anum

Waste name/category

quantity

**UOM** 

7. Total quantity of waste re-exported (If Applicable)

Waste name/category

quantity

**UOM** 

NA

NA

KL/Anum

8. Quantity in storage at the end of the year

Waste name/category

NA

**quantity** NA UOM

KL/Anum

Personal Details

Place

Mahalaxmi, Mumbai

Date

2022-06-27

Designation

Associate Vice President


# DG set photograph

# ANNEXURE XV




	Polity	nelity		P. L. Ker		200	Polity.	MAN		HALLERS	Belity		Mello		21.4	Coll S	-Com		Action	Politar	MILLES		Collega			***
West Control State Control	Humay	- Gura		2 CO / 14		20 00 00	1747.25	27. E	s	NAS	Keshmo		142 80		0 000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	terio in		3/10/15	م وسياه م		1-	100 P			
- 100 Huru & 8000	-	1-11/2/2022	1	3202101199		10 10 10 10	14/12/2029	1911119429		15/11/22	13/12/22		2711112012		021191190	12/10/10	1010		10/11/22	14/12/7.2	164 (11 192)	10/11/0	1.21.21 le Vin			
Sug	My 20.000 326953	MX 30 12 00 32 22		M409 85600390		111111	12 30 30 30 30 602 M	My 43 7.266 9342.06		32/0/9 322	281361125		7280165	10	1	37203310	010707017		5398708	47607250		27803	44212203			
	NO 7815		***************************************	WOTBY.			BASAS	5138		カメとス	YES 130 NB		60000			13A . A 5"	4 OTTHY		388	HIDIFC	,	513.1	H.D.F.C		F	
"smaller	320320	2035 Er		236018			256018	693652		28651	6946		2015/3/	NA LINE		44598	99302.		29268	401216		420000	7.205.3			
	POWGO	77.3		THECHVIA	The State of the	***************************************		MUZUAN		KURLA	4.79 S 19 L		BYCULLA		2000	GOVBAOT	PAL GUBR	9,500	TUKBNE	KURLA	,	BEROLL	DABAR		A SERVE	A SECTION AS
4/10/2012		M	o de la constante de la consta	RAWGET	10		PRASHANT	SU1211334		1.00 Jul 353	KONSON		HANSKADS			ASNOA YUNGE	ULDERY COUPTR	100	12 Mrs 6 20	SAMITE KNAS		Y 560 684	SANTOSY PINIL			X 5119.
	M 49.0 RG 354.		(5/10/2028)	6	1 1 2 3 N	(6/10/2022	My 43 KB 4138	my 12 ct 1872	7-11012-022	My 04 E13 2416		(8/10/2022)	My o L Dx 3515		10/10/2022	M3104FD 3211	M2483 5778	11/11/2002	My 18 8 3 7 9 97 3	2 4	(3.110/2012	My 25 47 9 696	10.00			100
	-	67		7			7-4	-		71			74			7	2		7	1 64	4	j				

書の数は、 10 日本の 10 日本の




# Photographs of STP


# **Annexure XVIII**




Mechanical Micro Filter




# **Photographs of STP**





Centrifugal Sludge Cake Basket



Activated Carbon Filter & UV Filter







### Advertisement



# जेनेक्स हाईवेअर ॲन्ड पार्कस प्रा.लि.

आमचा सन्हें नं. १९०३ (pt), १९०४ (pt), १९०५, १/१९०५, २/१९७५ भागखळा, मुंबई येथील प्रस्तावित रहिवासी प्रकल्पाचा अतिरिक्त विकास आणि विस्तार तसेच महानगरपालिकेचा सार्वजनिक वाहनतळ ह्या प्रकल्पाला पर्यादरण विभाग, मुंबई, यांच्याकडून SEAC-2014/CR-35/TC-1 ह्या पत्रकाखाली दिनांक २९ सप्टेंबर, २०१४ रोजी पर्यावरण विषयक मंजुरी देण्यात आली आहे. सदा पर्यावरण विषयक मंजुरीची प्रत महाराष्ट्र प्रदूषण निवंत्रक गंडळ वांच्या कार्यालयामध्ये आणि पर्यापरण विभाग महाराष्ट्र शासन गांच्या http://envis.maharashtra.gov.in या मंकेतस्थळावर उपलब्ध आहे.

PER I SATURDAY I OCTOBER 18, 2014

### Genext Hardware & Perks Pvt. Ltd.

Our proposed Additional Development and Expansion to the Residential Complex along with the Proposed Composite Bulleting with a Municipal Public Parking Lot and a Municipal Public Parking Lot and a Residential Wing at CS No. 1903(c). 1804(pt), 1905. 1/1905, 2/1905 at Byculia Division, Mumbal was accorded to Environmental Clearance from the Department of Environment, Government of Environment, Government of Maharashtra vide letter no. SEAC-2014/CR-35/TC-1 dt. 29th September 2014.

The copies of clearance letter are available with Maharashtra Pollution Control Board and may also be seen on the Department of Environment Govi. of Maharashtra website at http://envis.meharashtra.gov.in

### CHANGE OF NAME

NOTE

Collect the full copy of Newspaper for the submission in passport effec.

HAVE CHANGED MY NAME PROM TAMENT THORSE MY NAME PROMADAD BAHERWANI TO AN U DWARKADAS BAHERWANI AS PER GAZETE NO 6M-1968261) 201-488

I HAVE CHANGED MY NAME FROM MOHAMATED SALIM GULFAN SHARH AS PER DOCUMENTS DATE 26/09/2019

) HAVE CHANGED MY NAME FROM SAMANT GOURI MUKESH TO FARHERN SHAUKAT KHAN, AS PER GAZZATTE IM-17121394) CL-514 A

I HAVE CHANGED MY NAME FROM ASHVANI KUMAR MISHRA TO ASHWANI KUMAR MISHRA, AS PER AFRIDEVIT. DATE:26/09/2019 CL-514 B I HAVE CHANGED MY NAME FROM PRADEEP KUMAR MAHENDRA TO PRADEEP MAHENDRA, AS PER SEFIDIPIT DATE 27/09/2019 CL-514 D MY NAME HAS BEEN ERRONEOUSLY WRITTEN IN MY SON KUMAR PAUSATARIA VANIS PASSPORT AS

I HAVE CHANGED MY NAME FROM GANESHMAL AND GANESHRAM SOLANKI TO GANESH JASRAJ SOLANKI TO AS PER AFFIDAVIT

HAVE CHANGED MY NAME FROM SHAHUL HAMEED MOHAMMED ISMAIL SHAHUL HAMEED AS PER DOCUMENT CL-1

#### नावात बढल

गॅझेट नं. एवस 7370 नुसार भी माझे नाव प्रकाश गोविंद विकणे हे बदलून प्रकाश गोविंद देशमुख असे केल आहे.

et ac

## ''जाहीर सूचना'' 'जेनेक्सट हार्डवेअर ॲन्ड पार्कस प्रा.लि.'' सी ए टू 'कॅप्रिकॉन रियलटी लिमिटेड'

आमच्या प्रस्ताबित उप प्लॉट 'बी' सर्व्हे नं. १९०३, १९०४, १९०५, १/१९०५, २/१९०५ भायखळा डिव्हिजन, डॉ. ए. एल. नायर रोड आणि मौलाना आझाद रोड, जेकब सर्कल, महालक्ष्मी, मुंबई महाराष्ट्र येथील प्रस्ताबित संयुक्त रहिवासी इमारतीसह रहिवाशी संकुल तसेच महानगरपालिकेचा सार्वजनिक वाहनतळ या प्रकल्पाच्या सुधारीकरणाला पर्यावरण विभाग, महाराष्ट्र शासन यांचेकडून क्र. SEIAA-EC-0000001987 दिनांक १३/०९/२०१९ द्वारे पर्यावरण विभवक मंजुरी देण्यात आली आहे. सदर पर्यावरणविषयक मंजुरीची प्रत प्रदूषण नियंत्रक मंडळ यांच्या कार्यालयामध्ये आणि पर्यावरण विभाग, महाराष्ट्र शासन यांच्या http://ecmaharashtra.gov.in या संकेतस्थळावर उपलब्ध आहे.

### PUBLIC NOTICE

Company's Name: N.R. AGARWAL IND LTD.
Regd. Office of the Company: 562 A5D18.
Fortune Tarraces. 5th Floor, Opp. City Mell.
New Link Road, Another (W), Mumbal -53.
Notice is hereby given that certificate (s) for the
mentioned securities of the Company have been
lost/misplaced and the holder(s) of the said
securities have applied to the Company.

Any person with has claim in respect of the said wilk.

काणत्याही जनगाना बालीन अपूर मिळनशीती या विस्त्य मिली, अदलाबदल, भट, इच्छण्डित देख, शहुण, भार, न्यात. वास्ता, कच्चा, भाडेपट्टा, धारणाधिकार, दवभास, कार्यक्षीर कारस दाला, सविधाधिकार, फ्लवहिवाट, कोणताही हुकूम, विवाहा, आदेश या अन्य जे जे काही असेल ते याद्वारे कोणताही दावा असल्यास त्याबाधत लेखी स्वम्पात निम्पस्याद्यारीकारांना त्याचा पत्ता अस्थी अमित उतेका, वकील, कार्यालय इत. ८, राजमजला, गुरुदेव आफेंड सीएचएस लि., प्लॉट क्र. ७ ए, सेनटर १, स्वांदा कॉलनी, नवीन पनवेल (पश्चिम), ४१०२०६ येशे रितसर मोटराईम्ब केलेल्या पुष्ठयर्थ कामदपत्रांसह हा। जाहीर मूचनेच्या प्रसिद्धीच्या तारखेपासून १४ दिवसांच्या (दोन्ती परून) आत पाठविष्याची विनती करण्यात येत आहे. कसूर फेल्यास दावा आणि/वा हावत, जर असल्यास, सोहुन दिसी आहे आणि/सा स्वाचित केली आहे असे पानले जाईल.

## मिळकतीचे परिशिष्ट

प्लॉट फ्र. १३४, एता फ्र. आरएसमी ॥ संकटर फ्र. १, माग- १, चारकोष, कांदिबला (प.), मंबई-४००६०७ यायर बांगण्यात आलेली चारकोष कविता को-ऑपरेटिव्ह हाऊसिंग सांसायटी लिमिटेड म्हणून अत विल्डिंगमधील ३ ऱ्या गजन्यायरील भोजमापित ७५० बीरस पूठ विल्टअप एतिया, प्रस्ट फ्र.

सदर दिनांक २८ सप्टेंबर, २०१९ सही/-अस्मी उतेकर यकील

म्हणात्, राजकारणाची मालका अस्व व्याप्त माण्या वाह्म ध्वास्त अस्य त्यांत् अस्य घट्टात अपाट्य पटलेत के अस्य त्यांत्र अस्य प्रम्म प्रमास माण्यात्र काण्याचा प्रपल् द्वास माण्यात्र काण्याचा प्रप्ति क्षणे हा त्यांचा स्वमाव आहे. त्यांत्र क्षणे हा त्यांचा स्वमाव आहे. त्यांत्र व्याप्ते समाव स्वमाव आहे. मास्या कुटुबात कुटुब प्रमुखाया नाही, मास्या कुटुबात कुटुब प्रमुखाया

र शद परास्त पुन्हा आहे। है सम्बंध उन्हेंन्या ईमलमध्ये समित्र उन्हेंन्या ईमलमध्ये समित्र इस्टेंन्या प्रमान्यात

क्रिक्रिक बड्डिंग क्रिक्र क्रिमि ब्राव्य - ११७



# VATTOR

MUMBAI I SATURDAY | SEPTEMBER: 28, 2019 | www.freepressjournal.in

## US homilies for Pak & India

When asked about President Donald Trump's offer to mediate on the Kashmir issue, Wells said, "I think Prime Minister (Narendra) Modi has made it clear that he's not seeking mediation." However, the president is willing to mediate, if asked by both parties, she said. At the same time, the US hopes to see "rapid action" by India to lift restrictions imposed in Kashmir and release of those detained, a senior official has said, a day after President Donald Trump offered to arbitrate or mediate between India and Pakistan to ease their tensions.

"Public Announcement" GENEXT HARDWARE & PARKS PVT. LTD. C.A TO CAPRICON REALTY LTD.

Our Proposed Amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot at Sub Plot 'B' bearing C. S. No. 1909, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair Road and Maufana Azad Road, Jacob Citcle Mahalaxmi, Mumbai, Maharashtra has accorded the Environmental Clearance from the Department of Environment, Government of Maharashira u/No. SEIAA-EC-0000001987 dated 13/09/2019.

The copies of Environmental clearance letter are available with Maharashira Pollution Control Board and also be seen on the Department of Environment Govt. of Maharashtra website at www.ecmpcb.in

Thomas. He further claimed, PMC is not in a precarious condition as the value of the fixed assets is 2.5 times the amount of loan given by the bank to HDIL. "The RBI auditors couldn't find anything amiss after the thurough scrutiny," pointed out Thomas. Thomas also claimed the central bank may further extend the cash withdrawal cap to Rs 1,00,000 from Rs 10,000 now.

ES PREEPRESSA

## Chavan to contest LS Satara bypoll

Incidentally, Satara is a bastion of the Congress and the NCP. Most of the legislators in this region belong to these two parties. Ramraje Naik Nimbalkar, Balasaheb Patil and Vilas Kaka Undalkar will help the Congress pose a formidable challenge to Udyana Raje and the BJP Chavan currently represents the Karad South Assembly seat in the state legislature. This seat was traditionally represented by Vilas Undalkar for seven terms. He is very strong leader in Karad and was denied ticket due to Chavan's entry in state politics. But now the Congress party has decided to field his son Uday Singh, who will be given the ticket from Karad South.

# PM casts himself as messenger of peace

As he shared his vision of the world at large, PM Modi insisted that India was not problem, but a part of the global warming solution. "If we see history and per capita emission, then you will see that India's contribution to global warming has been very less," he said. Modi also elaborated on his various domestic flagship schemes like 'Clean India Mission', 'Ayushman Bharat', 'Jan Dhan Yojana,' etcetera initiated by his government. He referred to Swami Vivekananda's historic address at the convention of Parliament of Religions in Chicago and asserted that India's message to the global community remained one of harmony and peace.

11 Enthone of a 14 10 16 16 11 Conditional offers will not be accepted. Reserves right to Accept or Reject any offer The Executive Engineer, P.W. Division, Panvel

19790			THE PROMOTER TO	
Фтом д	-/009S	-/000′00°0 L	Hepaire and Hepaire and Helbay Oyer Bridge on Mumbra Kausa Road MSH- Ge in Tal. Thane, Oe in Tal. Thane,	100
Work Completion Period	Cost of Tender Form (Rupees)	EMD (Kupees)	toelot4	No.

ni.vog.shabnetenemil.squn isnoq downloaded from Government of Maharashira e-tender tioned in the tender form. Tender Documents can be with all documents necessary for Eligibility as men-Companyiagency having requisite experience along following work from Contractors Individual /Ilim/ criginaer, r.w. Division, Panver Dist. naigad for the

MORT THAN TWEETHAND BYAN I MAXIATOT MAIN RATTAS JILDBA MAXIMI TIP ACCURA OF DEMONSTRATE MAIN CASTAS JILDBE

THASE CHANGED MY NAME FROM JUSE ANTONY ALAPPAT TO JOSE ANTONY ALAPATT AS PER AFRICANT

MOGA HMAN YM GAGNARO BYAR I NIYAN ASINOB OT INAN ANINOE TIYAQIRA LLOGOBIĞ ABA XANINARIO ERSEGIRS - KIŞTAĞ BERBEĞ UN'ON

(P = 1927578) OATED: SEPTEMBERS -HAVE CHANGED SEPTIMENTS TO PARTE FROM MANUAL SERVICE NO MANUAL SERVICES IN PASTURES TO PARTE FROM MANUAL SERVICES IN PASTURES TO PARTE SERVICES IN PARTE SER

DEEK DOCKMENT FOR ALL PRINCESS. HAVE CHANGED MY MARE HOW KIND A

WHAT THE SHIP AND LOS OF THE MA

O/S 19174 TV INVEVIW VICINETAVIN

610E jak WARVING AS PIET AFTICANT DATED 3000 OLIVENHAEGWANDAS GOVINDRAM HARMANDAS GOVINDRAM HIVAE CHVAGED MA NAME FROM CI-61035 V BYROWY B.To THAYE CHANDED MY NAME FROM SALEEM WAGONLY TO AS SALEEM WAGONLY TO AS SALEM WAGONLY TO AS SALEM WAGONLY TO AS SALEM WAGONLY TO AS SALEM WAGONLY TO ASSALE WAGONLY TO ASSALE WAGONLY WAG 20018-12 HAMAY BELSY, HODYA JOSEA GEMAND OR WEIGH SY, HODYA JOSEA GEMAND WEIGH SY, HODYA SY OJ JOSEA GEMAND WEIGH SY OJ JOSEA GEMAND JOSEA WOLF SWAN AN GEMAND JAME I AVECERIED DATED SOLL SERVERSER AGOSTED VEHE SULT RELIGIBLE AGOSTED SULT RESIDENCE AGOSTED SULTANDERS SHEET SE GROBON VEHEN WITH AND EAST VALUE VAN ELEMENT SE GROBON VATANAM HENDERS ENTER AVERES AGOSTED SULTANDERS AGOSTE SULTANDERS AGOSTE SULTANDERS AGOSTE SULTANDERS AGOSTE SULTANDERS AGOSTES VAN HENDERS AGOSTES SULTANDERS AGOSTES VAN HENDERS AGOSTES VAN H



# Maharashtra Pollution Control Board महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2022

**Unique Application Number** 

MPCB-ENVIRONMENT STATEMENT-0000050414

30-09-2022

PART A

Company Information

Company Name

Genext Hardware and Parks Pvt Ltd

Address

CS No. 1903 (pt), 1904(pt),1905,1/1905,2/1905 at Byculla Division, Mumbai.

Plot no

CS No. 1903 (pt), 1904(pt),1905,1/1905,2/1905

Capital Investment (In lakhs)

192255

Pincode

400013

Telephone Number 23003377

Region

SRO-Mumbai I

Last Environmental statement

submitted online

yes

Consent Valid Upto

31/10/2021 & 28/02/2025 & 30/06/2021

**Industry Category Primary (STC** Code) & Secondary (STC Code)

Application UAN number

Not Applicable

Taluka

Mumbai

Scale

Large

Person Name

Mr. Manish Kothari

Fax Number

23003382

**Industry Category** 

Red

Consent Number

Format1.0/BO/CAC-cell/EIC-MU-6910-15/CO(Part-I)/CAC-7502 & Format 1.0/CAC-CELL/UAN No. 0000077338/CE-2003000841 &

Format 1.0/CAC- CELL/UAN No. 0000093890/CR-2011000784

Establishment Year

2006

Submitted Date

Village

Mumbai

City

Mumbai

Designation

Associate Vice President -

**Projects** 

**Email** 

mkothari@kraheja.com

**Industry Type** 

other

Consent Issue Date

02/06/2016 & 13/03/2020 & 12/11/2020

Date of last

environment statement

submitted

Sep 29 2021 12:00:00:000AM

Product Information

**Product Name** 

Not Applicable (As project is for Residential Complex and a Municipal Parking Lot wing)

Consent Quantity Actual Quantity UOM

MT/A

# Part-B (Water & Raw Material Consumption)

Water Consumption for	Consent Quantity in m3/day	Actual Quantity in m3/day
Process	0.00	0.00
Cooling	0.00	0.00
Domestic	395.00	835.59
All others	0.00	14.03
Total	395.00	849.62

Particulars Particulars	Consent Quantity	Actual Quantity	UOM
Daily quantity of trade effluent	0	0	CMD
Daily quantity of sewage effluent	315	441.96	CMD
Daily quantity of treated effluent	0	331.47	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)			
Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Not Applicable -Residential Complex & Composite Building with Commercial wing and a Municipal Parking Lot wing	0	0	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)			
Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Not Applicable - Residential Complex & Composite Building with Commercial wing and a Municipal Parking Lot wing	0	0	Ton/Ton

4) Fuel Consumption			
Fuel Name	Consent quantity	Actual Quantity	UOM
HSD	6661.44	2.075	KL/A

## Part-C

# Pollution discharged to environment/unit of output (Parameter as specified in the consent issued) [A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason
pН	0	7.26	19.33	5.5 - 9.0	Not applicable
TSS	4.35	9.83	90.17	100 mg/l	Not applicable
COD	13.63	30.83	38.33	50 mg/l	Not applicable
BOD @ 27oC, 3days	4.57	10.33	48.33	20 mg/l	Not applicable
Oil & Grease	0.04	0.10	99.00	10 mg/l	Not applicable

Pollutants Detail							
	Quantity of Pollutants		ration of Pollutants	Percentag variation f			
	Pollutants discharged	aiscnarg	red(Mg/NM3)		rom I standards		
	(kL/day)			with reaso			
	Quantity	Concent	ration	%variation	7	Standard	Reason
DG Set-1 (750 KVA) - PM	4.40	48.8		67.47		150 mg/Nm3	Not applica
DG Set-1 (750 KVA) - SO2	2.89	32.07		=		n <del>as</del> e	Not applica
Part-D							
HAZARDOUS WASTE	5						
1) From Process							
Hazardous Waste Ty	pe Total Durin	g Previous Fin	ancial year	Total During	Current Fir	nancial year	UC
5.1 Used or spent oil	0.00			0.50			KL
Other Hazardous Wast	e 0.00			0.04			МТ
2) From Pollution Co	ntrol Facilities						
Hazardous Waste Ty	pe Total C	uring Previous	Financial year	Total Durir	ng Current F	inancial year	UON
0	0			0			KL/A
Part-E			3				
1) From Process <b>Non Hazardous Was</b> t Dry Waste	<b>te Type Total L</b> 87.48	Ouring Previou	s Financial year	<b>Total D</b> u	ıring Curren	it Financial ye	ar UC
Wet Waste	94.52			84			MΠ
9.8							
	ntrol Facilities		Previous Financial ye		Ouring Curro		ear UC
2) From Pollution Co		Total During I		ar Totall		ont Financial V	
2) From Pollution Co Non Hazardous Wast STP sludge		0.70	revious rinalicial ye	0.120	ouring curre	ent Financial y	M
Non Hazardous Wast STP sludge 3) Quantity Recycled	е Туре	0.70	revious rinanciai ye		Juring Curre	ent Financial y	
<b>Non Hazardous Wast</b> STP sludge	е Туре	0.70	Total During Previous	0.120		ent Financial y	МТ
Non Hazardous Wast STP sludge 3) Quantity Recycled unit	е Туре	0.70	Total During Previou	0.120	Total Durin	.n.	МТ
Non Hazardous Wast STP sludge B) Quantity Recycled unit Waste Type	е Туре	0.70	Total During Previous	0.120	Total Durin year	.n.	MT
Non Hazardous Wast STP sludge  3) Quantity Recycled unit Waste Type  2 art-F	te Type  I or Re-utilized  paracteristics(ir	0.70 within the	Total During Previous year 0 entration and quant	0.120  us Financial  um) of hazar	Total Durin year 0	ng Current Fin	ancial UC
Non Hazardous Wast STP sludge  3) Quantity Recycled unit Waste Type  art-F	te Type  I or Re-utilized  paracteristics(ir	0.70 within the	Total During Previous year 0 entration and quant	0.120  us Financial  um) of hazar	Total Durin year 0	ng Current Fin	ancial UC

MT/A Solid (Disposal -Sale to authorized E- Waste recycler)

Other Hazardous Waste

0.04

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Dry Waste	60	MT/A	100% (Sold to authorized recycler)
Wet Waste	84	MT/A	The generated wet waste is processed through OWC and used at manure within site.
STP Sludge	0.120	MT/A	Used as Manure

### Part-G

impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
Sewage Treatment Plant with capacity of 200 CMD is provided to treat sewage generated from entire site. 80 % of sewage is recycled / reused within the site for	0.000	0.000	0.000	0.000	143	0.000
flushing, fire fighting, cooling of Air					¥	

### Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement Detail of measures for Environmental Protection

Detail of measures for Environmental ProtectionEnvironmental Protection MeasuresCapital Investment (Lacks)AMC for OWC, AMC for Environment Monitoring, AMC for STP, Environment--30.50

AMC for OWC, AMC for Environment Monitoring, AMC for STP, Environment — 30 Monitoring, Modification

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection Environmental Protection Capital Investment
Measures (Lacks)

AMC for OWC, AMC for Environment Monitoring, AMC for STP, Environment — 30.50 Monitoring, Modification

Part-I

## Any other particulars for improving the quality of the environment.

### **Particulars**

Water consumption figures are shown for fresh as well as Recycled Water from STP. Housekeeping is taking on top priority and engaged sufficient manpower for maintaining neat and clean environment in the premises.

### Name & Designation

Mr. Manish Kothari (Associate Vice President - Projects)

### **UAN No:**

MPCB-ENVIRONMENT STATEMENT-0000050414

## Submitted On:

30-09-2022