Purva Patil

From:

Purva Patil

Sent:

16 November 2022 17:11

To:

eccompliance-mh@gov.in; ec-rdw.cpcb@gov.in

Subject:

EC Compliance for April 2022 – September 2022 Of [M/s. K. Raheja Corp.-Genext Hardware & Parks Pvt. Ltd. for Resi. Complex, Composite Bldg with Comm. wing, Municipal Parking Lot wing, plot- CS No.1903,1904,1905,1/1905,2/1905, Byculla,

Mumbai, Maharashtra]

Attachments:

Six Monthly EC Compliance Report Apr 2022 - Sept 2022.pdf

Respected Sir/Madam,

As per MoEF & CC notification vide No. SO 5845(E) Dated-26.11.2018 AND as informed by Central Pollution Control Board, Regional Directorate (West), Vadodara regarding digital transaction of EC Compliance report under Government of India initiatives for promoting e-office through digital transaction of activities, we are submitting herewith six-monthly EC compliance status report for period April 2022 - September 2022 for Residential Complex & Composite Building with Commercial wing and a Municipal Parking Lot wing on plot bearing CS No. 1903, 1904,1905,1/1905, 2/1905 a Byculla Division, Mumbai by K. Raheja Corp. - Genext Hardware and Parks Pvt. Ltd. in pdf format with signed and stamped by authorized signatory of the project.

Documents enclosed herewith are as listed below:

- 1. Cover letter
- 2. Datasheet
- 3. EC compliance status report
- 4. List of annexures
- 5. Documents as per list of annexures

Hope above is to your satisfaction.



Thanks & Regards,
Purva Patil.
M/s. Aditya Environmental Services Pvt. Ltd.
107/110, Hiren Light Industrial Estate, Mogul Ln,
Mahim, Mumbai- 400016.
Tel No: 022 42127500 / 24456473

Genext Hardware & Parks Private Limited



Date: 2nd November 2022

To,
The Chief Conservator of Forest,
Ministry of Environment, Forests & Climate
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur- 440001

Sub: Submission of Environmental Clearance Compliance Status Report for the period of April 2022 – September 2022.

Ref.: Environmental Clearance granted for our project, vide letter No. 21-68/2006-IA.III dated 1st September 2006 & Revised Environmental Clearance is obtained vide letter No.: SEAC 2014/CR-35/TC-1 Dated: 29th September 2014 & further amendment in Environmental Clearance vide No. SEIAA-EC-0000001987 Dated: 13th September 2019.

Dear Sir,

With reference to the above, we wish to inform you that we have been granted Environmental Clearance for proposed project for development of residential complex & composite residential complex & composite building with a Municipal Parking Lot wing on plot bearing C.S. No. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai by the Ministry of Environment & Forest, Government of India.

We are submitting herewith Compliance Status Report for the period **April 2022 – September 2022** towards compliance of conditions mentioned in Environmental Clearance along with the relevant document needed for the submission as mentioned below.

- Data sheet.
- Compliance Status report
- Post Monitoring Report (April 2022 September 2022)

Hope the above is in compliance with your requirement.

Thanking You, Yours faithfully,

For M/s. Genext Hardware and Parks Pvt Ltd.

Authorised Signatory

Shott-46mi

Encl: a/a

CC to:

• The Member Secretary, Maharashtra Pollution Control Board, 3rd Floor, Kalpataru Point, Sion, Mumbai-400 022.

 Central Pollution Control Board, Parivesh Bhavan, Opp. VNC word office No. 10, Subhanpura, Vadodara-390023

Regd. Off. Plot No. C-30, Block 'G',

Opp. SIDBI,

Bandra Kurla Complex, Bandra (E), Mumbai-400 051.

Phone : 91-22-2656 4000

Fax : 91-22-2656 4004

E-mail : krahejacorp@vsnl.com

Website : www.krahejacorp.com

Genext Hardware & Parks Private Limited



Date: 2nd November 2022

To,
The Chief Conservator of Forest,
Ministry of Environment, Forests & Climate
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur- 440001

Sub: Submission of Environmental Clearance Compliance Status Report for the period of April 2022 - September 2022.

Ref.: Environmental Clearance granted for our project, vide letter No. 21-68/2006-IA.III dated 1st September 2006 & Revised Environmental Clearance is obtained vide letter No.: SEAC 2014/CR-35/TC-1 Dated: 29th September 2014 & further amendment in Environmental Clearance vide No. SEIAA-EC-0000001987 Dated: 13th September 2019.

Dear Sir,

With reference to the above, we wish to inform you that we have been granted Environmental Clearance for proposed project for development of residential complex & composite residential complex & composite building with a Municipal Parking Lot wing on plot bearing C.S. No. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai by the Ministry of Environment & Forest, Government of India.

We are submitting herewith Compliance Status Report for the period April 2022 – September 2022 towards compliance of conditions mentioned in Environmental Clearance along with the relevant document needed for the submission as mentioned below.

- Data sheet.
- · Compliance Status report
- Post Monitoring Report (April 2022 September 2022)

Hope the above is in compliance with your requirement.

Thanking You, Yours faithfully,

For M/s. Genext Hardware and Parks Pvt Ltd.

Authorised Signatory

Short HKIN

Encl: a/a

CC to:

- The Member Secretary, Maharashtra Pollution Control Board, 3rd Floor, Kalpataru Point, Sion, Mumbai-400 022.
- Central Pollution Control Board, Parivesh Bhavan, Opp. VNC word office No. 10, Subhanpura, Vadodara- 390023
 Regd. Off.: Plot No. C-30, Block 'G'.

Opp. SIDBI, Bandra Kurla Complex,

Bandra Kurla Complex, Bandra (E), Mumbai-400 051.

Phone : 91-22-2656 4000
Fax : 91-22-2656 4004
E-mail : krahejacorp@vsnl.com
Website : www.krahejacorp.com

DATA SHEET

| 1. | Project type: River-valley/ Mining/ Industry/ Thermal/Nuclear/Other (Specify) | Residential Complex & Composite Building with a Municipal Parking Lot. |
|----|--|---|
| 2. | Name of the Project | Residential Complex & Composite Building with a Municipal Parking Lot wing on plot bearing CS No. 1903, 1904,1905,1/1905, 2/1905 at Byculla Division, Mumbai by K. Raheja Corp Genext Hardware and Parks Pvt Ltd. |
| 3. | Clearance letter (s)/OM No. And Date | Environment Clearance Letter vide no: 21-68/2006 - IA.III Dated: 1st September 2006 Revised Environmental Clearance is obtained vide letter No.: SEAC 2014/CR-35/TC-1 Dated: 29th September 2014 & further amendment in Environmental Clearance vide No. SEIAA-EC-0000001987 Dated: 13th September 2019 |
| 4. | Location: District (s) State (s) Location Latitude/Longitude | Mumbai Maharashtra Mumbai 18°53'North/72°50'East |
| 5. | Address for correspondence a) Address of the Concerned Project Chief Engineer (With Pin Code and telephone/telex/fax numbers) | Mr. Sudipta Ray Genext Hardware and Parks Pvt Ltd., Plot No. C-30, Block 'G', Opp. SIDBI, Bandra Kurla Complex, Bandra (E), Mumbai-400 051 Tel: 022- 26564699 Fax:022 2656 4306 |
| 6. | Salient features a) Of the project | Bldg. no 1 consists of Tower A, B and C for which OC has been received. |
| | | Bldg. no 2: 2B + 2 Parking Floors + Stilts + 44 Upper Floors. (41 habitable floors + 2 fire check floors + 1 service floor), OC received, 21st Dec'2017. |
| | | Bldg. no 3: 2B (pt) + Gr (pt) + intermediate Parking Floor + 4 Parking Floors (pt) + 2 Parking Floors (full) + stilts + 44 Upper floors (habitable floors) + 2 fire check + 1 service floor |
| | | Municipal Public parking Lot: 3 Basements (pt)+Ground(pt)+4Upper floors (pt), handed over to MCGM and 5th & 6th Floor above MPPL will be retained for Residential parking. |
| | b) Of the Environmental management plans | Implementation of Rainwater harvesting Reduction in power consumption Reuse of treated sewage A solid waste composting plant will be installed within the layout. Fly Ash is proposed to be used in the Ready-Mix Concrete |



| 7. | Break up of the project area | | | | |
|----|---|--|---|---|---|
| | a) Submergence area forest and non-forest b) Others | No forest land Developable Plot Area: 61520.46 sq m | | | |
| 8. | Break up of the project affected population with enumeration of those losing house/dwelling units only agricultural land only. Both dwelling units and agricultural land and landless laborers/artisans: SC, ST/Adivasi | Not Applicable | | | |
| 9 | a) Project cost as originally planned and subsequent revised estimates and the year of price reference: | d Project Cost: | | | |
| | b) Allocation made for environmental | Construction Phase | - Budget | Allocation | |
| | management plans with item wise and year wise break-up.: | Attributes | | rameter | Total Cost per annum (Rs. In Lacs) |
| | | Water spray for dust | | | 4.5 |
| | | suppression Site sanitation and Potable Water Supply to Labour Environmental As per the CPCB guidelines through MoEF Approved laboratories | 5 | | |
| | | | guidelin MoEF laborato Ambien PM2.5, CO), No | es through Approved | 8 |
| | | Health check-up & first aid | | | 6 |
| | | Safety Personal Protective Equipment | Goggles Gloves 6 | Safety Belt, Hand etc. | |
| | | Traffic Management | | ards, Persons ry exit and area | 4.5 |
| | | Tyre cleaning and Vehicle maintenance | | | 3 |
| | | Storm water Management | | | 4 |
| | | Safety Training to Workers (Twice in Year), Safety Office | | | 5 |
| | | Safety nets Operation Phase: Bud | rot Alle | ation | 14 |
| | | Unit | iget Allot | Capital Cost - Planned (Rs. In Lakhs) | Recurring Cost -Planned (Rs. In Lakhs/ year) |
| | | STP (Tertiary) | | 45 | 9 |
| | | Solar | | 15 | 2 |
| | | Rainwater Harvesting | | 25 | 2 |
| | | Solid waste Compostin | ng Plant | 12 | 6 |
| | | Landscape | | 116 | 12 |
| | | Total | | 213 | 31 |



| - | | |
|-----|--|--|
| | c) Benefit cost ratio/Internal rate of return and the year of assessment: d) Whether (c) includes the cost of | Yet to finalize Not applicable since (c) is yet to finalize |
| | environmental management as shown in the above | Not applicable since (c) is yet to illianze |
| | e) Actual expenditure incurred on the project so far | Total expenditure of project as on March 2022 is Rs. 1108.39 (Bldg. 2, Bldg. 3 & PPL) |
| | f) Actual expenditure incurred on the environmental management plans so far | Rs. 2.63 Cr. |
| 10. | Forest land requirement: a) The status of approval for diversion of forest land for non-forestry use | Not Applicable |
| | b) The status of cleaning felling | Not Applicable |
| | c) The status of compensatory afforestration, if any | Not Applicable |
| | d) Comments on the viability and sustainability of compensatory afforestration programme in the light of actual field experience | Not Applicable |
| 11. | The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information | Not Applicable |
| 12. | Status of construction | a) OC for Building no. 1 issued u/no. EEBP/9527/E-A dt.18/07/2013 and OCC for Building no.2 issued u./no. EB-907-E-A dt.11/02/2018 b) Building no 3: Municipal parking Lot: Part Occupancy certificate received, 24th June'2019. Composite Bldg (Residential Wing): Full Occupation Certificate is received on 31st March'2022. |
| | a) Date of commencement (Actual and/or planned) | Building No. 3-Composite Building: March 2016 |
| | b) Date of completion (Actual and/or planned) | Building No. 3-Composite Building: June 2022. |
| 13. | Reason for the delay of the project is yet to start | Not Applicable |
| 14. | Dates of site visits a) The dates on which the project was monitored by the Regional Office on previous occasions, if any | Not Applicable |
| 15. | Details of correspondence with project authorities for project Authorities for obtaining act on plans/information on status of compliance to safeguards other than the routine letters for logistic support for site visits. (The contain the details of all the letters | Not Applicable |





| - | | | |
|-----|--------|-----|----|
| DA. | TAC | LIC | CT |
| | 1 14 - | | |

M/S. GENEXT HARDWARE & PARKS PVT. LTD. (DEVELOPERS)

issued so far but the later reports may cover only the letter issued subsequently)



| Ref | Environmental Clearance granted vide letter No. 21-68/2006 – IA.III Date September 2006 & Revised Environmental Clearance is obtained vide letter SEAC-2014/CR-35/TC-1 Dated: 29th September 2014. Annexure – II (A) | | |
|---------------|--|---------------------|---|
| | propose Plot 'B' abutting | d co bea g Dr | t in Environment Clearance for the residential complex along with the imposite residential building with a Municipal Public Parking Lot at Subaring C.S. No. 1903,1904, 1905, 1/1905, 2/1905 of Byculla Division A.L. Nair Road and Maula Azad Road, Jacob Circle, Mahalaxmi dated Annexure – II (B) |
| То | M/S. Genex | t Ha | ardware & Parks Pvt. Ltd. (Developers) |
| For | Proposed residential complex & composite building with commercial wing and a Municipal Parking Lot wing on plot bearing CS No. 1903,1904, 1905, 1/1905, 2/1905 at Byculla Division, Mumbai. | | |
| Statu | s | | |
| Buil | ding Details | | Status |
| Building No1 | | : | Consists of Tower A, B and C for which Occupation Certificate is obtained as per the EC obtained from New Delhi u/r 21-68/2006-IA.III dated 1st Sept 2006. Annexure – III(A). Building No 1 has been Completed and Building Completion Certificate from MCGM has been obtained on 30.11.13, Annexure – IV. |
| Building no 2 | | : | OC received, 21st Dec' 2017. Annexure - III(B). |
| | | | |

Municipal parking Lot: Part Occupation certificate received on

Composite Bldg (Residential Wing): Full Occupation Certificate is received on 31st March'2022. Annexure – III(D).

| SPECIF | IC CONDITIONS | |
|--------|---|---|
| I. | It is noted that, representative of PP not submitted the authority letter. PP to submit the same along with copy of company resolution. | Complied. Copy of the reply submitted is enclosed as Annexure - V. |
| II. | PP to submit the company merger document | Complied. Copy of the reply submitted is enclosed as Annexure – V. |
| III. | PP to submit dated Architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014. | Complied. Copy of the reply submitted is enclosed as Annexure – V. |
| IV. | PP stated that there is minor change in FSI (1,32,631.46 Sq.mt instead of 132331.76 Sq.mt) & Non- FSI area (260503.05 Sq.mt instead of 260802.75 Sq.mt) stated in the CS while total built up area is the same. PP to revise the online CS to that extent | [] |

24th June'2019 Annexure - III(C).



Building no 3

| Comp | liance | Status | Re | port |
|------|--------|--------|----|------|
|------|--------|--------|----|------|

| | only. | |
|-------|---|---|
| v. | Local planning authority to ensure the structural stability of building for which vertical expansion is proposed. | Noted. |
| VI. | PP to upload the HRC NoC. | Complied. HRC NoC is received & enclosed as Annexure - VII . |
| VII. | The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC. | Noted, Plot doesn't fall within 10 Kr radius from the said sanctuary boundary. As per ESZ notification dated 14th Octobe 2021, our project does not come unde ESZ area of Flamingo sanctuary. |
| VIII. | PP to submit CER plan to Municipal Commissioner/District Collector and submit the acknowledgement to Member Secretary, SEIAA. | CER was earlier included as per MoEF & Circular Dated 01/05/2018. However, whave now been informed that the said 'MoEF & Circular Dated 01/05/2018 has been expressly superseded (i.e. replaced and rendered void) by OM No 22-65/2017/IA.III dt. 30/09/2020, and it is inter alia further mandated that the activity proposed by the Project Proponent of prescribed by EAC/SEAC (at the case may be), shall be part of the Environment Management Plan. As state in the said OM dt. 30/09/20, this OM was issued pursuant to receipt of several representations regarding imposing percentage of the project cost as CER, and the said OM was also challenged in the High Court. Consequently, CER as per the (superseded) MoEF & Circular Date 01/05/2018 is not applicable or require to be proposed or undertaken. |
| IX. | PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F. No. 22-34/2018-IA.III dt. 04.01.2019. | Noted. We affirm that we will comply wit Standard EC conditions mentioned in th Office Memorandum issued by MoEF & C vide F. No. 22-34/2018-IA.III d 04.01.2019. |
| X. | SEIAA decided to grant EC for: FSI: 132631.46 m2, Non-FSI: 260503.05 m2 and Total BUA: 393134.51 m2 (IOD no-EB/5204/E/A, Date-13.03.2019) | Noted. |



| GENERA | L CONDITIONS | |
|--------|---|--|
| 1 | E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016. | E- Waste is being disposed off through authorized vendor regularly. Copy of E-Waste Returns for year 2021-2022 enclosed as Annexure - VIII. |
| 11 | The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms. | Building No 1 has been Completed and Building Completion Certificate from MCGM has been obtained on 30.11.13. OCC for Bldg no1 issued u/no EEBP/9527/E-A dated 18/07/2013. Building no 2: OC received on 21st Dec' 2017. OCC for Bldg no 2 issued u/no EB-907-E-A dated 11/02/2018. Building no 3: Municipal parking Lot: Part Occupancy certificate received, 24th June' 2019. Composite Bldg (Residential Wing): Ful Occupation Certificate is received on 31st March'2022. |
| Ш | This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit. | Not applicable as the project does not have any diversion of forest land. As per ESZ notification dated 14th October'21, ou project does not come under ESZ area of Flaming Sanctuary. |
| IV | PP has to abide by the conditions stipulated by SEAC& SEIAA. | |
| v | The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan | Yes, all the building are constructed as per the approved layout. Copy of the approved layout plan enclosed as Annexure - IX. |

| anneaving outhority should |
|---|
| approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area. |
| VI If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site. |

THOUNDS AND BARKS

| Compliance Status Re | port |
|----------------------|------|
|----------------------|------|

| | hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. | taken during construction phase and they are as under: 1. Safe & clean water for workers. 2. Temporary toilets 3. Regular medical checkups 4. Accumulation of stagnant water is / will be avoided to prevent breeding of mosquitoes. 5. Regular pest Control is carried out. 6. Workers are provided with safe & clean drinking water. The above measures will be maintained throughout the construction phase. |
|------|---|--|
| VIII | Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured. | Yes, we have made provision of drinking water, first aid room, toilets, washrooms for workers at construction site. Photographs are enclosed as Annexure - XI. |
| IX | The solid waste generated should be properly collected and segregated. Dry / inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material. | The construction debris will be disposed as per the "Construction & Demolition & Desilting Waste (Management & Disposal) Rules 2016. SWM NoC is enclosed as Annexure – XII. |
| x | Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority. | The quantity of sub-stratum removed during excavation for building foundation has been disposed of as per royalty compliances. Necessary precautions for general safety and health aspects are taken in account. |
| XI | Arrangement shall be made that wastewater and storm water do not get mixed. | Arrangement such as RWH tank & STP wastewater is done to avoid mixing of waste water with storm water. |
| XII | All the topsoil excavated during construction activities should be stored for use in horticulture / | Topsoil was not stored as there was existing structure at site. |



| | | Compliance status Repor | |
|-------|---|--|--|
| | landscape development within the project site. | | |
| XIII | Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved. | There is no additional soil requirement for filling within site as there is basement. | |
| XIV | Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept. | Green Belt development is done for Bldg no 1, 2 & 3 Photographs are attached as Annexure – XIII. Preference is given to native plant / drought toleran species. | |
| xv | Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants. | There is no ground water source available at site. Soil analysis is being carried out to ensure that no contaminant occurs. Please refer post monitoring report attached as Annexure – I . | |
| XVI | Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water. | There is no generation of bituminous material at situtill date and if generated will be disposed of as pe MPCB norms. | |
| XVII | Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board. | DG sets are not used during construction phase and there is no generation of DG spent oil. | |
| XVIII | The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and | DG sets are not used during construction phase. | |



| | | Compilative Status Report |
|-------|--|---|
| | noise emission standards. | |
| XIX | The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken. | DG sets are not used during construction phase. DG sets are provided for Building No. 1, 2 & 3 fo operation phase & will be used as power backup. Day storage tank of 990 Ltr is used to store diesel fo operation of D.G sets. Copy of Hazardous Waste Returns for 2021-2022 enclosed as Annexure - XIV. Photograph of DG set is enclosed as Annexure - XV. |
| XX | Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours. | The vehicles hired for bringing construction materia at site have valid PUC certificate. All vehicles are les than 8 years old only. Also, they are used only in non-peak hours. |
| XXI | Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB. | monitoring report is attached, please refer Pos |
| XXII | Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations). | Fly Ash is used in the Ready-Mix Concrete for th construction. Average fly-ash consumption in RMC is 130 kg/cur to 145 kg/cum in various grades of concrete |
| XXIII | Ready mixed concrete must be used in building | [[[B.4조] ()[[[]] [] [] [[] [] [] [] [] |

A Hardware Control of the Party of the Party

| | construction. | |
|--------|--|---|
| XXIV | Storm water control and its re-use as per CGWB and BIS standards for various applications. | The harvested rainwater is used for secondary purposes such as flushing and gardening. Details of storm water drainage pattern and details of rainwater harvesting system provided at site are enclosed as Annexure - XVII . |
| XXV | Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices referred. | The measures such as, use of ready-mix concrete, admixture is being used to reduce water demand during construction phase. |
| XXVI | The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority. | There is no bore well at site. Hence, carrying out monitoring of ground water is not possible. |
| XXVII | The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. | |
| XXVIII | Permission to draw ground water and construction of basement if any shall be obtained from the | Not Applicable, the prime source of water during construction phase is the tanker water & BMC Water which is safe and adequate drinking water. |

| | competent Authority prior to construction/operation of the project. | |
|--------|--|---|
| XXIX | Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water. | Dual plumbing line will be provided for black water and grey water. |
| XXX | Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control. | Yes, Water efficient fixtures with low flow rates will be used during operation phase. |
| XXXI | Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows. | We are using high performance glass with low E value and high SHGC coefficient. Energy modeling exercise is conducted to determine the insulation level acceptable as per the code. |
| XXXII | Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement. | U value of overall constructed Roof assembly is 0.45 W/m2 °k. |
| XXXIII | Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar streetlights, | consumption. Use of low loss transformers & switchgears CO sensor for parking bay. Efficient light fixtures like led, CFL will be used. Energy efficient pump is used |

| | | Comp | oliance Status Report | |
|--|---|--|-----------------------|--|
| | common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non- conventional energy source as source of energy. | | | |
| SXXXIV Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board. | | be in compliance of environment (Protection) Act, 1986. | | |
| XXXV | Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations. | Please refer Post Monitoring Reports. Please refer Post Monitoring Reports. | | |
| XXXVI | entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be | The proposed site is acce Maulna Azad Road and 36 Marg. Parking provided: Four Wheeler 679 1339 | Two Wheeler 402 | |
| | utilized. | (Residential) (MPPL | | |
| XXXVII | Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is | t The building will be complied with the ECBC Cocusing the Whole Building Performance (WBI Method. | | |



| Comr | liance | Status | Report |
|------|--------|--------|---------|
| COM | Junit | Dialus | TICPOTE |

| | | Comphance status Report |
|-------------|---|--|
| | proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement. | Energy modeling exercise is conducted to determine the energy savings. |
| XXXVII I | The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation. | Yes, buildings layout planning is done in such a way that adequate distance between them is provided to allow movement of fresh air and passage of light to the occupants. |
| XXXIX | Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings. | There is regular supervision by site engineers throughout the construction phase so as to avoid disturbance to the surrounding. |
| XL | Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance. | We have already received Environment Clearance vide letter No. 21-68/2006 – IA.III Dated: 1st September 2006 & Revised Environmental Clearance is obtained vide letter No.: SEAC-2014/CR-35/TC-1 Dated: 29th September 2014. Also, Amendment in Environment Clearance obtained on 13.09.2019. |
| XLI | | Yes, six monthly monitoring report will be submitted to Environmental Department, Mantralaya & Maharashtra Pollution Control Board regularly. |
| XLII | Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will | Yes, completion of STP & MSW disposal facility is ensured prior to occupation and precertification from appropriate authority is obtained before occupation of buildings no 1,2,3. |



| Com | pliance | Status | Report |
|-----|---------|--------|--------|
|-----|---------|--------|--------|

| | | | Compilan | ce status report |
|--------|--|--|----------------|--|
| | be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained. | | | |
| XLIII | Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening and, no wet garbage will be disposed outside the premises. Local authority should ensure this. | | led at site an | using Organic Waste d used as organic & 2. |
| XLIV | Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB. | operation of STP & MSW facility for Bldg no 1,2,3. | | |
| XLV | A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB. | to Department is forwarded to the MPCB. | | |
| XLVI | In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department. | project, fresh appraisal will be taken. | | |
| XLVII | A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards. | qualified staff to supervise all aspects of the Environmental Management Plan. | | |
| XLVIII | Separate funds shall be allocated for | Above condition i | | ration |
| | implementation of environmental protection measures/EMP along with item-wise breaks-up. These costs shall be included as | Attributes | Parameter | Total Cost per annum (Rs. In Lacs) |

| | part of the project cost. The funds earmarked for the environment protection | | | | |
|------|--|--|---|---|----------------------------------|
| | | | | | 4.5 |
| | environment protection | | | | |
| | environment protection measures shall not be | D 11 147 . | | | 5 |
| | diverted for other purposes | Supply to Labor | ur | | 3 |
| | and year-wise expenditure | | As per th | e CPCB | |
| | should reported to the MPCB & this department. | Environmental Monitoring | guideline through I Approved laborator Ambient RSPM, PM SO2, NOx Noise: Le | MoEF l ies – Air- 12.5, , CO), | 8 |
| | | Health sheek w | time and Time | | |
| | | Health check-up first aid | | | 6 |
| | | Safety Personal Protective Equipment | Shoes, Sal Goggles, I Gloves etc | ety Belt, land | 10 |
| | | Traffic Management | Sign Boar Persons a exit and P area | t entry | 4.5 |
| | | Tyre cleaning ar Vehicle maintenance | nd - | | 3 |
| | | Storm water Management | - | 1 | 4 |
| | | Safety Training to Workers (Twice in Year), Safety Office | | • | 5 |
| | | Safety nets | | | |
| | | Operation Phase | Pudget All | | 14 |
| | *= | | | | |
| | | (| Capital Cost Planned Rs. In Jakhs) | and the second second | ing Cost – d (Rs. In year) |
| | | STP (Tertiary) | 45 | | 9 |
| | | Solar | 15 | | 2 |
| | | Rain Water Harvesting | 25 | | 2 |
| | | Solid waste Composting | | | |
| | | Plant | 12 | | 6 |
| | | Landscape | 116 | | 12 |
| *** | | Total | 213 | | 31 |
| XLIX | The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the | Yes, we have punewspapers and as Annexure - X | copy of sar | ertisem ne is en | ent in two lo closed herew |



| | | Compliance Status Report |
|-----|---|---|
| | local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.i n. | |
| L | Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year. | Yes, above condition is noted. Six monthly compliance report as per condition stipulated in Environmental Clearance will be submitted to MPCI & department regularly. |
| LI | A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representation s, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent. | Yes. Environment Clearance letter is attached as annexure II & III. Yes, said condition is complied. Environmental clearance is uploaded or company webpage, refer link PDF File (krahejacorphomes.com) |
| LII | The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as | Yes, monitoring at the site is carried out regularly & post monitoring reports are enclosed. Reports are regularly sent to MoEF, CPCB & MPCI along with six monthly EC compliance submissions. Monitoring report is also uploaded along with EC compliance on company webpage, refer link https://www.krahejacorphomes.com/project/wp-content/uploads/download/vivarea-ec-compliance.pdf |

| | | Compliance Status Report | | |
|------|--|---|--|--|
| | well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain. | | | |
| LIII | The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. | Yes, six monthly Compliance reports with monitoring data are enclosed as Annexure - I . | | |
| LIV | The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices | Yes. We will submit Environmental Statement for each financial year as Form – V. We have submitted Form –V for 2021-2022 & the same is uploaded on company webpage, refer link: Environment Statement (krahejacorphomes.com) Copy of the same is enclosed as Annexure - XX. | | |



of MoEF&CC by e-mail.

LIST OF ANNEXURES

| Sr. No. | Annexure | Details |
|---------|----------------|---|
| 1. | Annexure I | Post Monitoring Reports |
| 2. | Annexure II | Environment Clearance Copies |
| 3. | Annexure III | Occupation Certificates |
| 4. | Annexure IV | Completion Certificate |
| 5. | Annexure V | Reply to Specific Conditions |
| 6. | Annexure VI | Revised CS |
| 7. | Annexure VII | HRC NoC |
| 8. | Annexure VIII | E Waste Returns |
| 9. | Annexure IX | Layout Plan |
| 10. | Annexure X | Consent Copies |
| 11. | Annexure XI | Photographs of Facilities Provided for Construction Labours |
| 12. | Annexure XII | SWM NoC |
| 13. | Annexure XIII | Landscape Photographs |
| 14. | Annexure XIV | Hazardous Waste Return |
| 15. | Annexure XV | Photograph of DG Set |
| 16. | Annexure XVI | PUC Register |
| 17. | Annexure XVII | RWH Plan |
| 18. | Annexure XVIII | Photographs of STP |
| 19. | Annexure XIX | Advertisement copy |
| 20. | Annexure XX | Environmental Statement |



Testing Laboratory is certified by **ISO 9001:2015&ISO 45001:2018**Recognized by **MoEFCC** as **"Environmental Laboratory"** valid up to 24.04.2024 **Laboratory**: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 02192 252008, **CIN**: U74999MH2001PTC132091



TC-7085

Ambient Air Quality Test Report

Ref. No.: AESPL/LAB/A- 22/05/07 **Issue Date:** 11/05/2022

| 11011110 | AESFL/LAD/A- 2 | 2/00/07 | | 15sue Date. 11/03/2022 | | | | | |
|----------|-------------------|------------|------------|---|------------------------------------|---|--|--|--|
| Name o | f Client | | : | K. Raheja Co | rp Pvt. Ltd | | | | |
| | | | | Plot No. C- 3 | 0, Block G | | | | |
| | | | | Opposite SID | BI, Bandra Kur | la Complex | | | |
| | | | | Bandra (East | t), Mumbai – 40 | 0 051 | | | |
| Name o | of Site | | : | Hindustan M | ill, Sub Plot B o | f CS No. 1903 (Pt.), 1904 | | | |
| | | | | | /1905, 2/1905 | | | | |
| Nature | of sample | | : | Ambient Air | , , | | | | |
| | n of sample | | : | Main Gate | | | | | |
| Sample | Identification nu | mber | : | A- 22/05/07 | | | | | |
| Sample | Quantity & Conta | iner | : | SO ₂ :1 Bottle x | 30 ml; NO ₂ :1 Bo | ttle x 30 ml; PM ₁₀ -1; PM _{2.5} -1 | | | |
| | sampling | | : | 03/05/2022 | | | | | |
| Start Ti | me of sampling | | : | 09:20 hrs | | | | | |
| | ng period | | : | 8 hrs | | | | | |
| Date of | sample receipt | | : | 04/05/2022 | | | | | |
| | sample analysis | | : | | 04/05/2022-08/05/2022 | | | | |
| Enviro | nmental condition | 1 | : | Climate - clea | Climate - clear Ambient temp. 33°C | | | | |
| | red & transported | | : | AESPL Consultancy Division | | | | | |
| _ | ng equipment & Ca | alibration | : | RDS-I-09- calibration on 01/01/2022 due on 31/12/2022 | | | | | |
| status | | | | FDS-I-09- calibration on 02/01/2022 due on 01/01/2023 | | | | | |
| | t/ Job number | | : | PO. 4800098395 Dated: 25/05/2016 | | | | | |
| | nce of sampling | | : | | QR/7.3.3/R-02 | | | | |
| | of sampling & pro | | <u> </u> : | | SOP/7.3.1/A-01 | 1 | | | |
| Sr.No. | Parameter | Result | | Limits # | Unit | Method of Analysis | | | |
| 1. | SO_2 | 14.7 | | 80 * | μg/m³ | IS 5182 (Part 2) RA2017 | | | |
| 2. | NO ₂ | 24.4 | | 80 * | μg/m ³ | IS 5182 (Part 6) RA2017 | | | |
| 3. | PM ₁₀ | 68.0 | | 100 * | μg/m ³ | IS 5182 (Part 23) RA2017 | | | |
| 4. | PM _{2.5} | 23.7 | | 60 * | μg/m ³ | IS 5182 (Part 24) 2019 | | | |
| 5. | CO | 0.44 | | 04 ** | mg/m ³ | IS 5182 (part 10) RA2019 | | | |

[#] Specified under National Ambient Air Quality Standards by CPCB:

Conformity Statement: The monitoring undertaken indicates that Ambient Air Quality Values for monitored parameters are within the levels stipulated under National Ambient Air Quality Standards (NAAQS)2009.

Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only.
- 4. Decision Rule is applied.



Reshma S. Patil (Authorized Signatory - Pollution & Environment)

^{[*] 24} hourly monitoring values; [**] 1 hourly monitoring values.



Testing Laboratory is certified by **ISO 9001:2015**& **ISO 45001:2018**Recognized by **MoEFCC** as **"Environmental Laboratory"** valid up to 24.04.2024 **Laboratory**: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 02192 252008. **CIN**: U74999MH2001PTC132091



TC-7085

Drinking Water Quality Test Report

| Rel. No.: AESPL/LAD/W-22/US/29 | | | | ISSUE Date: 00/05/2022 | | | | |
|--------------------------------|---------------------------|-----------|-----|--|--------------------------------------|---------------------------------|--|--|
| Nam | e of the client | | : | K. Raheja Corp Pvt. Ltd | | | | |
| | | | | Plot No. | Plot No. C- 30, Block G | | | |
| | | | | Opposite | Opposite SIDBI, Bandra Kurla Complex | | | |
| | | | | | East), Mumbai – | • | | |
| Nam | e of site | | : | · · | | B of CS No. 1903 (Pt.), | | |
| | | | | | | 2/1905 of Byculla | | |
| Natu | ire of sample | | : | Drinking | | , , | | |
| | tion of sample | | : | Sales Off | | | | |
| | ple identification | number | 1: | W-22/05 | 5/29 | | | |
| | ronmental Condi | | : | | | : 25°C, Amb. Temp : 32°C | | |
| Date | of sample drawn | | : | 03/05/2 | | <u>.</u> | | |
| | of sample receip | | : | 04/05/2 | | | | |
| | of sample analys | | 1: | | 04/05/2022 - 05/05/2022 | | | |
| | ple drawn by | | 1: | AESPL Consultancy Division | | | | |
| Sample Transported by | | | 1: | | AESPL Consultancy Division | | | |
| Environmental Condition | | | 1: | Area: Clean, Water Temp: 25°C, Amb. Temp: 32°C | | | | |
| | ect/ Job number | | 1: | PO No. 4800098395 Date:24.04.2016 | | | | |
| | rence of samplin | g | 1: | AESPL/LAB/QR/7.3.3/R-02 | | | | |
| | hod of sampling & | _ | 1 : | AESPL/LAB/SOP/7.3.1/W-01 | | | | |
| Sr. | Parameter | Result | | | 10500:2012) | Method of Analysis | | |
| No. | | | De | esirable | Permissible | | | |
| 1. | Colour, Hazen | 5.0 | | 5 Max | 15 Max | IS-3025(P-4) RA2017 | | |
| 2. | Turbidity, NTU | < 2.0 | | 1 Max | 5 Max | IS-3025(P-10) RA2017 | | |
| 3. | pH@25°C | 7.28 | 6 | .5 – 8.5 | No relaxation | IS-3025(P-11) RA2017 | | |
| 4. | R. Cl ₂ , mg/l | 0.56 | C |).2 Min | 1.0 Min | IS-3025(P-11) RA2019 | | |
| 5. | Hardness, mg/l | 20 | 2 | 00 Max | 600 Max | IS-3025(P-21) RA2019 | | |
| 6. | Iron, mg/l | 0.034 | | .0 Max | No relaxation | IS-3025(P-53) RA2019 | | |
| 7. | Chlorides, mg/l | 18 | 2 | 50 Max | 1000 Max | IS-3025(P-32) RA2019 | | |
| 8. | Fluoride, mg/l | 0.32 | 1 | .0 Max | 1.5 Max | IS-3025(P-60) RA2019 | | |
| 9. | Odour | Agreeable | Ag | greeable | Agreeable | IS-3025(P-5) RA2017 | | |

Conformity Statement: Water sample is **pass** as per IS 10500:2012 w.r.t. above mentioned tests **Note**:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only and the sample will also be retained for the same period.
- 4. The results apply to the sample as received.
- 5. Decision Rule is applied.



Reshma S. Patil (Authorized Signatory - Pollution & Environment)



Testing Laboratory is certified by **ISO 9001:2015&& ISO 45001:2018**Recognized by **MoEFCC** as **"Environmental Laboratory"** valid up to 24.04.2024 **Laboratory**: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410207
Tel: 02192 252008, **CIN**: U74999MH2001PTC132091



TC-7085

Drinking Water Quality Test Report

| Kei. | NO.: AESPL/LAB/MW-2 | 22/05/09 Issue Date: 06/05/2022 | | | | | | | |
|-------------------------|----------------------------|--|----|----------------------------|---------------------------------|--------------------|--|--|--|
| Name | e of Client | | : | K. F | K. Raheja Corp Pvt. Ltd | | | | |
| | | | | Plo | Plot No. C- 30, Block G | | | | |
| | | | | Opp | oosite SIDBI, Bandra Kurla | a Complex | | | |
| | | | | Bar | ndra (East), Mumbai – 400 | 051 | | | |
| Name | e of site | | : | Hin | dustan Mill. Sub Plot B of | CS No. 1903 (Pt.), | | | |
| | | | | 190 | 04 (Pt), 1905, 1/1905, 2/1 | 905 of Byculla | | | |
| Natu | re of sample | | : | Dri | nking water | | | | |
| Loca | tion of sample | | : | Sale | es Office | | | | |
| Samp | ole identification numb | er | : | Mw | 7-22/05/09 | | | | |
| Samp | ole Quantity & Contain | er | : | 250 | ml; G | | | | |
| Envir | Environmental Condition | | | Are | Area: Clean, Ambient Temp: 32°C | | | | |
| Date | Date of sample drawn | | | 03/05/2022 | | | | | |
| Date of sample receipt | | | : | 04/05/2022 | | | | | |
| Date of sample analysis | | | : | 04/05/2022 - 05/05/2022 | | | | | |
| Samj | ple drawn by | | : | AESPL Consultancy Division | | | | | |
| Samp | ole Transported by | | : | AESPL Consultancy Division | | | | | |
| Proje | ect/ Job Number | | : | PO. 4800098395 dt 25.04.16 | | | | | |
| | rence of sampling | | : | AESPL/LAB/QR/7.3.3/R-02 | | | | | |
| | od of sampling & pres | ervation | : | AES | PL/LAB/SOP/7.3.1/M-01 | | | | |
| Sr. | | | | | Limit | Method | | | |
| No. | Parameter | Resu | lt | | As per | of | | | |
| | | | | | IS 10500 -2012 | analysis | | | |
| 1 | Coliforms | Absent/100ml | | ml | Absent/100ml | IS:15185-2016 | | | |
| 2 | E-coli | Absent/100ml | | ml | Absent/100ml | IS:15185-2016 | | | |

Conformity Statement: Water sample is **pass** as per IS 10500:2012 w.r.t. above mentioned tests.

Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. The results apply to the sample as received.



Pranali N Patil (Authorized Signatory - Microbiology)



Testing Laboratory is certified by **ISO 9001:2015&ISO 45001:2018**Recognized by **MoEFCC** as **"Environmental Laboratory"** valid up to 24.04.2024 **Laboratory**: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 02192 252008, **CIN**: U74999MH2001PTC132091



Ambient Noise Quality Test Report

Ref: AESPL/LAB/N-22/05/04 **Report Date:** 07/05/2022

| Itel: Hillor by bridger 22/05/0 | • | | teport Dute: 07/05/2022 | | | |
|---------------------------------|---|---------------------------------|-------------------------------|--|--|--|
| Name of the client | : | K. Raheja Corp Pvt. Ltd | | | | |
| | | Plot No. C- 30, Block G | | | | |
| | | Opposite SIDBI, Bandra Kurl | a Complex | | | |
| | | Bandra (East), Mumbai – 400 | 0 051 | | | |
| Name of site | : | Hindustan Mill. Sub Plot B of | CS No. 1903 (Pt.), 1904 (Pt), | | | |
| | | 1905, 1/1905, 2/1905 of Byculla | | | | |
| Monitoring date | : | 03/05/2022 | | | | |
| Environmental condition | : | Climate clear | Ambient temp. 33°C | | | |
| Monitored & transported by | : | AESPL Consultancy Division | | | | |
| Project/ Job number | : | PO. 4800098395 Dated: 25/0 | 04/2016 | | | |
| Reference of sampling | : | AESPL/LAB/QR/7.3.3/R-03 | | | | |
| Method of sampling | : | IS 9989: RA 2014 | | | | |
| Instrument used | : | Noise meter - Centre C-390 S | L-I-10 | | | |
| Calibration status | : | Calibrated on 24/12/2021 Ca | alibration due on 23/12/2022 | | | |
| | | | | | | |

| Sr. | Location | Noise Level dB(A) Leq | | | |
|------|--|-----------------------|-----------|--|--|
| No. | | Day time | Nighttime | | |
| 1. | Main gate | 67.8 | 60.6 | | |
| 2. | Near K Raheja Hording | 60.4 | 51.2 | | |
| 3. | Near sales office | 59.7 | 46.4 | | |
| 4. | B1 & B2 Tower | 62.5 | 52.2 | | |
| 5. | Mhada plot | 66.9 | 62.1 | | |
| 6. | Agripada residency area | 69.4 | 64.3 | | |
| Stan | dard as per EP Act for Industrial Area | 75 | 70 | | |

Conformity Statement: Noise Levels at all the locations were found to be below the stipulated limits

Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory
- 2. Results relate only to the items tested
- 3. The results apply to the sample as received.
- 4. Decision Rule is applied.



Reshma S. Patil.
(Authorized Signatory – Pollution & Environment)
-End of Test Report-



Testing Laboratory is certified by **ISO 9001:2015&ISO 45001:2018**Recognized by **MoEFCC** as **"Environmental Laboratory"** valid up to 24.04.2024 **Laboratory**: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel:9112844844, **CIN**: U74999MH2001PTC132091



TC-7085

Quality Test Report

| Reli No.: MESI E/ EMD/ C/M 22/00/ | | 133uc Dute. 10/00/2022 | | | | | |
|-----------------------------------|------|------------------------|---|-------------------------|----------|-------------|------------------------------------|
| Name of Client | | : | K. Raheja | K. Raheja Corp Pvt. Ltd | | | |
| | | | Plot No. C | C- 30, Block G | | | |
| | | | Opposite | SIDBI, B | Bandra I | Kurla Com | plex |
| | | | Bandra (E | | | | • |
| Name of site | | : | ` | | | | o. 1903 (Pt.), 1904 |
| | | | | - | | 05 of Byc | |
| Nature of sample | | : | Ambient A | | | | |
| Location of sample | | : | Main Gate | | | | |
| Sample Identification number | | : | A- 22/08/ | 09 | | | |
| Sample Quantity | | : | SO ₂ :1Bottl | e x 30 m | l; N0x:1 | Bottle x 30 | ml; PM ₁₀ -1; Bladder:1 |
| Date, Start Time & period of samp | ling | : | 03/08/202 | 22 | 09:00 h | ırs | 8 hrs |
| Environmental Condition | | : | Climate: Clear; Ambient Temp.:30°C | | | | |
| Sample Monitored & Transported | by | : | AESPL Consultancy Division | | | | |
| Date of sample receipt | | : | 04/08/2022 | | | | |
| Date of sample analysis | | : | 04/08/2022 to 09/08/2022 | | | | |
| Sampling equipment & Calibration | 1 | : | RDS-I-12- calibration on 30/05/2022 due on 29/05/2023 | | | | |
| status | | | FDS-I-12- calibration on 30/05/2022 due on 29/05/2023 | | | | |
| Project/ Job number | | : | | | | | |
| Reference of sampling | | : | • | AESPL/LAB/QR/7.3.3/R-02 | | | |
| Method of sampling & preservation | | : | AESPL/LA | | | | |
| Sr.No. Parameter Result | | I | imits # | Ur | nit | Me | thod of Analysis |
| 1. SO ₂ 13.9 | | | 80 * | μg/ | m³ | IS 5182 (| Part 2) RA2017 |
| 2. NO ₂ 22.1 | | | * 08 | μg/ | ′m³ | IS 5182 (| Part 6) RA2017 |
| 3. PM_{10} 69.7 | | | 100 * | μg/ | m³ | IS 5182 (| Part 23) RA2017 |
| 4. PM _{2.5} 22.5 | | | 60 * | μg/ | m³ | IS 5182 (| Part 24) 2019 |
| 5. CO 0.35 | | | 04 ** | mg | /m³ | IS 5182 (| part 10) RA2019 |

^[#] Specified under National Ambient Air Quality Standards by CPCB:

Conformity Statement: The monitoring undertaken indicates that Ambient Air Quality Values for monitored parameters are within the levels stipulated under National Ambient Air Quality Standards (NAAQS)2009.

Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only.
- 4. The results apply to the sample as received.
- 5. Decision Rule is applied.



Reshma S. Patil

(Authorized Signatory - Pollution & Environment)

^{[*] 24} hourly monitoring values; [**] 1 hourly monitoring values.



Testing Laboratory is certified by **ISO 9001:2015**& **ISO 45001:2018**Recognized by **MoEFCC** as **"Environmental Laboratory"** valid up to 24.04.2024 **Laboratory**: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 9112844844, **CIN**: U74999MH2001PTC132091



Quality Test Report

| Kel. N | IU.: AESPL/LAD/C | / VV-22/00/20 | | _ | 15546 | Date: 00/00/2022 | | |
|--------|---------------------------|---------------|----|--------------------------|-----------------------------|---------------------------------|--|--|
| Nam | e of the client | | : | K. Raheja | K. Raheja Corp Pvt. Ltd | | | |
| | | | | Plot No. | Plot No. C- 30, Block G | | | |
| | | | | Opposite | e SIDBI, Bandra k | Kurla Complex | | |
| | | | | Bandra (| East), Mumbai – | 400 051 | | |
| Nam | e of site | | : | Hindusta | an Mill <u>.</u> Sub Plot I | B of CS No. 1903 (Pt.), | | |
| | | | | 1904 (Pt | :), 1905, 1/1905, | 2/1905 of Byculla | | |
| Natu | re of sample | | : | Drinking | g water | | | |
| Loca | tion of sample | | : | Office Pa | intry | | | |
| Sam | ple identification | number | : | W-22/08 | 3/26 | | | |
| Date | and Time of San | nple Drawn | : | Date : 03 | /08/2022 | Time : 05:00 pm | | |
| | ronmental Condi | tion | : | Area: Cle | ean, Water Temp | : 25°C, Amb. Temp : 29°C | | |
| | ple drawn by | | : | AESPL C | onsultancy Divis | ion | | |
| | ple Transported l | • | : | AESPL C | AESPL Consultancy Division | | | |
| | of sample receip | | : | 04/08/2022 | | | | |
| | of sample analys | is | : | 04/08/2 | 04/08/2022 - 05/08/2022 | | | |
| | ect/ Job number | | : | | | | | |
| | rence of samplin | | : | AESPL/LAB/QR/7.3.3/R-02 | | | | |
| | nod of sampling a | | | AESPL/LAB/SOP/7.3.1/W-01 | | | | |
| Sr. | Parameter | Result | | | 10500:2012) | Method of Analysis | | |
| No. | | | | esirable | Permissible | | | |
| 1. | Colour, Hazen | 5.0 | | 5 Max | 15 Max | IS-3025(P-4) RA2017 | | |
| 2. | Turbidity, NTU | < 2.0 | | 1 Max | 5 Max | IS-3025(P-10) RA2017 | | |
| 3. | pH@25°C | 7.18 | 6 | .5 – 8.5 | No relaxation | IS-3025(P-11) RA2017 | | |
| 4. | R. Cl ₂ , mg/l | 0.58 | C |).2 Min | 1.0 Min | IS-3025(P-11) RA2019 | | |
| 5. | Hardness, mg/l | 24 | 2 | 00 Max | 600 Max | IS-3025(P-21) RA2019 | | |
| 6. | Iron, mg/l | 0.032 | 1 | .0 Max | No relaxation | IS-3025(P-53) RA2019 | | |
| 7. | Chlorides, mg/l | 21 | 2 | 50 Max | 1000 Max | IS-3025(P-32) RA2019 | | |
| 8. | Fluoride, mg/l | 0.32 | 1 | .0 Max | 1.5 Max | IS-3025(P-60) RA2019 | | |
| 9. | Odour | Agreeable | Ag | greeable | Agreeable | IS-3025(P-5) RA2017 | | |

Conformity Statement: Water sample is **pass** as per IS 10500:2012 w.r.t. above mentioned tests **Note:**

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only and the sample will also be retained for the same period.
- 4. The results apply to the sample as received.



Himani Joshi (Authorized Signatory - Pollution & Environment)



Testing Laboratory is certified by ISO 9001:2015& ISO 45001:2018
Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2024
Laboratory: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 9112844844, CIN: U74999MH2001PTC132091



TC-7085

Quality Test Report

| Ref. No.: AESPL/LAB/MW- 22/08/16 | | | | | 18 | ssue | Date: 06/08/2022 | |
|---|--------------------------------|--------------|------------|----------------------------|--------------------------------------|-------|-------------------------|--|
| Nam | e of Client | | : | K. Raheja Corp Pvt. Ltd | | | | |
| | | | | Plot No. C- 30, Block G | | | | |
| | | | | | Opposite SIDBI, Bandra Kurla Complex | | | |
| | | | | Bandı | a (East), Mumbai | - 40 | 0 051 | |
| Nam | e of site | | : | | · | | f CS No. 1903 (Pt.), | |
| | | | | | (Pt), 1905, 1/1905 | 5, 2/ | 1905 of Byculla | |
| Natu | re of sample | | : | Drink | ing water | | | |
| Loca | tion of sample | | : | Office | Pantry | | | |
| Sam | ple identification numb | er | : | Mw- 2 | 22/08/16 | | | |
| Sam | ple Quantity & Containe | er | : | 250 m | ıl; G | | | |
| Date | Date and Time of sample drawn | | | Date - | 03/08/2022 | Tin | ne – 05.00 pm | |
| Envi | Environmental Condition | | | Surrounding area is clean | | | | |
| Sam | ple drawn by | | : | AESPL Consultancy Division | | | | |
| Sam | Sample Transported by | | | AESPL Consultancy Division | | | | |
| Date | of sample receipt | | : | 04/08/2022 | | | | |
| Date | of sample analysis | | : | 04/08/2022 to 05/08/2022 | | | | |
| Proj | ect/ Job number | | : | | | | | |
| Refe | rence of sampling | | : | AESPL/LAB/QR/7.3.3/R-02 | | | | |
| Meth | nod of sampling & prese | ervation | : | AESP | L/LAB/SOP/7.3.1/ | /M-0 | 1 | |
| Sr. | | | | | Limit | | Method | |
| No. | Parameter with unit | Res | ul | t | as per | | of | |
| | | | | | IS 10500:2012 | 2 | analysis | |
| 1 | Coliforms/100ml | Abcont /100r | | 10ml | Absent/100m | | IS:15185-2016 | |
| 1 | Contol his/ Toolin | Absent/10 | | JUIIII | Ausent/100m | | 15.15105-2010 | |
| 2 | E-coli/100ml | Absent | /10 |)0ml | Absent/100m | | IS:15185-2016 | |
| | L con/ room | Absellt | Absent/100 | | Absent/ 100m | 1 | 15.15105-2010 | |

Conformity Statement: Water sample is **pass** as per IS 10500:2012 w.r.t. above mentioned tests.

Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. The results apply to the sample as received.



Pranali N Patil (Authorized Signatory - Microbiology)



Testing Laboratory is certified by **ISO 9001:2015&ISO 45001:2018**Recognized by **MoEFCC** as **"Environmental Laboratory"** valid up to 24.04.2024 **Laboratory**: P-1, MIDC Mohopada, P.O. Rasayani, Dist. Raigad Pin 410222
Tel: 9112844844, **CIN**: U74999MH2001PTC132091



Quality Test Report

Ref: AESPL/LAB/C/N-22/08/10 **Issue Date:** 06/08/2022

| MCI. ALSI L/LAD/C/N-22/0 | 0/1 | .0 | 133ue Date: 00/00/2022 | | | | |
|----------------------------|-----|-------------------------------|-------------------------------|--|--|--|--|
| Name of the client | : | K. Raheja Corp Pvt. Ltd | K. Raheja Corp Pvt. Ltd | | | | |
| | | Plot No. C- 30, Block G | | | | | |
| | | Opposite SIDBI, Bandra Kurla | a Complex | | | | |
| | | Bandra (East), Mumbai – 400 | 0 051 | | | | |
| Name of site | : | Hindustan Mill, Sub Plot B of | CS No. 1903 (Pt.), 1904 (Pt), | | | | |
| | | 1905, 1/1905, 2/1905 of Byo | culla | | | | |
| Monitoring details | : | Ambient Spot Level Noise | | | | | |
| Location details | : | At Periphery of the site | At Periphery of the site | | | | |
| Sample Identification No | : | N-22/08/10 | | | | | |
| Date of Sampling | : | 03/08/2022 | | | | | |
| Period of sampling | : | Daytime & Nighttime | | | | | |
| Environmental condition | : | Climate :clear | Ambient temp. 30°C | | | | |
| Monitored & transported by | : | AESPL Cosultancy Division | | | | | |
| Date of data receipt | : | 04/08/2022 | | | | | |
| Sampling equipment | : | Noise meter - Centre SL-I-04 | | | | | |
| Calibration status | : | Calibration details: 15/11/20 | 021 to 14/11/2022 | | | | |
| Project/ Job number | : | 4800098395 dtd 25Apr16 | | | | | |
| Reference of sampling | : | AESPL/LAB/QR/7.3.3/R-02 | | | | | |
| Method of sampling | : | IS 9989 RA:2014 | | | | | |

| Sr. | Location | Noise Level dB(A) Leq | | | |
|------|--|-----------------------|-----------|--|--|
| No. | | Day time | Nighttime | | |
| 1. | Main gate | 71.5 | 62.3 | | |
| 2. | Near K Raheja Hording | 64.6 | 52.7 | | |
| 3. | Near sales office | 59.2 | 44.9 | | |
| 4. | B1 & B2 Tower | 64.9 | 54.3 | | |
| 5. | Mhada plot | 68.7 | 57.5 | | |
| 6. | Agripada residency area | 70.9 | 65.8 | | |
| Stan | dard as per EP Act for Industrial Area | 75 | 70 | | |

Conformity Statement: Noise Levels at all the locations are found to be below the stipulated limits

Note:

- 1. The test report shall not be reproduced except in full, without written approval of laboratory.
- 2. Results relate only to the items tested.
- 3. Any query related to this report will be entertained within 15 days of the report issue date only.
- 4. Decision Rule is applied.



Reshma S. Patil.

(Authorized Signatory - Pollution & Environment)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:September 13, 2019

To.

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd.

at Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra

Subject:

Environment Clearance for for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot at Sub Plot 'B' bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A.L. nair Road and Maula Azad Road, Jacob Circle, Mahalaxmi by Genext Hardware & Parks Pvt. Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 103rd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 174th meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8 (b) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:

| 1.Name of Project | Hindustan Mill | | | | | | |
|--|---|--|--|--|--|--|--|
| 2.Type of institution | Private | | | | | | |
| 3.Name of Project Proponent | Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd. | | | | | | |
| 4.Name of Consultant | Dr. D. A. Patil, Mahabal Enviro Engineers Pvt. Ltd. | | | | | | |
| 5.Type of project | Residential Project along with Municipal Public Parking Lot | | | | | | |
| 6.New project/expansion in existing project/modernization/diversification in existing project | Amendment in existing project. (Vertical expansion to residential wing of Building No.3 has been proposed) | | | | | | |
| 7.If expansion/diversification, whether environmental clearance has been obtained for existing project | We have obtained EC u/n. SEAC-2014/CR-35/TC-1 dt. $29/09/2014$ for the plot area 61,520.46 m2 and FSI area of 1,29,988.78 m2, Non FSI area of 2,58,043.03 m2 with total construction area of 3,88,031.81 m2 (Entire project). | | | | | | |
| 8.Location of the project | Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Di A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra | | | | | | |
| 9.Taluka | Mumbai | | | | | | |
| 10.Village | Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi | | | | | | |
| Correspondence Name: | - | | | | | | |
| Room Number: | - | | | | | | |
| Floor: | - | | | | | | |
| Building Name: | Raheja Tower | | | | | | |
| Road/Street Name: | Plot No. C-30, Block G, Opp SIDBI, | | | | | | |
| Locality: | Bandra Kurla Complex | | | | | | |
| City: | Bandra (East), Mumbai. | | | | | | |
| 11.Whether in Corporation / Municipal / other area | Municipal Corporation of Greater Mumbai (MCGM) | | | | | | |

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-**STATEMENT-0000001765**) **SEIAA-MINUTES-0000002436** SEIAA-EC-0000001987

Shri. Anil Diggikar (Member Secretary SEIAA)

Page 1 of 14

| | OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018 | | | | |
|--|---|--|--|--|--|
| 12.IOD/IOA/Concession/Plan Approval Number | IOD/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018 | | | | |
| | Approved Built-up Area: 210603.62 | | | | |
| 13.Note on the initiated work (If applicable) | On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846.16 m2) and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 m2) has been completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over all construction completed on site is 326537.40 m2. | | | | |
| 14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable) | OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018 | | | | |
| 15.Total Plot Area (sq. m.) | 61,520.46 m2 | | | | |
| 16.Deductions | 4,470.19 m2 | | | | |
| 17.Net Plot area | 57,050.27 m2 | | | | |
| | FSI area (sq. m.): 1,32,631.46 m2 (Entire Project) | | | | |
| 18 (a).Proposed Built-up Area (FSI & Non-FSI) | Non FSI area (sq. m.): 2,60,503.05 m2 (Entire Project) | | | | |
| Non 151) | Total BUA area (sq. m.): 393134.51 | | | | |
| | Approved FSI area (sq. m.): 1,28,688.95 m2 (Entire Project) | | | | |
| 18 (b).Approved Built up area as per DCR | Approved Non FSI area (sq. m.): 2,56,764.51 m2 (Entire Project) | | | | |
| | Date of Approval: 11-02-2018 | | | | |
| 19.Total ground coverage (m2) | 24,531.61 m2 | | | | |
| 20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky) | 43% | | | | |
| 21.Estimated cost of the project | 8356193347 | | | | |
| | | | | | |

Government of Maharashtra

| | 22.Production Details | | | | | | | | | |
|--|--|-------------------------|-------------------------------------|----------------|-----------------|----------------|--|--|--|--|
| Serial Number | Pro | Product 1 | | (MT/M) | Proposed (MT/M) | Total (MT/M) | | | | |
| 1 | Not app | plicable | Not app | plicable | Not applicable | Not applicable | | | | |
| | | 2 | 23.Tota | l Wate | r Requiremen | nt | | | | |
| Source of water Fresh water (CMD): Recycled water - Flushing (CMD): Recycled water - Gardening (CMD): Swimming pool make up (Cum): Total Water Requirement (CMD): Fire fighting - Underground water tank(CMD): Fire fighting - Overhead water tank(CMD): | | MCGM | | | | | | | | |
| | | Fresh water (CMD): | | 117 KLD | 117 KLD | | | | | |
| | | | | 61 KLD | | | | | | |
| | | | | 33 KLD | 33 KLD | | | | | |
| | | | | 222 | 2 defe | | | | | |
| | | | | 178 KLD | | | | | | |
| | | Underground water | | As per CFO NOC | | | | | | |
| | | Overhead v | water | As per CFO NOC | | | | | | |
| | | Excess trea | ated water | 71 KLD | | | | | | |
| Source | | Source of | water | MCGM + R | WH 2 | | | | | |
| | | Fresh water | er (CMD): | 99 KLD + 1 | 8 KLD | | | | | |
| | | | Recycled water - Flushing (CMD): | | 61 KLD | | | | | |
| | | Recycled v Gardening | | And it was | | | | | | |
| Wet season: | Swimming make up (| | 4/1/4/1/4 | | | | | | | |
| | Total Wate Requirement | | 178 KLD | moni | of | | | | | |
| | Fire fighting - Underground water tank(CMD): | | As per CFO NOC | | | | | | | |
| | Fire fighting - Overhead water tank(CMD): | | As per CFO NOC | | | | | | | |
| | | Excess trea | ated water | 104 KLD | | | | | | |
| | Details of Swimming pool (If any) | | | | | | | | | |

| 24.Details of Total water consumed | | | | | | | | | | |
|--------------------------------------|----------------------------------|--|---|---|----------------|----------------|----------------|----------------|-------------------|--|
| Particula rs | Consumption (CMD) | | | Loss (CMD) | | | Effluent (CMD) | | | |
| Water Require ment | Existing | Proposed | Total | Existing | Proposed | Total | Existing | Proposed | Total | |
| Domestic | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| | | | | | | | | | | |
| | Level of the Ground water table: | | 3 m | | | | | | | |
| 25.Rain Water Harvesting (RWH) | | Size and no of RWH tank(s) and Quantity: | | 2 Nos.of RWH tanks with 74 m3 capacity each. | | | | | | |
| | | Location o tank(s): | f the RWH | Lower basement for bldg. no 2, 2nd Basement for Residential tower bldg. no 3 & 3rd basement for PPL | | | | | | |
| | | Quantity o pits: | f recharge | NA S | | | | | | |
| | | Size of rec | harge pits | NA O | | | | | | |
| | | Budgetary (Capital co | | 25 Lakh | | | | | | |
| | | Budgetary allocation (O & M cost): | | | | | | | | |
| | | Details of if any: | UGT tanks | Residential: 2nd Basement PPL: 3rd Basement | | | | | | |
| | | 1 | 120 | | | D. A | ZT. | | | |
| | | Natural wa drainage p | / / 1/5 | Toward Eas | st and West S | Side | 7 | | | |
| 26.Storm water drainage | Quantity o water: | f storm | 2980.71 m3/hr | | | | | | | |
| | | | D: | 0.35 x 0.35 m, 0.45 x 0.6 m, 0.6 x 0.8 m | | | | | | |
| | | | | | Ť | | | | | |
| | | Sewage ge in KLD: | neration | 167 KLD MARKET | | | | | | |
| | | STP techno | ology: | MBBR Technology | | | | | | |
| 27.Sewage and Waste water | Capacity o (CMD): | f STP | 3 STPs will be provided with total 220 m3 capacity i.e. 100 m3 (for bldg. No. 2), 100 m3 (for bldg No. 3) and 20 m3 for PPL | | | | | | | |
| | Location & the STP: | area of | Bldg No. 2: Ground Floor, Bldg No. 3: a. Resi. Bldg: 2nd Floor Parking Lvl. & b. PPL: Ground Floor. | | | | | | | |
| | | Budgetary (Capital co | | 45 Lakh | | | | | | |
| | | Budgetary (O & M cos | | 9 Lakh/year | | | | | | |
| | | | | | | | | | | |

| 28.Solid waste Management | | | | |
|--|---|--|--|--|
| Waste generation in | Waste generation: | Construction debris: 4,200 m3 | | |
| the Pre Construction and Construction phase: | Disposal of the construction waste debris: | The construction debris will be disposed as per the "Construction and Demolition and Desilting Waste (Management and Disposal) Rules 2016. | | |
| | Dry waste: | 269 Kg/day | | |
| | Wet waste: | 403 Kg/day | | |
| Waste generation | Hazardous waste: | Used oil from DG | | |
| in the operation Phase: | Biomedical waste (If applicable): | NA | | |
| | STP Sludge (Dry sludge): | 2 KLD | | |
| | Others if any: | Household E-waste generation | | |
| | Dry waste: | Dry garbage will be disposed off to recyclers | | |
| | Wet waste: | Wet garbage will be composted using Mechanical Composting unit and used as organic manure for landscaping. | | |
| Mode of Disposal | Hazardous waste: | Authorized recyclers | | |
| Mode of Disposal of waste: | Biomedical waste (If applicable): | NA NA | | |
| | STP Sludge (Dry sludge): | Sludge use as manure for gardening | | |
| | Others if any: | Authorized recyclers | | |
| Area requirement: | Location(s): | Ground | | |
| | Area for the storage of waste & other material: | 100 m2 | | |
| | Area for machinery: | 25 m2 | | |
| Budgetary allocation | Capital cost: | Rs. 12 lakh | | |
| (Capital cost and O&M cost): | O & M cost: | Rs. 6 Lakh/year | | |

Government of Maharashtra

| | 29.Effluent Charecterestics | | | | | |
|--------------------------------------|-----------------------------|----------------|----------------|-------------------------------------|----------------|--|
| Serial Number | Parameters | | | Effluent discharge standards (MPCB) | | |
| 1 | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| Amount of effluent generation (CMD): | | Not applicable | | | | |
| Capacity of | the ETP: | Not applicable | | | | |
| Amount of trecycled: | reated effluent | Not applicable | | | | |
| Amount of v | water send to the CETP: | Not applicable | | | | |
| Membership of CETP (if require): | | Not applicable | | | | |
| Note on ETP technology to be used | | Not applicable | | | | |
| Disposal of | the ETP sludge | Not applicable | | | | |



Government of Maharashtra

| | | | 30.Ha | zardous | Was | te D | etails | | | |
|---|---|-----------------------------------|----------------|--|--------------|---------------------------------------|------------------------|--------------------|---------------------------|----------------|
| Serial Number | Descr | iption | Cat | UOM Existing Proposed Total Method of E | | | | Method of Disposal | | |
| 1 | Not ap | plicable | Not applicable | Not applicable | No applic | | Not applicable | Not applicable | | Not applicable |
| | | | 31.St | acks em | issio | n De | etails | | | |
| Serial Number | Section & units Fuel Us Quar | | | tity Stack No. | | Height from ground level (m) | Interr diame (m) | ter | Temp. of Exhaust Gases | |
| 1 | Not ap | plicable | Not app | olicable | No applic | | Not applicable | Not applica | | Not applicable |
| <u>'</u> | | | 32.De | tails of F | uel t | o be | used | | | |
| Serial Number | Туг | e of Fuel | 4 | Existing | विश | 077 | Proposed | 7 | | Total |
| 1 | Not | applicable | J O N | lot applicabl | е | N | lot applicabl | е | | Not applicable |
| 33.Source o | | 7 | /~/ | pplicable | 2 | | .66 | 74 | | |
| 34.Mode of | Transportat | ion of fuel to | site Not a | pplicable | | | 12 | | _ | |
| | | B | | 105 | 20 | A / | 1 3 | E | _ | |
| | | | × | 35.Eı | nerg | y | 4 | | 5 | |
| | | Source of supply: | power | TATA | | | た | H | 7 | |
| | During Construction Phase: (Demand Load) DG set as Power back-up during construction phase | | | 500 kVA | | | | | | |
| | | | 500 kVA | | | | | | | |
| Pov | von | During Op phase (Cor load): | | 10.8 MW | | | | | | |
| require | _ | During Op phase (Der load): | | 5.2 MW | | | | | | |
| | | Transform | er: | | | | | | | |
| | DG set as Pow back-up durin operation pha | | uring | • Building No. 2: 1 x 1250 kVA • Building No. 3: Resi. Bldg:1 x 1500 kVA • MPPL: 1 x 750 kVA | | | | | | |
| | | Fuel used: | | HSD | | 2 | | | | |
| Details of high tension line passing through the plot if any: | | NA | | | | | | | | |
| | | Ener | gy saving | by non- | conv | enti | ional me | thod: | | |
| Solar Hot w Provision of | | to Residenti anels | al Buildings | | | | | | | |
| | | 3 | 6.Detail | calculati | ons & | § % | of saving | g: | | |
| Serial Number | Energy Conservation Measures Saving % | | | | | | | | | |

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 7 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

| 1 | | Total Energy Saving 23.6% | | | | |
|------------------------------|--|---------------------------|-------------|----------------|--|--|
| | 37.Details of pollution control Systems | | | | | |
| Source | Existing pollution control system Proposed to be installed | | | | | |
| Not applicable | Not applicable | | | Not applicable | | |
| Budgetary | | | Rs. 15 Lakh | | | |
| (Capital cost and O&M cost): | | O & M cost: | Rs, | | | |

38. Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

| a) constitution phase (with broad up). | | | | |
|--|--|---|------------------------------------|--|
| Serial Number | Attributes | Parameter | Total Cost per annum (Rs. In Lacs) | |
| 1 | Water spray for dust suppression | अपि खेवव | 4.5 | |
| 2 | Site sanitation and Potable Water Supply to Labour | 130 | 5 | |
| 3 | Environmental Monitoring | As per the CPCB guidelines through MoEF Approved laboratories - Ambient Air-RSPM, PM2.5, SO2, NOx, CO), Noise: Leq day time and Night Time | | |
| 4 | Health check-up & first aid | | 6 | |
| 5 | Safety Personal Protective Equipment | Helmets, Safety Shoes, Safety Belt, Goggles, Hand Gloves etc. | 10 | |
| 6 | Traffic Management | Sign Boards, Persons at entry exit and Parking area | 4.5 | |
| 7 | Tyre cleaning and Vehicle maintenance | vorn | mont of | |
| 8 | Storm water Management | VGIII | | |
| 9 | Safety Training to Workers (Twice in Year), Safety Officer | ahar | ashtra | |
| 10 | Safety nets | CHICKI | 14 | |
| | | | | |

b) Operation Phase (with Break-up):

| | | | ` 1 | |
|------------------|----------------|---|-----------------------------|---|
| Serial Number | Component | Description | Capital cost Rs. In Lacs | Operational and Maintenance cost (Rs. in Lacs/yr) |
| 1 | STP (Tertiary) | Continuous O & M Environment Monitoring: Monthly, STP outlet water quality for pH, BOD, COD, SS and O & G | 45 | 9 |
| 2 | Solar System | Weekly | 15 | 2 |

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 8 of 14 SEIAA)

| 3 | Rainwater harvesting | During rainy season (cleaning of UG tanks and filtration units before rainy season) | 25 | 2 |
|---|---------------------------------|--|-----|----|
| 4 | Solid Waste Composting plant | Continuous O & M Environment Monitoring: Monthly to assess the compost quality | 12 | 6 |
| 5 | Landscape | Daily | 116 | 12 |

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

| Description | Status | Location | Storage Capacity in MT | Maximum Quantity of Storage at any point of time in MT | Consumption / Month in MT | Source of Supply | Means of transportation |
|----------------|--------------------------|----------------|------------------------------|---|---------------------------------|---------------------|----------------------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| | 40 Any Other Information | | | | | | |

40.Any Other Information

No Information Available

Government of Maharashtra

Shri. Anil Diggikar (Member Secretary SEIAA)

| CRZ/ RRZ clearance | NA. |
|--|---|
| obtain, if any: | NA |
| Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries | NA |
| Category as per schedule of EIA Notification sheet | 8 (b) |
| Court cases pending if any | No |
| Other Relevant Informations | Environmental Infrastructure provided for Bldg. No. 1 (B1, B2 & A1 Bldgs.) No. of Tenements: 318 Nos. Water Requirement: 232 KLD (Domestic: 145 KLD + Flushing: 75 KLD + Gardening: 12 KLD) Sewage generation: 176 KLD STP provided: 200 KLD (SBR technology) Solid waste generation: 783 kg/day (Biodegradable component is composted using mechanical composting machine & Non-biodegradable component is handed over to authorized recyclers) RWH Tanks: 1 tank with 63 m3 and 2 tanks with 60.5 m3 capacity Connected Load: 5.7 MW Demand Load: 4.8 MW DG sets: 10 x 1250 kVA & 3 x 500 kVA Parking (4W): 718 Nos. The estimated project cost mentioned in item No. 21 is for Bldg. 2 & 3 only. |
| Have you previously submitted Application online on MOEF Website. | No. |
| Date of online submission | W.M. |

3. The proposal has been considered by SEIAA in its 174th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

| * | |
|------|---|
| I | It is noted that, representative of PP not submitted the authority letter. PP to submit the same along with copy of company resolution. |
| II | PP to submit the company merger document. |
| Ш | PP to submit dated Architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014. |
| IV | PP stated that there is minor change in FSI (1,32,631.46 Sq.mt instead of 132331.76 Sq.mt) & NoN- FSI area (260503.05 Sq.mt instead of 260802.75 Sq.mt) stated in the CS while total built up area is the same. PP to revise the online CS to that extent only. |
| v | Local planning authority to ensure the structural stability of building for which vertical expansion is proposed. |
| VI | PP to upload the HRC NoC. |
| VII | The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC. |
| VIII | PP to submit CER plan to Municipal Commissioner/District Collector and submit the acknowledgement to Member Secretary, SEIAA. |

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 10 of

Shri. Anil Diggikar (Member Secretary SEIAA)

| LIX | PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019. |
|-----|---|
| I X | SEIAA decided to grant EC for: FSI: 132631.46 m2, Non-FSI: 260503.05 m2 and Total BUA: 393134.51 m2 (IOD no-EB/5204/E/A, Date-13.03.2019) |

Conoral Conditions

| General Conditions: | |
|----------------------------|---|
| I | E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016. |
| П | The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms. |
| Ш | This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit. |
| IV | PP has to abide by the conditions stipulated by SEAC& SEIAA. |
| V | The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area. |
| VI | If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site. |
| VII | All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. |
| VIII | Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured. |
| IX | The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material. |
| x | Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority. |
| XI | Arrangement shall be made that waste water and storm water do not get mixed. |
| XII | All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site. |
| XIII | Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved. |
| XIV | Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept. |
| XV | Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants. |
| XVI | Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water. |
| XVII | Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board. |
| XVIII | The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards. |
| XIX | The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken. |
| xx | Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours. |
| XXI | Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB. |

| XXII | Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations). |
|---------|--|
| XXIII | Ready mixed concrete must be used in building construction. |
| XXIV | Storm water control and its re-use as per CGWB and BIS standards for various applications. |
| XXV | Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred. |
| XXVI | The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority. |
| XXVII | The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. |
| XXVIII | Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project. |
| XXIX | Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water. |
| XXX | Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control. |
| XXXI | Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows. |
| XXXII | Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement. |
| XXXIII | Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy. |
| XXXIV | Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board. |
| XXXV | Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations. |
| XXXVI | Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized. |
| XXXVII | Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement. |
| XXXVIII | The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation. |
| XXXIX | Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings. |
| XL | Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance. |
| XLI | Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB. |
| XLII | Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained. |

| XLIII | Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this. |
|--------|--|
| XLIV | Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB. |
| XLV | A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB. |
| XLVI | In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department. |
| XLVII | A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards. |
| XLVIII | Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department. |
| XLIX | The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in. |
| L | Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year. |
| П | A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent. |
| LII | The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain. |
| LIII | The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. |
| LIV | The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail. |

Government of Maharashtra

Shri. Anil Diggikar (Member Secretary SEIAA)

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- 5. SECRETARY MOEF & CC
- 6. IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- 9. MUNICIPAL COMMISSIONER MUMBAI
- 10. MUNICIPAL COMMISSIONER NAVI MUMBA
- 11. REGIONAL OFFICE MPCB MUMBAI
- 12. REGIONAL OFFICE MPCB NAVI MUMBAI
- 13. REGIONAL OFFICE MIDC ANDHERI
- 14. REGIONAL OFFICE MIDC KOPER KHAIRANE NAVI MUMBAI
- 15. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- **16.** COLLECTOR OFFICE MUMBAI
- 17. COLLECTOR OFFICE MUMBAI SUB-URBAN

No. 21-68/2006-IA.III Government of India Ministry of Environment and Forests

ParyavaranBhawan, CGO Complex, Lodhi Road New Delhi 110003

Dated: September 1, 2006

To

Mr. Neel Raheja Director, M/s K. Raheja Corporation Pvt. Ltd. Construction House 'A', 24th Road, Khar, (W) Mumbai 400052

Subject: Environmental Clearance for construction of Residential Complex at Byculla Mumbai by M/s K. Raheja Corporation Pvt. Ltd.

Sir,

I am directed to refer to your application seeking prior environmental clearance for the above project under the EIA Notification 1994 as amended on July 7, 2004. The above proposal has been appraised as per prescribed procedure on the basis of the mandatory documents enclosed with the application viz., the Questionnaire, EIA, EMP, Public Hearing proceedings and the additional clarifications furnished in response to the observations of the Expert Appraisal Committee (EAC) constituted by the competent authority in its meeting held on 26-27 July, 2006.

- 2. The project proponent is setting up a Residential Complex at sub plot B of CS No. 1903 (Pt.),1904(Pt), 1905, 1/1905, 2/1905 of Byculla Division, Dr A. L Nair Road,Jacob Circle, Byculla, Mumbai. The project involves construction of 486 dwelling units in four buildings.

 will be 330 m³/day and total wastewater generated will be 296 m³/day. Separate sewage treatment plant will be provided to treat sewage generated from each building. Additionally, a common STP is also proposed to treat 460 m³/day sewage. The solid waste generation will be 0.49 t/day during operation phase. The in-vessel composting of biodegradable waste will be done. The non-biodegradable waste will be disposed of for land filling.
- 3. The EIA report submitted along with the application predicts negligible impacts with regard to Ambient Air Quality and minor & negligible impact with regard to Noise during both the construction as well as the operation phase. There will be positive impact on hydrology and natural drainage due to proposed measures for construction of storm water drain. Due to plantation of 1198 trees and development of recreational area, surrounding area will have positive impact on land use.

by the project proponent, responses to the public concerns expressed during the public hearing and additional clarifications furnished in response to its observations have recommended the grant of environmental clearance for the projects mentioned above subject to compliance with the EMP and other stipulated conditions. Accordingly, the Ministry hereby accords necessary environmental clearance for the project subject to the strict compliance with the specific and general conditions mentioned below:

PART A- SPECIFIC CONDITIONS

I. Construction Phase

- All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- ii) Soil and ground water samples will be tested to ascertain that there is no threat to groundwater quality by leaching of heavy metals and other toxic contaminants.
- iii) A First Aid Room will be provided at the project site both during construction and operation of the project.
- iv) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- v) All the top soil excavated during construction activities should be stored for use in horticulture/landscape development within the project
- vi) Disposal of muck including excavated material during construction phase should not create any adverse effects on the neighboring communities and be disposed off taking the necessary precautions for general safety and health aspects of people.
- vii) Use of diesel power generating sets during construction phase should be enclosed type to prevent noise and should conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards.
- viii) Vehicles hired for bringing construction material at site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peaking hours.
- ix) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.

- Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
- Regular supervision of the above and other measures for monitoring should be in place all through the construction phase so as to avoid disturbance to the surroundings.

Operation Phase II:

The environmental clearance recommended to the project is subject to the specific conditions as follows:

- Only one DG set of adequate capacity shall be provided for backup ì.
- Adequate parking space shall be provided for buses and cars and power. also for their movement at ground level. Vehicles shall not be parked on the ii. main road outside the plot area.
 - During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
 - Oil & Grease trap shall be provided to remove oil and grease from the surface run off and suspended matter shall be removed in a settling iv. tank before its utilization for rainwater harvesting.
 - The leachate from vermi-composting shall be treated in sewage ٧. treatment plant.
 - The sewage treatment plant (STP) should be certified by an independent expert for efficiency as well as adequacy and should submit a report in this regard to the Ministry before the project is commissioned for operation. The wastewater should be treated to tertiary level and after treatment reused for flushing of toilets and gardening. Discharge of treated sewage shall conform to the norms & standards prescribed by Maharashtra State Pollution Control Board.
 - Water harvesting system and energy conservation measures like installation of solar panels for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.
 - Noise barriers should be provided at appropriate locations so as to ensure that the noise levels do not exceed the prescribed standards.
 - The solid waste generated should be properly collected & segregated before disposal to the City Municipal Facility. Wet garbage should be disposed by the vermi-culture method.

- x. Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra State Pollution Control Board.
- xi. Diesel power generating sets proposed as source of back up power for lifts and common area illumination should be of enclosed type and conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards as per CPCB guidelines. Exhausts should be discharged by stack, raised to 4 meters above the rooftop.
- xii. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
- xiii. Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.
- xiv. The ground water levels and its quality should be monitored regularly.
- XV. Adequate measure should be taken to avoid any traffic congestion near the entry and exit points from the roads adjoining the proposed project site.
- xvi. A Report on the energy conservation measures should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the Ministry in three months time.
- xvi. The values of R & U for the building envelope should meet the requirements of the hot & humid climatic location. Details of the building envelope should be worked out and furnished in three months time.
- xvii. Suitable insulation material should be provided in the roof structure to reduce the U value to about 0.35 Watts per sqm per degree Centigrade.

PART - B. GENERAL CONDITIONS

- i) The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.
- ii) Provision should be made for the supply of kerosene or cooking gas and pressure cooker to the laborers during construction phase.
- iii) All the laborers to be engaged for construction works should be screened for health and adequately treated before the issue of work permits:

- iv) 6 monthly monitoring reports should be submitted to the Ministry and its Regional Office.
- 5. Officials from the Regional Office of MOEF, Bhopal who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of MOEF, Bhopal.
- 6. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
 - 7. The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including reveking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

)

- 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department (if required), CRZ Regulations etc. shall be obtained by project proponents from the competent authorities.
- 9. A copy of the environmental clearance letter would be marked to the local NGO(s), if any, from whom suggestion/representation were received at the time of public hearing.
- Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Maharashtra State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bhopal.
 - These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 1994 including the amendments.

12. The project authority will enter in to MOU with all buyers of the property/flat etc. to ensure operation and maintenance of the assets handed over to the society formed by the residents/owners of the buildings.

(K C RATHORE)

(K.C. RATHORE) Additional Director (IA) rathore27@yahoo.com Tele: 24368526

Copy to: -

- 1. The Secretary, Department of Environment, Government of Maharashtra, Mumbai
- 2. The Member Secretary, Maharashtra State Pollution Control Board Mumbai
- 3. The CCF, Regional Office, Ministry of Environment & Forests, Bhopal.
- 4 IA Division, MOEF, New Delhi 110001

W5. Guard file

(K. C. RATHORE) Additional Director

Government of Maharashtra

SEAC-2014/CR-35/TC-1 Environment department Room No. 217, 2nd floor, Mantralaya Annexe, Mumbai- 400 032. Dated: 29th September, 2014

To,
M/s. Genext Hardware & Parks Pvt. Ltd (Developers)
CA To Capricon Realty Ltd.
Raheja Tower
Plot No. C-30, Block G, Opp SIDBI,
BandraKurla Complex, Bandra (East), Mumbai

Subject: Environment clearance for proposed residential complex & composite building with commercial wing and a Municipal Parking Lot wing on plot bearing CS No. 903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai by M/s K Raheja Corp - Genext Hardware & Parks Private Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 27th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 73rd meeting.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed residential complex & composite building with commercial wing and a Municipal Parking Lot wing on plot bearing CS No. 903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai. SEAC-II considered the project under screening category 8(b) B1 as per EIA Notification 2006.

Brief Information of the project submitted by Project Proponent is as-

| | tect submitted by 1 roject 1 ropolitit is as- |
|-------------------|---|
| Name of Project | Proposed additional development and expansion to the Residential Complex along with the proposed Composite Building with a Municipal Public Parking Lot and a Residential wing. |
| Project Proponent | M/s K Raheja Corp - Genext Hardware & Parks Private Ltd. |
| Consultant | Mahabal Enviro Engineers Pvt. Ltd. |
| Type of project | It is expansion and additional development of Residential Project along with Municipal Public Parking Lot. |

| | Sub plot "B" be | earing C.S. N | No. 1903 (pt), 1904 (| (pt), 1905, | |
|--|--|-----------------------------|---|-----------------------------|--|
| Location of the project | 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi. | | | | |
| Whether in corporation / Municipal / Other area | Municipal Corp | ooration of C | reater Mumbai | | |
| Applicability of the DCR | Regulations No date. | s. 23, 58 and | d 33(24) of DCR 19 | 91 modified till | |
| Note on the initiated work (if applicable) | Total constructed work (FSI + Non FSI): | | Construction work of three towers from the previous EC is done. The Built up area of 65,846.16 m ² and construction area of 1,82,485.39 m ² is completed. Construction work for further development not started. | | |
| | Date and area of the necessary a issued by the co authority (attac copy) | pprovals empetent | EC No. 21-68/2006 September 2006. | 6-IA.III dt.1 st | |
| LOI / NOC from MHADA / Other approvals (if applicable) | IOD / LOI for PPL are obtained. | | | | |
| Total Plot Area Deductions Net plot area | Plot Area = 61,520.46 m ² Road Setback = 3062.00 m ² MHADA = 542.10 m ² BMC R.G = 662.61 m ² | | | | |
| | Net Plot Area = 57,253.75 m ² | | | | |
| Permissible FSI | Plot FSI : 81,101.22 m ² Public Parking Lot FSI (Incentive): 32,727.07 m ² Fungible FSI : 16793.74 m ² | | | | |
| (Including TDR etc.) | Total Permissible: 1,30,622.04 m ² | | | | |
| - CONTRACTOR CONTRACTO | | As per EC | Work Completed | Proposed Expansion | |
| Proposed Built-up Area | FSI Area (m ²) | 81,101.22 m ² | 65846.16m ² | 64,142.62 m ² | |
| (FSI & Non-FSI) | Non FSI Area (m²) | _ | 1,16,639.23 m ² | 1,41,403.80 m ² | |
| | Construction area (m ²) | _ | 1,82,485.39m ² | 2,05,546.42m ² | |
| Ground coverage percentage (Note: Percentage of plot not open to sky) | Since Bldg. No. 1 has been completed and BCC trom MCGM has been obtained, the proposed development (Bldg. No. 2 and Bldg. No.3) envisages provision of Ground Coverage of 43%. | | | | |

| Estimated cost of the project | | | |
|--|--|--|--|
| | Rs. 888.0 Cr | | |
| | As per EC received | Proposed Development | |
| | Towers B1,B2 and A1: Stilt + 41 upper floors over two levels of podium. | Bldg No. 2: 2 Basements + 2 Parking Floors + Stilts + 44 Upper Floors. (17 Floors are as per the Residual Construction from EC No. 21- 68/2006-IA.III dt. 1st September 2006) | |
| | Tower B3: | Bldg No. 3:- Composite Bldg. (Additional Construction): | |
| No. of Buildings & its configuration | 2Parking Floors + Stilts+39 upper floors 2 Parking floors are common for all four tower | Residential Wing:- 3 Basement (pt)+Gr (pt) + intermediate Parking Floor + 4 Parking Floors (pt)+2 Parking Floors (full) + Stilts + 43 Upper Floors Municipal Public Parking Lot: 3 Basements (pt) + Ground (pt) +4 Upper Floors (pt). To be handed over to MCGM and 5 th & 6 th Floor above MPPL will be retained for Residential parking. | |
| Number of tenants | As per EC construction completed | Proposed Development | |
| | 318 | 230 | |
| Number of expected residents / users | 1150 | • | |
| Tenant density per hector | - | | |
| Height of the building(s) | Maximum Height of the br | uilding : 190.10 m | |
| Right of way (width of the road from the nearest fire station to the proposed building) | 36.60 m wide Dr. A.L. Nair Marg on West side (proposed) 27.43 m wide Maulana Azad Marg on East side Nearest fire station: Byculla fire station at ~ 1.0 km | | |
| Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation | Min width of 9.00 m | | |

| Existing Structure | | | Tower A, B and C for which OC is obtained from New Delhi u/r 21-ept 2006. |
|---|-----------------------------|------------------------------|---|
| Details of the demolition with disposal (if applicable) | | NA | |
| Particular | DETA | ILS | PROPOSED |
| Total Water requirement | Dry Se | ason | ••• |
| | Fresh v | vater (KLD) | 108 KLD |
| | Source | | MCGM |
| | Recycl | ed Water (KLD) | 96 KLD |
| | Total v | vater requirement (KLD) | 170 KLD(Domestic + Flushing) |
| | Swimn | ning pool make up (cum) | - |
| | Firefig | hting (cum) | As per NBC |
| | Wet Se | eason | |
| | Fresh | water (KLD) | 73 KLD |
| | Source | | MCGM |
| | Recycled Water (KLD) | | 62 KLD |
| | Total v | vater requirement (KLD) | 135 KLD (Domestic + Flushing) |
| | Swimming pool make up (cum) | | - |
| | Firefig | hting (cum) | As per NBC |
| Rain Water Harvesting (RWH) | Level of ground water table | | 3 m |
| | Size ar | nd No. of RWH tanks and y | Two Numbers of RWH tanks with 85.0 m ³ capacity each. |
| | Location of RWH tank | | Lower Basement |
| | Size an | nd no. of recharge pits and | - |
| Budgetary allocati | | tary allocation | Capital Cost: 25 Lakh O & M Cost: 2 Lakh |
| UG Tanks | Locati | on of UG tank | Lower Basement |
| Storm Water Drainage | Natura | l water drainage pattern | Toward East and West Side |
| | Quanti | ty of storm water | 2980.71 m ³ /hr |
| | Size of | f SWD | 0.35 x 0.35m, 0.45 x 0.6m, 0.6 x 0.8m |
| Sewage and waste | Sewag | e generation (CMD) | 159 KLD |

| water | | | | | |
|------------------------|---|--|--|--|--|
| | STP Technology | MBBR Technology | | | |
| | Capacity of STP (CMD) | 3 STPs will be provided with capacity 100 m ³ (for bldg. No. 2), 100 m ³ (for bldg No. 3) and 20 m ³ for MPPL | | | |
| | Location of the STP | Bldg No. 2: Ground Floor Bldg No. 3: a. Resi. Bldg: 2nd Floor Parking Lvl. b. MPPL: Ground Floor. | | | |
| | DG sets (during emergency) | Building No. 2:1 x 1250 kVA Building No. 3: Resi. Bldg:2 x 500kVA, 1 x 250 kVA MPPL:1 x 1250 kVA | | | |
| | Budgetary allocation | Capital Cost: 45 Lakh O & M Cost: 9 Lakh | | | |
| Solid waste management | Waste generation in the pre-constr Bldg. No. 2 and Bldg. No. 3 | ruction and construction phase for | | | |
| | Waste generation | - | | | |
| | Quantity of the top soil to be preserved | Nil | | | |
| | Disposal of the construction way debris | The construction debris will be disposed as per the "Construction and Demolition and Desilting Waste (Management and Disposal) Rules 2006. | | | |
| | Waste generation in the Operation phase | | | | |
| | Dry Waste (kg/d) | 385 Kg/day | | | |
| | Wet Waste (kg/d) | 257 Kg/day | | | |
| | E – Waste (kg/month) | - | | | |
| | Hazardous Waste (kg/month) | NA | | | |
| | Biomedical Waste (kg/month) | NA | | | |
| | STP Sludge (dry sludge) (kg/d) | 2 m ³ | | | |
| | Mode of Disposal of Waste | | | | |
| | Dry Waste | Dry garbage will be segregated & disposed off to recyclers | | | |
| | Wet Waste | Wet garbage will be composted using Mechanical Composting Technology and used as organic manure for landscaping. | | | |
| | E-waste | NA | | | |

| | Hazardous Waste | NA |
|---------------------------|---|---|
| | Biomedical Waste | NA |
| | STP sludge (dry sludge) | Sludge use as manure for gardening |
| | Area requirement | |
| 1, 17, - (10) - (10) | Location and total area provided for the storage and treatment of the solid waste | On Ground Floor |
| | Budgetary allocation | Capital Cost: 12 Lakh O & M Cost: 6 Lakh |
| Green Belt Development | | |
| | Existing Landscape. | 13,656.16 m ² |
| | R.G on ground | 425 m ² |
| | Proposed Landscape area on | 6,202.66 m ² |
| | Proposed Landscape area on Ground | 425 m ² |
| | Plantation | |
| | Number and list of trees species to be planted on the ground RG. | |
| | Number and list of shrubs and bushes species to be planted in the podium RG | Nil |
| | Number and list of trees species to be planted around the border of nallah / stream / pond (if any) | NA |
| | Number, size, age and species of trees to be cut, trees to be transplanted | |
| | NOC for the tree cutting / transplantation/ compensatory plantation, if any | Trees cutting permission obtained as shown in the above list. |
| • | Budgetary allocation | Capital Cost: 116 Lakh O & M Cost: 12 Lakh |
| Energy | Power supply | |
| | Maximum demand | Bldg. 2: 1532 kW Bldg. 3: 1411 kW MPPL: 892.5 kW |
| | Connect load | Bldg. 2: 4383kW Bldg. 3: 3920 kW MPPL: 1561 kW |
| | | 1 |

Energy saving by non-conventional method
Energy saving measures

- Day mode/evening modes and night mode will be used for light control.
- Electronic ballast will be used to save the energy consumption upto 12% in lighting power.
- The use of low loss transformers and switchgears will save energy upto 2 %.
- Occupancy Sensors will be used in staircase midlanding and apartment level and lobby.
- Terrace will be finished with over deck insulation.
- We will be aiming to have COP of all air conditioning machines.
- The project as the 'Green Homes' features includes the followings:
- The project is 30-35% More energy efficient than conventional buildings and 21% energy efficient compared to ASHRAE / ECBC 2007 building.

Yes

• CO sensors for parking bay with efficient ventilation.

Compliance of the ECBC

guidelines (Yes / No) (if Yes then submit compliance in

- · High efficiency spectrally selective glazing.
- Roofing with high Solar Reflective Index (SRI)

| | tabular form) | | | |
|---|---|---|----------------------|--|
| | Budgetary allocation | | | Capital Cost:15 Lakh O & M Cost: 2 Lakh |
| | DG set | | | , |
| | Number and capacity of the DG sets to be used | | DG | Building No. 2:1 x 1250 kVA Building No. 3: Resi. Bldg: 2 x 500kVA, |
| | Type of fuel used | | | Diesel |
| Environment Management Plan Budgetary Allocation | Construction phase (with break- up) | | eak- | |
| Component | Capital Cost (Rs. In Lakhs) | O & M Cost (Rs. In Lakhs/year) | Monitoring Frequency | |
| STP (Tertiary) | 45 | 9 | En out | ntinuous O & M vironment Monitoring: Monthly, STP tlet water quality for pH, BOD, COD, and O & G |
| Solar System | 15 | 15 2 We | | eekly |
| Rainwater harvesting | 25 | During rainy season (cleaning of UG tanks and filtration units before rainy | | |

| | | | season) | | |
|---|--|--|--|--|--|
| Solid Waste Composting plant | 12 | 6 | Continuous O & M Environment Monitoring: Monthly to assess the compost quality | | |
| Landscape | 116 | 12 | Daily | | |
| Total | 213 | 31 | | | |
| further O & M all environmental infrastructures like (10 Years) We will provide detailed maintenance maintenance of common areas, facilit | | | | | |
| Traffic Management | | Nos. of the junction to the main road & design of confluence: 9 entry / exists gates are provided to the main roads. | | | |
| | Parking de | tails : | | | |
| | Number & area of basement Number & area of podium | | Building No. 2: 2 Nos. 11,738.02 m ² . Building No. 3: 3 Nos. No. of Basements: 3 Nos. Area of Basements: 36257.3 m ² . | | |
| | | | Building No. 2: 3 Podiums 10915.1 m ² . Building No. 3:- 7 Podiums 50,956.03 m ² . | | |
| | Total Parking Area | | Building 2: 12,325.08m ² Building 3: a) Residential Parking: 13,398.72 m ² b) Municipal Public Parking Lot: 65,454.14 m ² | | |
| | Area per car | | Building 2: 37.23 m ² Building 3: a) Residential: 38.06 m ² b) MPPL: 48.88 m ² | | |
| | 4 wheeler | | Building No. 2: 331 Nos Building No. 3 (Residential): 352 Nos Public Parking Lot: 1316 Cars + 23 T.V | | |

| C. | | Earlier Proposal | Phase I | |
|-----|---------|------------------|-------------|-----------------------------------|
| No. | Details | as per EC | (Completed) | Proposed for PHASE II (Expansion) |
| NO. | | Received | | |

| 1 | Type of Project | Residential Project with 4 Towers (B1, B2, A1 and B3) | Building No. 1 (B1, B2 & A1) 3 Residential Towers Presently known as "A, B & C". | Building No. 2: One Residential Tower Building No. 3: Composite Building (Residential Wing and Municipal Public Parking Lot) |
|---|---------------------------------------|---|--|---|
| 2 | Total Plot Area | 61,520.36 m ² | | |
| 3 | Total permissible built up area | FSI Proposed: 81,101.22 m | FSI Consumed: 65846.16 m Total Construction Area: 1,82,485.39m | FSI Proposed: 64,142.62 m ² Total Construction BUA: 2,05,546.42 m ² |
| 4 | Total nos. of Towers | Towers B1, B2 and A1: 2 Parking Floors + Stilt+41 upper floors Tower B3: 2Parking Floors + Stilts+39 upper floors 2 Parking floors are common for all four Towers | Building No 1(Tower B1, B2 & A1): 2 parking floors + stilts + 41 Upper Floors | I. Bldg No. 2: 2 Basements + 2 Parking Floors + Stilts + 44 Upper Floors II. Bldg No. 3 (Composite Bldg): Residential Wing:- 3 Basement (pt) + Gr (pt) intermediate+4 Parking Floor (pt)+2 Parking Floors (full) + Stilts + 43 Upper Floors Municipal Public Parking Lot:: 3 Basement (pt) + Ground(pt)+4 Upper Floors(pt). To be handed over to MCGM and 5th & 6th Floor above MPPL will be retained for Residential parking. |

| Sr. No. | Details | Earlier Proposal as per EC Received | Phase I (Completed) | Proposed for PHAS (Expansion) | SE II |
|------------|-------------------------------|--|-----------------------|---|------------|
| 5 | Estimated cost of the project | • | - | Rs. 888.0 Cr | |
| 6 | No. of Tenements | 486 Nos. | 318 | Building 2 : 116 Building 3 : 114 | |
| 7 | Water Requirement | 330 KLD | 211 KLD | 170 KLD | |
| 8 | Sewage Generation | 296 KLD | 183 KLD | 159 KLD | |
| 9 | STP Capacity | 460 KLD | 200 KLD | Building No. 2: 10 Building No. 3 (Residential): 100 l Building No. 3 (PP KLD | KLD |
| 10 | STP Technology | | SBR | MBBR | |
| 11 | Solid Waste generation | 490 kg/day | 783 kg/day | 642 kg/day | |
| 12 | RWH Tanks | - | 1 tank with capacity: | Bldg. 2 | Bldg. 3 |

| | | | | 63 m ³ , 2 tanks : 60.5 m ³ | 85.0 m ³ | 85.0 m |
|------------|----------------------|--|---|--|---------------------|-----------|
| Sr. No. | Details | Earlier Proposal as per EC Received | Phase I (Completed) | Proposed for PHASE II (Expansion) | | |
| 13 | Power Requirement | - | Max demand : 4770 kW Connected load : 5736 kW | Connected Load: Bldg . 2 : 4383kW Bldg. 3 : 3920 kW MPPL : 1561 kW Demand Load: Bldg. 2 : 1532 kW Bldg. 3 : 1411 kW MPPL : 892.5 kW | | |
| 14 | DG Sets | 1 Nos. | DG : 1010 kVA x 3 | Building No. 2: 1 x 1250 kVA Building No. 3: Resi. Bldg: 2 x 500 kVA, 1 x 250 kVA MPPL: 1 x 1250 kVA | | |
| 15 | Landscape Area | - | Landscape on Bldg No. 1=13,656.16 m | Required: 300.0 m ² Provided: 425.00 m ² Proposed Landscape area on Podium of Bldg. No. 2 and 3; 6,121.65 m ² Proposed Landscape area on Ground: 425 m ² | | No. |
| 16 | Parking | Require : 534 Nos. Provided : 1188 Nos. | Require : 346 Nos. Provided : 718 Nos. | Residential Building No. 2 = 331 Cars Residential Building No. 3 = 352 Cars Total: 683 Cars MPPL: 1339 Cars | | |

- 3. The proposal has been considered by SEIAA in its 73rd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:
 - (i) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
 - (ii) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National

Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

- (iii) PP has to abide by the conditions stipulated by SEAC & SEIAA
- (iv) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (v) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (vi) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (vii) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (viii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ix) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (x) The solid waste generated should be properly collected and segregated, dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (xi) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (xii) Arrangement shall be made that waste water and storm water do not get mixed.
- (xiii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.

- (xiv) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xv) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xvi) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xvii) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xviii) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xix) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xx) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xxi) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xxii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xxiii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxiv) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxv) Ready mixed concrete must be used in building construction.
- (xxvi) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.

- (xxvii) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxviii)Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxix) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxx) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environmenent department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxxi) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxxii) Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxxiii)Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxiv)Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxv) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxvi)Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement
- (xxxvii) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxviii) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all

- proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- (xxxix)Noise should be controlled to ensure that it does not exceed the prescribed standards.

 During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xl) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xli) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement
- (xlii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xliii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xliv) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xlv) Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
- (xlvi) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (xlvii) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlviii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xlix) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (l) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.

- (li) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (lii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (liii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO₂, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (liv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (Iv) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 11. This Environment Clearance is issued for proposed residential complex & composite building with commercial wing and a Municipal Parking Lot wing on plot bearing CS No. 903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 at Byculla Division, Mumbai by M/s K Raheja Corp Genext Hardware & Parks Private Ltd.

(Medha Gadgil) Additional Chief Secretary, Environment department & MS, SEIAA

Copy to:

- 1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
- 2. Shri. Ravi Bhushan Budhiraja, Chairman, SEAC-II, 5-South, Dilwara Apartment, Cooperage, M.K.Road, Mumbai 400021
- Additional Secretary, MOEF, 'MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
- 4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
- 5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
- 6. Regional Office, MPCB, Mumbai.
- 7. Collector, Mumbai
- 8. Commissioner, Municipal Corporation Greater, Mumbai
- 9. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
- 10. Select file (TC-3)

(EC uploaded on 9/10/2014)

MUNICIPAL CORPORATION OF GREATER MUMBAI

No.EEBPC/ 9527/E/A. 07 1817/13

To,
M/s.Capricon Realty Ltd.
through its Constituted Attorney
Genext Hardware & Parks Pvt. Ltd.
Plot No.C-30, G Block
Opp. SIDBI, Bandra Kurla Complex
Bandra (East)
Mumbai 400051

Ex. Eng. Bldg. Propposal (City)-fl 'E' Ward, Markendila Blang, Lyculta, 10, S. K. Haftzuddia Blang, Lyculta, Munbai - 400 008.

Sub: Full occupation permission to Lower stilt + upper stilt + podium + 41 upper floors in Tower A, B & C of residential building No.1 on Sub Plot "B" of property bearing C.S.No.1903(pt), 1904(pt), 1905, 1/1905 & 2/1905 of Byculla Division at Dr.A.L.Nair Marg, near Jacob Circle, Mumbai

Ref: Your Architect's letter dated 7.6.2013

WITHOUT PREJUDICE

Sir.

With reference to above letter and in continuation of this office part occupation permission under even No. dated 31.3.2012 and 8.3.2013, this is to inform you that there is no objection to occupy Lower still + upper still + podium + 41 upper floors in Tower A, B and C of residential building No.1 under reference which is constructed under supervision of Architect Shri Bihari Lund (Regn.No.CA/80/5547) and Regd. Structural Engineer Shri K.N. Hadkar (Regn.No.STR/H/12) subject to following conditions:-

- That the conditions mentioned in N.O.C. for full occupation by Chief Fire Officer u/No.FB/HR/CITY/470 dated 14.1.2013 shall be complied with.
- 2. That the setback area along Dr.A.L. Nair Marg shall be transferred in the name of M.C.G.M. before requesting for C.C. equivalent to setback area along Dr. A.L. Nair Marg in building No.2.
- That the certificate u/Sec.270A of M.M.C. Act shall be obtained from H.E. Department.

This occupation permission is granted without prejudice to rights of M.C.G.M. to take action under Section 353-A of M.M.C.Act Act, if found necessary.

A set of plans duly stamped/signed showing occupation permission granted to portion marked red is returned herewith as token of approval.

Yours faithfully,

Executive Engineer
(Building Proposal) City-II
No.EEBPC/ 9527/E/A. (A) > 13

Copy to :

Shri Bihari Lund

Architect,

Plot No.C-30, G Block

Opp. SIDBI, Bandra Kurla Complex

K Raiheja

Bandra (East) Mumbai 400051

2. Asst. Commissioner E Ward

3. A.E.W.W. E Ward

Dy A. & C. City

Executive Engineer

Executive Engineer (Byilding Proposal) City-II



MUNICIPAL CORPORATION OF GREATER MUMBAI APPENDIX XXII

FULL OCCUPANCY Under Regulation 6(7)* and BUILDING COMPLETION CERTIFICATE Under Regulation 6(6)*

[EB/907/E/A of 11 February 2018]

To, Genext Hardware & Parks Pvt.Ltd Raheja Tower,'G'Block, C-30, Bandra Kurla Complex, Bandra (E).

Dear Applicant/Owners,

The full development work of Residential building comprising of Lower Basement + Upper Basement + Lower Stilt + Upper Stilt + Podlum + 41 Habitable Floors + 2 Fire Check Floors + 1 Service Floor(Building No. 2) on plot bearing C.S.No./CTS No. 1903,1904,1905,1/1905 and 2/1905 of Division Byculla at Jacob Circle is completed under the supervision of Shri. Rakesh Kumar, Architect, Lic. No. CA/90/13582, Shri. Glrish Purushotam Dravid, RCC Consultant, Lic. No. STR/D/59 and Shri. Manish Kothari, Site supervisor, Lic.No. K/359/SS-I and as per development completion certificate submitted by architect and as per completion certificate issued by Chief Fire Officer u/no. FB/HRC/R-I/22 dated 21 December 2017. The same may be occupied and completion certificate submitted by you is hereby accepted.

Copy To:

- 1. Asstt. Commissioner, E Ward
- 2. A.A. & C., E Ward
- 3. EE (V), City
- 4. M.I., E Ward
- 5. A.E.W.W., E Ward
- 6. Architect, Rakesh Kumar, Raheja Tower, Plot No. C-30, GBlock Bandra Kurla Complex, Bandra (E) 400051 For information please



Name: Satish Bhaskar Gite Designation: Executive Engineer Organization: Municipal Corporation of Greater Mumbai Date: 11-Feb-2018

Yours faithfully Executive Engineer (Building Proposals) Municipal Corporation of Greater Mumbai E Ward



MUNICIPAL CORPORATION OF GREATER MUMBAI APPENDIX XXII

PART OCCUPANCY CERTIFICATE

[EB/5204/E/A/OCC/1/New of 24 June 2019]

Genext Hardware & Parks Pvt.Ltd C.A. to Capricon Reality Ltd Raheja Tower, 'G'Block, C-30, Bandra Kurla Complex, Bandra (E) 400 051.

Dear Applicant/Owners,

The Part 1 development work of Utility/services building comprising of 3 level basements + ground + 1st to 4th upper floors for Public Parking Lot (PPL) on plot bearing C.S.No./CTS No. 1903,1904,1905,1/1905 and 2/1905 of Division Byculla at Jacob Circle is completed under the supervision of Shri. Rakesh Kumar , Architect , Lic. No. CA/90/13582 , Shri. Girish Purushotam Dravid, RCC Consultant, Lic. No. STR/D/59 and Shri. Anilkumar Upadhyay, Site supervisor, Lic.No. U/26/SS-I and as per development completion certificate submitted by architect and as per completion certificate issued by Chief Fire Officer u/no. EB/5204/E/A-CFO dated 17 January 2019.

It can be occupied with the following condition/s.

- 1) That all the balance conditions of I.O.D / amended plan approval letters shall be complied with before asking further OC.
- 2) That the remaining work shall be carried out as per approved amended plans.
- 3) That all the safety and precautionary measures to safeguard the occupants and neighborhood shall be taken while executing the remaining construction works.

Copy To:

- 1. Asstt. Commissioner, E Ward
- 2. A.A. & C., E Ward
- 3. EE (V), City
- 4. M.I., E Ward
- 5. A.E.W.W., E Ward
- 6. Architect, Rakesh Kumar, Raheja Tower, Plot No. C-30, GBlock Bandra Kurla Complex, Bandra (E) 400051 For information please

Name: Satish Bhaskar Gite Designation : Executive

Engineer

Organization: Municipal Corporation of Greater Mumbai Date: 24-Jun-2019 16: 40:42

Yours faithfully Executive Engineer (Building Proposals) Municipal Corporation of Greater Mumbai E Ward



MUNICIPAL CORPORATION OF GREATER MUMBAI APPENDIX XXII

FULL OCCUPANCY Under Regulation 6(7)* and BUILDING COMPLETION CERTIFICATE Under Regulation 6(6)*

[EB/5204/E/A/OCC/2/New of 31 March 2022]

To,
Genext Hardware & Parks Pvt.Ltd C.A. to Capricon Reality Ltd
Raheja Tower, 'G'Block, C-30, Bandra Kurla Complex, Bandra (E) 400 051.

Dear Applicant/Owners,

The full development work of Residential building comprising of Residential building No.3 Intermediate floor + 1st to 5th parking floor + Podium (Amenity floor in two levels) + 21st to 44th residential floors + 1 fire check floor (above 28th residential floor) + 1 Service floor (below 29th residential floor) on plot bearing C.S.No./CTS No. 1903,1904,1905,1/1905 and 2/1905 of Division Byculla at Jacob Circle is completed under the supervision of Shri. SAMBPRASAD RAVINDRA PINGE, Architect, Lic. No. CA/90/13213, Shri. Girish Purushottam Dravid, RCC Consultant, Lic. No. STR/D/59 and Shri. Shri Manish Kothari, Site supervisor, Lic.No. K/359/SS-I and as per development completion certificate submitted by architect and as per completion certificate issued by Chief Fire Officer u/no. EB/5204/E/A-CFO dated 29 March 2022. The same may be occupied and completion certificate submitted by you is hereby accepted.

Copy To:

- 1. Asstt. Commissioner, E Ward
- 2. A.A. & C., E Ward
- 3. EE (V), City
- 4. M.I., E Ward
- 5. A.E.W.W., E Ward
- 6. Architect, SAMBPRASAD RAVINDRA PINGE, C-30, BLOCK 'G', BANDRA KURLA COMPLEX, BANDRA(E) For information please

Name : GANESH A HARNE Designation : Executive

ngineer

Organization : Personal Date : 31-Mar-2022 15: 58:13

Yours faithfully Executive Engineer (Building Proposals) Municipal Corporation of Greater Mumbai

E Ward

MUNICIPAL CORPORATION OF GREATER MUMBAI EEBPC/9527/E/A @-30(11) 3

To, Shri Bihari Lund Architect, Plot No.C-30, G Block Opp. SIDBI, Bandra Kurla Complex Bandra (East) Mumbai 400051

Ex. Eng. Bldg. Propposal (City)-II
'E' Ward, Municipa Office, 3rd flows.
10, S. K. Hatizuddin Marg, Byculla,
Mumbai - 400 008.

Sub: Proposed residential building No.1 on Sub Plot 'B' of property bearing C.S.No.1903(pt), 1904(pt), 1905, 1/1905 & 2/1905 of Byculla Division at Dr.A.L.Nair Marg, near Jacob Circle, Mumbai

Ref: Your letter dated 8th October 2013

Sir,

The Building Completion Certificate as submitted by you vide your letter dated 8th October 2013, is hereby accepted.

Yours faithfully,

Executive Engineer
Byflding Proposals(City)-II

Genext Hardware & Parks Private Limited



To, Member Secretary, SEAC-II, 15th Floor, Mantralaya, New Administrative Building, Mumbai - 400 032

Subject: Proposed amendment in Environment Clearance for residential complex along with the proposed composite residential building with Municipal Public Parking Lot, at Sub lot bearing C.S.No. 1903,1904,1905, 1/1905, 2/1905 of Byculla division abutting Dr. .L.Nair Road and Maulana Azad Road, Jacob Circle, Mahalaami, Mumbal, Maharashtra.

Reference: L. Agenda of 96" SEAC-II meeting held on 15.04.2019 (Item No 5)

2, Consolidated statement u/n 0000001765

3. SEAC-MINUTES-0000003829

Sir.

With reference to Minutes of 96th SEAC-II meeting of hold on 15.04.2019, following are our reply.

| Sr. No. | Points | Reply |
|------------|---|--|
| 1 | It is noted that, representative of PP not submitted authority letter. PP to submit the same along with copy of company resolution. | Authority letter in the form of company's board resolution attached herewith. |
| 2 | PP to submit the company merger document | Enclosed deed of assignment for transfer of development rights dated 06.08 2007 from K Raheja Curp Pvt Ltd. To Genext Hardware Parks Pvt. Ltd. |
| 7 | PP to submit dated architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014. | Enclosed architect certificate |

In view of above we request you to consider our proposal in forthcoming SEAC-II meeting.

Thanking you,

Yours faithfully,

N. R. Milita

For Genext Hardware & Parks Private Limited

Nikhii Mebia

Encl.: As above.

Regd. Off. : Raheja Tower,

Plot No. C-80, Block 'G', Next to Bank of Baroda, Bandra Kurle Complex, Bandra (E), Mumbai-400 051,

Phone : 91-22-2656 4000 Fax : 91-22-2656 4004 Website : www.krahejacorp.com

Genext Hardware & Parks Private Limited

Regd, Off. Plot No.C-30, Block 'G', Opp. SIDBI, Bandra Kurla Complex,

Bendra (E), Mumhai - 400 651.

Phone : +91-22-2656 4000 Website: www.kriibejiicorp.com



CERTIFIED TRUE COPY OF THE BOARD RESOLUTION PASSED AT THE MEETING OF BOARD OF DIRECTORS OF GENEXT HARDWARE & PARKS PRIVATE LIMITED HELD ON APRIL 17, 2019 AT ITS REGISTERED OFFICE.

Authority for making applications to various authorities:-

"RESOLVED THAT the consent of the Board be and is hereby accorded for making necessary application/s from time to time to Ministry of Environment, Forest & Climatic Changes (MoEF & CC), New Delhi, SEIAA & SEAC - II, Government of Maharashtra for graft of Environmental Clearance and for amendment in existing EC & Renewal of Environment Clearance and to Maharashtra Pollution Control Board (MPCB) for grant of Consent to Establish/Renewal of Consent to Establish, Consent to Operate/Renewal of Consent to Operate for the buildings to be/being constructed by the Company for the Company's project named "Hindustan Mills" situated at Sub Plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byeulla . Byeulla Division abatting Dr. A.L. Nair Road and Maula Azad Road, Jacob Circle, Mahalaxmi, Maharashtra (said "Project").

RESOLVED FURTHER THAT any one of the Directors of the Company or Authorised Signatories of the Company or Mr. Nikhil Mehta, the Authorized Representative of the Company (hereinafter referred to as 'the Attorney') be and are hereby authorized severally to sign the said application's and to execute all other related papers, documents, writings, to do all such acts, deeds, matters and things as may be deemed necessary and expedient in this regard for and on behalf of the Company and also authorise to represent the Company, to attend the said matter or any proceedings arising therefrom or connected therewith; to sign, declare, verify, affirm or execute all proceedings, applications, affidavits, declarations, letters, etc.; and to adopt, settle, prosecute, defend and contest any further proceedings arising therefrom, in connection therewith before any Forum, Authority, Tribunal, Courts, to engage Advocates, Solicitors, Counsels, other professionals therein, to sign Vakalatnamas in their favour to act, appear and plead therein for and on behalf of the Company.

RESOLVED FURTHER THAT a letter of authorization along with a certified copy of this resolution be issued to Mr. Nikhil Mehta, as the Company's Attorneys under the Common Scal of the Company to be affixed on the said letter of authorization in the presence of any one of the Directors of the Company who shall sign the same in token thereof and the Company does hereby declare that any and all lawful acts, deeds, matters, things and writings which may be done or executed pursuant to this authorization by the said Attorneys on behalf of the Company, shall be good, valid and effectual to all intents and purposes as if done and executed by the Company and the Company hereby assures that the same shall be considered as ratified and confirmed by the Company.

For Genext Hardware & Parks Private Limited

Ramesh Valecha

Director DIN: 00389678

Place: Mumbal Date: April 22, 2019 MUMBAN





4.01:65 PM

पावती

Original नीटणी ५९ म.

पावली क्र. : ८८५८

गावाचे नाव सारखळा

विनाक | 0**६/08/**2007

दस्तऐवजाचा अनुक्रमांक

बवडा • 88671 -2007

दस्ता ऐवजाचा प्रकार

करारनाम्ह क्रिया त्याचे अभिलेख क्रिया करार अंक्षेपलेख

भावर करणहराचे नावःजीनेक्स्ट हार्डनेअर औंड पार्कस् मा ति वै आँदो सिन्ने गौरदन औ कुकरेजा .

भोदणी की

30000.00

क्क्बल (अ. 11(1)). पृष्ट्कि असी नक्कल (अ). 1:(2)),

723,00

কতকলে (জ. 12) ন চাজেলিয়দ (জ. 13) -৯ দুক্তমির দটি (36) एकूण ₹.

30720.00

आपनास <u>हा दक्त अंदाजे 4:16PM</u> हा। येळेस मिळेल

बाजार मुक्यः 2262084000 रु. गोबदल:: 22620840

भरतेले गुद्रांक शुल्क: 22520650 क.

देवकाची हकार :अअह/यनकवांद्रारं; बैबेन्ये दाव व पत्ता. अंक्लीस बैंक 🗺

विक्रियनावर्ण क्षणांक: १२६३६६; रवकम, ३०००० स., दिन्देक: ७६/७४/२७७/

VE O S

Charter Charles Colored

restate. All a su

ADMITTO PLANTA ME A A SHE WHITEHAY.

| 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 - 11 | 10 -

Description of Siamon. Geartic Countries

4 AUG.

11 - 1 - 25 - 1

M.

幽

Ø

.

RAKESH KUMAR ARCHITECT

Plot No. C-30, Block 'G', Opp. SIDBI, Bandra Kurla Complex, Bandra (E), Mumbai- 400 051 Tel. 2656 4000 Fax 2656 4604

Date: 13/05/2019

To,
The Member Secretary, SEAC-II
Environment Department,
15th Floor, Mantralaya,
Mumbai-400032

Subject: Environment Clearance for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot on sub plot B of property bearing CS No 1903, 1904, 1905, 1/1905, 2/1905 of Byculla division abutting Dr. A.L. Nair Road and Maulana Azad Road, Jacob circle, Mahalaxmi by Genext Hardware & Parks Pvt. Ltd.

Reference: 96th Meeting of SEAC-II, 15.04.2019 Item No 5 in Agenda (Online Unique Application No 0000001765)

Architect area certificate for area constructed on site as on 13/05/2019

| Sr.No | Building Details with | Floors Constructed Up | FSI Area in Sq.M. | Non FSI Area in | Total BUA in |
|-------|-------------------------------|---|-------------------|-----------------|--------------|
| | configuration as per EC | to | | (Sq. M.) | (Sq. M.) |
| | dated 29.09.2014 | | | | |
| 1 | Bldg. no 1 (Tower B1,B2,Al | As per EC dated | 65,846.16 | 1,16,639.23 | 1,82,485.39 |
| | i.e. Tower A, B,C) | 29.09.2014. | | | |
| | Stilt + 41 Upper floors over | (Work Completed) | | | |
| | two levels of podium | | | | |
| 2 | Bldg. no 2 | As per EC dated | 31,935.02 | 33,870.88 | 65,805.90 |
| | 2 Basements + 2 Parking | 29.09.2014 | | | |
| | Floors + Stilt + 44 upper | (Work Completed) | | | |
| | floors | | | | |
| 3 | Composite Bldg no 3 | | | | |
| | Municipal Public Parking lot: | | | | |
| | 3 Basements (pt) + Ground | As per EC dated | NIL | 65,563.61 | 65,563.61 |
| | (pt) + 4 upper floors (pt). | 29.09.2014 | | | |
| | | (Work Completed) | | | |
| | Residential Wing | , | | | |
| | 3 Basements (pt.) + Ground | Work completed as | | | |
| | (pt) +Intermediate Parking | below, | 576.8 | 29,928.24 | 30,505.04 |
| | floor + 4 Parking Floors (pt) | 3 Basements (pt.) + | | | |
| | +2 Parking Floors (full) + | Ground (pt) + 4 Parking | | | |
| | Stilt + 43 floors | Floors (pt) +2 Parking | | | |
| | 30013 | Floors (full) + Stilt | | | |
| | Total | 110013 (1411) 1 34114 | 98,357.98 | 2,46,001.96 | 3,44,359.94 |
| | iotai | 30,337.30 | 2,40,001.30 | 3,44,333.34 | |
| | | | | | |

Built up area as per EC dated 29/09/2014 u/n SEAC-2014/CR-35/TC-1 is 3,88,031.81 Sq. M. Built up area completed on site admeasures 3,44,359.94 Sq. M., which is less than built up area as per EC dated 29/09/2014 u/n SEAC-2014/CR-35/TC-1.

Thanking You, Yours faithfully

RAKESH KUMAR Architect CA/90/13582 Areaz Esco2. 41 Stant Stamp Act. 1958.

Office of the Collector of Stamp Case No. Adj. 0/ 10/361/07 Date 41.8(4)

Received from Sici. General of Howalance - Those of the residing at . Archer ! stamp duty of its (2-26-20-815)

... Two Crove There Sie Heka dwerts Certified under Spotten 21

Bombay S. Ruto Act, 12 to the full duty of the All 620 650 me there Size lack there's Trevelous

Travely Eight hudridaes 2250

with wires this increment is objected has light helmond 235 mg

This persificate is subject to the provisions of section 53-A of Bombay Stamp Act 1958.

Date #1.8/57

Mumbel

THIS DEED OF ASSIGNMENT FOR TRANSFER OF DEVE Deed") is executed at Mumbai this 6th day of August, 200

BETWEEN

K, RAHEJA CORP PRIVATE LIMITED, a company incorporated under the provisions of the Companies Act, 1956 and having its registered office at Construction House "A", 24th Road, Khar, Mumbal 400 052 hereinafter called "the Original Developer" (which expression shall unless it be repugnant to the context or meaning thereof be deemed to mean and include its successors) of the ONE PART;

AND

GENEXT HARDWARE & PARKS PRIVATE LIMITED, a company incorporated under tine provisions of the Companies Act, 1955 and having its registered effice at Construction House "A", 24th Road, Khar, Mumbai 400 052 hereinafter called "the Assignee Developer* (which expression shall unless it be repugnant to the context or meaning thereof be deemed to mean and include its successors and OTHER PART;

WHEREAS:

Pursuant to the Rehabilitation Scheme sanctioned by Board of Incustrial and Financial Reconstruction ("BIFR") on April 1, 2004 ("the said Sanctioned Scheme"), one, The Hindoostan Spinning And Weaving Mills Limited, a company registered under the Act No. X of 1866 under the name of Indian fernificationing Company Limited and incorporated under the provisions of the Companies Act, 1913 and thereafter deemed to be incorporated under the provisions of the Companies Act, 1956 and having its registered office at Sir Michaelas Chambers, 16, Bombay Samachar Marg, Munibai -4000ff1 ("the Original Owner") and Capricon Realty Limited, a company incorporated under the provisions of the Companies Act, 1956 and having

Page 1 of 20





its registered office at Sir Vithaldas Chambers, 15, Bombay Samachar Marg, Mumbai 400001 ("the Present Owner") have by and under a Development Agreement dated August 24, 2004 (registered with the Sub-Registrar of Assurance at Mumbai under Sr. No. BBE-1 9565/2004) ("the said Development Agreement") read with the Security Trustee Agreement dated 18° February 2005 (registrated with the Sub-Registrat of Assurance at Mumbal under Sr. No. 5262 of 2005) ("the said Security Trustee Agreement") (the said Development Agreement and the said Security Trustee Agreement are hereinafter collectively cafed "the Agraements"), inter-alia, granted to the Developer, development rights in respect of the "the Developable Land" admeasuring 60054.83 sq. mtrs. (as described in the said Security Trustee Agreement and in the Schedule hereunder written and demarcated in Red Colour Soundary lines on the Plan bereto annexed and marked Annexure "A") on the terms and conditions more particularly contained therein. The development of the Developable Land as envisaged in the said Agreements is also known as and hereinafter referred to as the "Mahalaxmi Project". The capitalized terms referred herein but not defined shall have the same meaning as ascribed to them under the Agreements.

As per the Agreements, the aggregate Chargeable Area as available for development on the Developable tand has been divided in the following manner:

- an area admeasuring 379741 square, feet. Chargeable Area ("Debt Asset Swap Premises") is swapped by the Debt Asset Swap Bank (as defined in the said Agreements) as provided in the said Agreements and the same is to be constructed by the Developer and on completion is to be handed over to the Debt Asset Swap Banks;
- (ii) The Developer is entitled to develop and market on its own-account and for its own benefit an area 350530 sq. ft. Chargeable-Alea ("the Developer's Premises") together with all other shights under the said Agreements;
- (iii) The remaining Chargeable Area after deduction of the Debt Asset

 Swap Premises and Associated per premises ("the Residual

 Premises to so be developed and marketed by the Developer are

 the residual from such Market so to distributed in the residual

 52:48 of Rosent Owner": "Developed ("Agreed Ratio")—C. (197)
- C. Pursuant to cause 6 (b) of the said Development Agreement to recover the Said Advance (as destrict the region), the Development is entitled to and vested with the right to exceed the Allopment market. Chargeable Area of approximately 197206 sq. ft. out of the Residual Premises ("Adjusted Residual Premises") together with an other highes under the said Development with the said Agreements, which has been confirmed under the Decidin respect of the Adjusted Residual Premises dated 26th February 2007,

P



registered with the Sub-Registrar of Assurances of Bombay under Sr. No. B275/ 2007 read with the Deed of Rectification dated 25th July 2007 registered with the Sub-Registrar of Assurances at Bombay under Sr. No. 8276 2007 and executed between the Developer, the Owner and the Present Owner.

O. Further, the Developer has also purchased and acquired rights of IDBA under the said Agreements in respect of the Developable Land v.2. the IDBA Premises being the Premises (out of the Debt Asset Swap Premises) equivalent to 74432 square feet Chargeable Area together with all other rights under the said Deeds read with the said Agreements, which acquisition has been confirmed under the Deed dated 4.2 Tregistered with the Sub-Registrar of Assurances at Bombay under Sr. No. 2007.

(M) J

The Deed dated 26th February 2007 read with the Deed of Rectification dated 25th July 2007 in respect of the Adjusted Residual Premises and the Adjusted Residual Portion and the Deed dated 6 2 m respect of the IDB? Premises and the IDB) Portion are hereinafter collectively referred to as the "said Deeds".

MIN



F.

The Present Owner and the Onginal Developer have on 26th February 2007 agreed (the said Writing) and the same is recorded in the letter of even date, that, instead of the Original Developer Marketing the existing Ralance Residual Premises (as per the existing PSI available in respect of the Developable Land) of 1,60,954 sq. ft. (Chargeable Area) and thereafter sharing such Realisations in the Agreed Ratic as recited in Recitar B(ili) hereinabove, to divide such existing Balance Residual Premises in accordance with the Agreed Ratio i. e; 83696 square feet. Chargeable Area to the Present Owner and 77,258 sq. ft. Chargeable Area to the Original Developer ("Developers Share in the existing Balance Residual Premises") together with all other rights under the said letter read with the said Agreements . The Present Owner and the Original Developer have also confirmed that all future FSI that will be available in respect of the said. Developable Land shall be constructed by the Original Developer and the realization of the same shall be strated to the Agreed Ratio, as provided in the said Agreements. The falms documentation in respect of such shanno of the existing Balance residual Francisco has said to be executed between the Present Owner, and the Original Developer The Deeds and the said willting are pereinante росителіз.

Accordingly, the Developer's Premises composes of Chargeable Area of 6,22,168 square feet: as reflected in Reotals B(ii) & Q & D above together with the right to construct and exclusively market 77,258 sq. ft. Chargeable

路



G.

Area being the Developers Sharo in the existing Balance Residual Premises as recited in Recital & hereinabove together with all other rights, under the said Documents.

The Assigned Developer has offered to the Original Developer to acquire the entire development rights [including to exclusively develop and market the Developers Premises together with all the obligations of the Oxiginal Developer under the said Agreements and the said Deeds and the oforerecited Letter dated 26th February 2007 and the below-recited said NGC Letters (hereinafter collectively referred to as the "said Rights and Obligations"), at or for the consideration and the terms and conditions herein contained and the Onginal Developer has agreed to assign the same to the Assignce Developer in the manner and on the terms and conditions hereinbelow recorded.



I.

The Debt Asset Banks mightalty comprised of ICICI Bank Limited, Union Bank of Eußa, UCO Bank, Punjab National Bank, One, Reliance Endla Limited has intermed the Original Developer that it has accuired from ICICI Bank the ICCO Premises being a portion of the DAS Premises. One, Himani Properties Pvt. Ltd. has informed the Original Developer that it has acquired from UCO Bank the UCO Premises being a portion of the DAS Premises. One, A to 2 Broking Services Private Limited has informed the Original Developer that it has acquired from Puntab Mattorial Bank, 3390 sq. ff-Chargeable Area of the PNB Premises being a portion of the DAS Premises. Kamal Agri Properties Private Limited has Informed the Criginal Developer that it has acquired from Aunjab National Bank, 3390 sq. ft. Chargeable Area of the PMS Premises being a portion of the DAS Premises. By sirtue of the aforesaid, Referice India Limited, Himani Properties Pvt. Ltd. A to Z Broking Services Private United and Kamal Agri Properties Private United have purchased and adquired, 1070 Premises, UCO Premises and portion 🗸 PNB Premises and the balance portion of PNB Premises, respectively

The parties had agreed that the consent of the Chainal Owner/Present G O & Owner and Debt Asset Swap Banks about detained prior to the assignment as envisaged here has addressed letters to BUSID, UCO and PNB address and the transfer. After respective rights pertaining to ICICI Premises, UCC Premises and BOTA Premises as aforesaid. By and under a letter stated 25" February 2007 the Original Owner and the Present Owner have granted their no objection for the assignment of the Original Developers rights and obligations under the said Apreements and the afore-recited letter idated 26° February 2007 to the Assignee Doveloper in the manner and on the terms as stard therein Accordingly, on account of the herein recited accountains, Reliance India Limited, Himani Properties Pvt. Ltd., A to 2 Broking Services Private Limited



and Kamal Agri Properties Private Limitod, have each issued liefters dated 5° June 2007, 5° June 2007, 23° April 2007, and 18° June 2007 inspectively granting their no objection for the assignment and transfer of the Original Developers obligation under the said Agreements to construct and hand over the Debt Asset Swap Provises to the respective Debt Asset Swap Provises to the respective Debt Asset Swap Provises to the respective Debt Asset Swap Bank on the terms and conditions contained therein. By and under its letter dated 28° June 2007 Umon Bank has granted its no objection for the assignment and transfer of the Original Developers obligation under the said Agreements to construct and hand over the UBI Premises to Union Bank on the terms and conditions contained therein. (The NOC Letter dated 26° February 2007, the NOC Letters dated 5° June 2007, 5° June 2007, 23° April 2007 and 18° June 2007 and the NOC Letter dated 28° June 2007 are heremafter collectively referred to as "the said NOC Letters")

Each of the Parties hapeto confirm and declare that they have the necessary
authority and powers and also the requisite approval to enter into and
execute these presents and that each of the signatures to these presents
are duty constituted and fully authorised to execute these presents.

NOW THIS DEED WITNESSETH AND IT IS HEREBY AGREED BY AND BETWEEN.
THE PARTIES HERETO AS UNDER:

- DEFINITIONS: The under mentioned expression shall have the under mentioned meaning in addition to the definitions set out in the recitals aforesaid and elsewhere in this Agreement;
 - (a) "AGREEMENT/S" shall mean and Include any deeds, documents, writings, Letters of Allotment, Letters of Resorvation, Memoranda of Understanding, setters of Inters, Amangements under any statute or scheme for disposal, transfer, Manketing, Sale or alienation of the Developers Premises / future Residual Premises / Developable Land or parts thereof including Lease/Sub-Lease/ Leave and ticense/ Business Centre etc.
 - (b) "ASSOCIATION" shall mean and include occlusionary, body comporate, componed, componed by the Association of the Previous as may be formed by the Association of the previous as may be formed by the Association of the As
 - (c) 'Debt Asset Swap Banks shall mean and include its assigns/nominees, as provided from each Agreements.
 - (d) "MARKETING" (and all its discress) shall mean and (tyledude the fixation and receipt of price, salt or comparing basis, along the sale, granting of lease, granting of leave anti-linease granting of occurrence as a business centre or any other method of disposal, transfer or allocation of Premises as may be from time to time be decided by the Assigned Developer in sespect of the Developers Premises and the future.

JA,



Agreements, the seid Deeds, the said NOC Letters and the afore recited Letter dated 26th February 2007 and the Original Developer confirms that, to the best of its knowledge, the Present Owner has not done any act of commission or omission which prejudicially affects the representations of the Present Owner (under the said Agreements, the said Deeds and the afore-recited Letter dated 26th February 2007) or the said Agreements or the said Deeds or the afore-recited Letter dated Letter dated 26th February 2007 or the said Development Rights.

7. The Original Covelaper doth hereby further declares, represents and warrants to the Assignme Developer that (subject to the said Agreements, the said Oseds, the said MOC Letters and the after-redited Letter dated 26^{th} February 2007) the Original Developer is absolutely and fully entitled to develop the said Developable Land and has evaluance, interceptle and uninterrupted development rights with respect to the said Developable Jand and has an irrevocable license to enter the said Developable Land under the said Agreements and the Original Odveloper has not done any actiof commission or omission which prejudicially affects the gaid Development Rights and that the title of the Original Developer to the said Development Rights is clear and marketable and free from all enquinbrances and there is no impendens, Edgaton, attachment, acquisition, reservation prohibitory order, protice of any nature whotspever in or upon Development Rights and (save and except as disclosed in the said 🎉 the said Decido, the said NOC Letters and the afore-regited Letter February 2007) nobody either as a co-owner, partner, tenants, entitled in trespassers, occupants, or otherwise howspever has any right, the claim or demand of any hature whatever in to or upon the said Develop or any part thereof including by way of sale, agreement for sale, char mortgage, gift. trust, lease, subtlease, license, tenancy, easement, encumbrance, or otherwise howspever and there are no outstanding Developable Land taxes, income tax ducts, rates, duties, cesses, levies including non agriculture assessments, assessments, water charges, electricity charges or any other amount due and payable to any authority in respect of the said Dayglopable Land and the Original Developer has good right, full power and absolute authority to assign and transfer the said Development Rights (including said obligations) to the Assignee Developer, as envisaged herein, and has no done any act of commission or omission whereby its said Development Rights is a in any manner prejudicially affected and that the said Agreements, Deeds and the afore-recited Letter dated 26th February 2007 and the said NOC ? Letters are valid and subsisting and the Original Developer has not received any notice from the Present Owner, the Original Owner, the Debt Asset Swap Banks, Relance India Limited, Himani Properties Pvt. Ltd, A to Z Broking Services Private Limited, Kamai Agri Properties Private Limited and NCD Banks for breach of any terms and conditions of the said Agreements. The Original Developer has not omitted to disclose to the Assignce Developer any material fact, in respect of

the said Developable Land, which is within the knowledge of the Original Developer.

- 8. The Original Developer has not done and an future shall not do any act of commission or pmission or allow any person or party to do any act of terministers or omission whereby the rights and the said obligations of the Assignee Developer under the said Agreements, the said Deeds, the afore-recited Letter dated 26th February 2007, the said NOC Letters and this Deed are prejudicially affected.
- On the execution hereof, the Assignee Developer shall, enterpty at its risk, responsibility, costs, charges and expenses, be absolutely, fully, exclusively, freely and without any interruption from the Original Developer, entitled to error: upon the said Developable Land, and exercise the said Development Rights and develop the said Developable hand as per the terms and conditions contained in " the said Agreements, the said Deeds, the afore-recrited Letter dated 26th Rebruary 2007 and the said NOC Letters and carry out all the obligations towards thriop Bank of India, Rellance India Limited, Himani Properties Pvt. Ltd., A to Z Broking Services Private Limited and Karnal Agri Properties Private Limited, the Original Dwiner and the Present Owner and the Original Developer shall cuoperate and execute all such necessary deeds, documents and writings as and when called upon by the Assignee Developer so as to enable the Assigned Doveloper to deal with the said Developable Cond and develop the said Developable Land and market the Developers Premises and the future Residual Premises as provided in the said Agreements, the said Deeds, the letter dated 26th Pabrillary 2007 and the said NOC Letters. 611
- 10. The Original Developer has represented that subsequent to the group of Development Rights, the funginal Developer has undertaken various steps in. respect of the said Developable Land and the Assigned Developer hereby confirms that it has verified at the applications, documents, papers, approvals, orders, etc., made/received by the Original Developer in respect development of the said Developable Land. The Original Daveloper of the the assignment of the said Development Rights shall induce the assignment of the benefit arising out of all the steps taken / works undertaken heads filed / approvals and orders received, contracts entered, appointments made, etc. by the Onginal Owner / Present Owner / Onginal Developer towards and in respect of the dovelopment of the sald Developable Land including by the Original Developer in the eventise of the said Covelopment Rights, including the said benefit of the various approvals, appointment of architects etc. and also of all the obligations and liabilities thereunder incurred upto the date hereof. The Original Developer shall not be entitled to any additional monies or reimbursement of any gosts, charges and expenses in respect of the same and the consideration reserved hereuniter shall be deemed to be inclusive of all such costs, charges

Page 10 of 70



Residual Premises to be constructed on the Developable Land and rerespect of the Developable Land or parts thereof to the Prospective Purchaser and to execute Agreements in respect of such Marketing and to receive and accept the Realisations on account of such Marketing and give full and effectual discharge for the payments received and to execute such Agreements and receipts in respect thereof subject to the provisions of the said Agreements. The expression "Marketing" shall also mean and induce the expression "Pricing".

- (e) "PREMISES" shall mean and Indude all the flats/dwelling units/floor area/ units / apartments / any saleable / buildings / transferable area or night in the buildings to be constructed by the Assignee Developer on the said Developable Sand under these presents including proportionate can parking and common areas and attentifies etc.
- (f) *PROSPECTIVE PURCHASER* shall mean and include a person/ company/ partnership/ body corporate/ firm / trust/ Financial Institution/ identified by the Assignee Developer, who has or will be entering into an Agreement in sespect of such Marketed premises, on the Marketing of the Developers Premises and the future Residual Premises.
- (g) "REALISATIONS" (with all its derivatives and cognate expression) shall mean and include the gross sale price, gross amount of deposit and/or prentum on the granting of Lease/sub-lease/ License or business centre or any other basis, the gress Rent, gross tigense fee/compensation or any other gross amount by whatever name called that may be received? receivable by the Assignee Developer from the Prospective Purchaser on the Marketing of the Developers Premises and the share of the Assignee Developer on the Marketing of the "Future Revidual Premises". It is datried that amounts such as Association Deposits, Residual Maintenance charges, Residual Security charges and other accountable charges of such nature shall not be included to the terms of "Realisation" and the Assignee Developer shall collect such charges separately from the Prospective Purchaser and maintain a Geographic register for the collection and receipt of the seme lead Wather counted that mones expended by the Assignee Developer on the Marketing photopolerising of the Developers' Premises and the "Future Residual Premises" are not deductible from the Realisations "Words" / "Phrases" / "expressions" unless defined there enecifically. shall be the same as defined in the gold Agreements, the gold Design and

2. Pursuant to the aforesaid agreement and in consideration agreed to be paid to the Original Developer in the manner provided in Cause 4 hereinbelow, the Original Developer hereby grants and assigns to the Assignoe Developer, all the benefits and all the said obligations (vg. obligations under the said Agreements)

⊋ ⊕ ⊃ ₩

the afore-recited setter dated

j.etters-





and the said Deeds and the afore-rocited Letter dates 26° February 2007 and the said NOC Letters), including the said Development Rights as set out in Clauses 3 & 8 of the said Development Agreement in respect of the said Developable Land together with all other rights under the said Decuments including specifically (i) the right to exclusively develop and market the Developers Premises aggregating to 6,99,426 square feet Chargeable Area together with all other highlis under the said Documents, on its own account and for its own benefit. (ii) the obligation to construct and hand over the Dobt Asset Swap Premises to the transfered of the respective Dobt Asset Swap Sank (iii) the obligation to construct and handover the Present Owners share in the existing Salance Residual Premises and (iv) the obligation to construct and market the Suture Residual Premises and share the reassations in respect of the future Residual Premises, if any, that may be available for development, in the manner as provided in the said Agreements and the Assignee Developer has agreed to accept the assignment and transfer of the same for the consideration in the manner and on the terms and conditions herein contained.

- and the same of th
 - 3. On the execution of hereof, the Assignee Developer has deposited and shall keep deposited with the Original Developer, a sum of Rs.50,00,00,000/- (Rupees functy Cubres Only) as and by way interest free refurdable security deposit ("the Security Deposit"), as and by way of security for the performance of the Ottligations of the Assignee Developer under the staid agreements, the said obligations of the Assignee Developer under the staid agreements, the said Deeds, the said NOC Letters and the afore-recited Letter dated 26th February 2007 and as envisaged herein.
 - 4. (a) In consideration of the assignment as contemplated herein and all the benefit and all the obligations under the said Agroemon's, the said Deeds, the said NOC and all the obligations under the said Agroemon's, the said Deeds, the said NOC Letters and the afore-redited Letter dated 26th February 2007 as provided in Clause 2 above by the Original Developer to the Assignee Developer, the Assignee Developer shall pay to the Original Developer an amount equivalent to the (i) 15% (Fifteen percent) of all such "Beausations" received / receivable by the (ii) 15% (Fifteen percent) of all such "Beausations" received / receivable by the Assignee Developer, from the Parketing of the Developers Provides and the Assignee Developer, from the Parketing of the Developers and the Premises applicated in Clause 45.00 hereinDeces; and (ii) the Original Developer.
 - (b) It is denified that the full Realisations from the Marketing of the Developers Premises and from the Developers Share in the particular of the future Residual Premises, shall belong to the Assignee Developer on its own account and its own benefit and the Assignee Developer shall issue full receipt to the Prospective Own benefit and the Assignee Developer shall issue full receipt to the Prospective Purchaser in respect of the same [t is agreed by and between the pauties hereto that in the first instance, the consideration to be paid by the Assignee Developer that in the Original Developer being the amount environment to 15% of the

27 1



Realisations payable by the Assignce Developer to the Original Developer as afgresald, shall first be adjusted and appropriated by the Assignce Developer and the Original Developer against the Security Deposit till the Security Deposit is completely adjusted and appropriated. Once the Security Deposit is adjusted and appropriated, then all further Realisations shall be received by the Assignce Developer in the following manner:

(i) 15% of the Raalisabora payable by the Assignee Developer to the Original Developer as aforesaid, shall be collected by the Assignee Developer for and on behalf of the Original Developer from the Prospective Purchaser by way of a separate cheque /pay order issued in the name of the "Original Developer" and such cheque/pay order shall be forthwith, without demur, handed over by the Assignee Developer to the Original Developer. The Assignee Developer shall issue receipts to the Prospective Purchaser in respect of the same:

(ii) the balance 85% (Eighty Five percent) of all such Realisations about the received by the Assignee Developer from the Prospective Purchaser by way of a substate cheque/pay order to be issued in the name of the Assigner Developer.



S. On the execution hereof:

- (a) the Original Developer has assigned its irrevocable likense to enter the the Developable Land to the Assignee Developer.
- (b) The Original Developer has executed irrevocable substituted powers of attorney in favour of the Assignee Developer in respect of each power of attorney (listed in Annexure "B" hereto) received by the Original Developer from the Original Owner and Present Owner.
- (c) The Original Developer has handed over to the Assignee Developer all the original documents (including the said Agreements, Deeds, NOC Letters etc.), writings, contracts, correspondence, undertakings, applications, orders, permissions, approvals of all the Public/Statutory Authorities/Bodies/Institutes and revenue records relating to the said Developable Land Including all the original powers of attorney received by the Original Developer from the Original Ossaer and Present Owner;
- (d) The Original Developer and the Assignes Developer have intimated the Original Owner, the Present Owner, and the Security Trusteer about the completion of the assignment as contemplated herein.
- (e) The Original Developer shall and will from time to time and at all times horeafter, at the coals, charges and explained of the Assigned Developer, execute such deeds, documents and writings and do such acts, deeds, things and assurances as may be required by the Assigned Developer things and assurances as may be required by the Assigned Developer things and assurances as may be required by the Assigned Developer.
- 5. The Original Developer duth hereby confirms that save and except the formal otte of the Present Owner to the said Developable Land, the Original Developer is fully excited to develop the said Developable Land subject to the said fully excited to develop the said Developable Land subject to the said.



and expenses, montes expended by the Original Developer W W^h October 2006 in respect of the said Developable Land. However, the Assignee Developer shall he liable to reimburse the costs, charges and expenses incorred by the Original Developer in exercise of the development rights, an and from 10th October 2006 till date. It is futher agreed that any refund of the amount of Staircase Fremium or any other refundable deposit paid by the Orginal Developer or respect of the development of the said Developable Sand, which has been paid/deposited by the Original Developer prior $ho 10^9$ October 2006. Shall belong to the Original Developer and refund of any such amount paid by the Original Developer subsequent to 10th October 2006, shall belong to the Assignee Developer and accordingly if the Assignee Developer receives the refundable deposit which pertains to a period prior to 10th October 2005 , then the Assignee Developer shall refund the same to the Original Developer and if the Original Developer receives the refundable deposit which pestalins to a period subsequen-Geeg 9 Assignee Developer.



11. The Assignee Developer has represented to and assured the Original Developer 🤃 🤝 that the Assignee Developer shall be responsible and entitled to obtain all the necessary approvals, permissions, consents, no objections from the relevant authorities for the development of the said Developable tand and in exercise of the said Development Rights entitely at its own risk, responsibility, cost, charges and expenses, including payment of any premierrs etc. Neither the Original Developer nor the Original Owner / Present Owner shall in any manner whatsoever be responsible or liable for the development of the said Developeole Land and for any consequences or implications thereto and/or for any marrier concerning on regarding the development / Marketing of the said Developable Land. The Assignee Developer also hereby agrees, declares and confirms that it shall, at its own, risk, responsibility, costs, charges and expenses, fulfil / comply with / undertake all the said obligations, save and extept as stated in clause 17 thus-ARC hereinbelow, then agreed to be undertaken by the Original Developer in tech of the yaid Developable Land and/or towards the Original Owner for Owner / Union Bank of India/ Reliance India Limited/ Himary Properties Pvt /Ltd./ A to Z Hroking Services Private Limited / Kamal Agri Properties Private Emitted, under the said Agreements/said Deeds/ the afcremented Letter February 2007/said NOC Letters, and the Original Developer shall not be for the same. The Assigner Developer has executed appropriate indemnities in Assigner Developer has executed appropriate indemnities in favour of the Criginal Developer. The Criginal Developer shall however remain Table under the indemnities issued by it in favour of the Original Owner / Present Owner for the period from the date of execution of the aforesaid Development Agreement \mathcal{U}_{i} the date "preof and from the date hereof for such incommittes, the Assignee Developer shall be liable to the Onginal Owner / Present Owner under the indemnities leaved by the Original Developer in favour of the Original Owner / Present Owner.



12. The Assignee Developer agrees, confirms, declares and coverants that it shall maintain a proper register recording therein full particulars of the Marketing of the Developers Premises and the ruture Residual Premises, including the date of Agreement, names and full addresses of the Prospective Purchaser, the consideration, paid and/or payable dates of payment and amount of instalments, if any, date of receipt of instalments, delays/ defaults, if any and interest charged and/or received if any, refunds / repayments received, if any and shall give full, free and complete inspection of the same as and when required by the Original Developer on reasonable notice of atleast two working days. The Assignee Developer shall furnish to the Original Developer, on the 15th day of every month the extract of the aforesaid register duly certified by the Developer as "True Copy" alongwith the certified copy of the Agreement/s executed with the Prospective Purchaser of the Developers Premises and the future Residual Premises. The Assignee Developer shall give clarifications relating to the progress of the development of the said Developable Land and the Marketing of 112 Developers Premises and the future Residual Premises as may be reasonat sought by the Original Developer.

13. The parties agree, declare, confirm and covenant that in the event the O Agreement with any Prospective Purchaser of the Developers Premises or the future Residual Premises is lawfully terminated by the Assignee Developer / Prospective Purchaser and the Assignee Developer and the Original Developer are required to refund (in accordance with the terms and conditions of such Agreement/termination) to such Prospective Purchaser the consideration or any part thereof received from such Prospective Purchaser under such Agreement, then the Assignee Developer and the Original Developer shall forthwith refund to such Prospective Purchaser the amount required to be refunded at the proportion of 15% by the Original Developer and 85% by the Assignee Developer and as received by them. It is clarified that in the event such regind is to be made prior to the complete adjustment and appropriation of the Security Deposit, they the Assignee Developer shall by liable to make the complete beford of the amount required to be refunded (that is including amount pertaining the share of the Original Developer) and the adjustment and appropriation of the amount so refunded against the Security Deposit shall stand reversed. However, settled on the to complete adjustment and appropriation of the Security Deposit as provided bereinabove, the amount required to be refunded shell be refunded in the proportion of 15% by the Original Developer and 85% by the Assignee Developer and as received by them. It is darified by the parties hereto, that other than on account of adjustment and appropriation, as provided herein, the Security Deposit shall not stand reduced below the said sum of Rs,90 Crores.

14. It is hereby agreed by and between the parties hereto that the Assignee Developer has undertaken and shall market the Developer's Premises and the

DA


future Residual Premises, from time to time, and shall do the sur fair price as prevalent at the time of such Marketing.

some at the Test - 1

It is hereby agreed by and boween the partes hemic, that, in lifty of 15. (a) the said 15% Realisations payable by the Assignee Developer to the Original Developer under Couse 4 hereinabove. If any of the "Developers Premises" or "Premises coming to the share of the Developer In the future Residual Premises" have not been Marketed and/or are unsold (hereinafter collectorely referred to as "Unmarketed Premises") at the time of expliny of the period of 5 years from the date hereof or when all the Buildings in which the Developers Premises or Future Residual Premises are contained are completed, then on such data, (i) 15% of the Unimarketed Premises shall vest and belong solely and exclusively to the Onginal Developer and the Original Developer shall be solely entitled to deal with the same as it so desires without any reference to the Assigned Developer and on its own account and its own benefit, but subject to the any lease/license agreements their edsting and (ii) 85% of the Unmarketed Premises shall vest and belong solely and exclusively to the Assignee Developer and the Assignee Developer short be solely entitled to deal with the same as it so desires without any reference to the Original Developer and on its own account and its own benefit but subject to the any lease/license agreements then existing. The actual division and decrareation of the Unstacketed Premises, in keeping with the stones aforesord shall be done in an equitable manner, such that, only exhiptete "Plats/Apartments/Units/Car Parking Spaces" are divided and vested in each of the parties in the aforesaid proportion. If on Implementation of this clause, it results in some "Flats/Apartments/Ursts/Car Parking Spaces" remaining balance (as they would otherwise have to be divided into two porpors to effectuate the divisionly then instead of dividing such Fals/Apartments/kirits/Car Parking Spaces in the aforesald procordion, expropriate accounting / payment at a fair price prevalent of the relevant time shall be made between the parties for the same, so that effectually the principle underlying the provision contained in this dause is adequately fulfilled and adhered to. The Assignee Developer shall execute such necessary agreement, deeds, documents and writings for effectual blansfer of the Unmarketed Premises contemplated herein (as may be required) In favour of the Onginal Developer (its nominee). Any starru duty or registration charges, payable on the instrument of transfer, of the Unmarketed Premises, by the Assignee Seveloper to the Original Devolupes or its nominee presumnt to this clause shall be borne and paid by the Original Developer or its nomines. Any stemp duty or registration charges, payable on the convenance/ assignment / transfer of the underlined portion of the Desire path transfer to the Cricknel Developer of the Assignee Developer equivalent to the Built up Arez of the Unmarketed Premises pursuant to this clause, shall be notified d paid by the Original Developer / Assignee Developer or their respect

外

case may be.



- 16. Notwithstanding the assignment as envisaged herein, it is agreed between the Grig nal Developer and the Assigner Developer that the obligation of the Original Developer to pay any amount to the Debt Asset Swap Banks under the directions as stated in clause 32 (e), (f) & (g) of the Development Agreement and/or to tive NCD Banks under the circumstances as stated in douse 23 of the Dovelopment Agreement, shall be continued to be of the Original Developer, subject to the rights of the Original Developer under the said Agreemonts and the correspondence / documents exchanged between the parties to the said Agreements/their assigns. The Assignee Developer hereby agrees to Informatify and keeps indemnified the Original Developer in respect of any payments required to be made by the Original Developer to the NCD Banks/ Union Bank of India Reliance India Limited, Himani Properties Pvt, Etd. A to Z. Broking Services Private Limited and Kamal Agri Properties Private Limited, under Clauses 23 or 32 (f) / 32 (g) of the Development Agreement. It is clarified that the Assignee Doveloper shall not indemnify the Original Developer against the payment of interest obligation as provided in clause 32(e) of the Development Agreement.
- 17. The Assignme Developer agrees to Indemnify and keeps indemnified and save harmless the Onging! Owner / Present Owner and the Original Developer (their respective directors and employees (existing and those in the future), from and against any and all actions, suits, dallins, proceedings, costs, damages and expenses (collectively, "low") relating to or arising out of -
 - (a) From and against all losses, damages or consequences arising out of the implementation of this Deed/ said Agreements and/or consequential, indicental or pursuant to the same and against any act of commission or univision) in pursuence of the said Agreements, the said Deads, 🐇 prore-regited letter dated 26° February 2007 and the said NOC Letters Eleg 9 by the Assignee Developer;
 - (b) From and against all claims, demands, actions, sides, litigation and 0010 proceedings of every nature by government agencies, regulator authorities or otherwise relating to and/or arising out of the said Developable Land and/or the said Agreements, the said Deads, the afore-recited letter cated 25" February 2007 and the said NCC Letters. which the Original Owner / Present Owner Conginal Developer, their respective directors and employees (existing and those in the future) may from or suffer or to which they may be medic a party to;

Page 14 of 20





- (c) From and against any contravention by the Assigner Developer of any law, roles, regulations, conditions, supulations etc. of any statutory or regulatory agency or otherwise;
- (d) And generally from and against all losses, penalties, damages, costs, darrages and expenses, which the Original Dwiner / Present Conner / Original Developer, their respective chectors and employees (existing and those in the future) may directly or indirectly incur, suffer or face in that report.
- (a) The Assignce Developer has handed over to the Original Developer an Indemnity in favour of the Original Owner / Present Owner / Original Developer indemnifying the Original Owner / Present Owner / Original Developer as hereinabove provided.
- 18. Nothing contained in this Deed shall be deemed to constitute a pertnership or a joint venture or association of persons between the parties hereto. It is hereby agreed and declared that each of the parties has undertaken obligations and has rights specified hereinabove on their own account and on principal to principal basis and not on behalf of, or on account of or as agent of any of them, or of anyone else. It is hereby clarified and confirmed that the Present Owner shall continue to be the owner of the said Developable Land and the Debt Asset Swap Premises and the Assignee Developer shall be "owner" of the Residual Premises (existing and future, however subject to the terms of the afore-recited letter dated 26th February 2007 in respect of the Owners Share in the existing Balance Residual Premises) and the Developer Premises till such time the said Developable Land and the Debt Asset Swap Premises, Residual Premises (existing and in future) and Developer Premises (or parts thereof) as the case (existing and in future) and Developer Premises (or parts thereof) as the case may be, are conveyed (by a proper deed/s of conveyence/assignment/ Deed of Apartment / Transfer) to the Prospective Purchasers/Association.
 - 19. The parties confirm that this Deed constitutes the entire agreement between them with respect to the subject matter hereof and shall on the state of the supersede all prior, understandings and negotiations, both written and oral, between them with respect to the subject matter of this Died.
 - 20. In the event of any breach of sechular tevisions coverants condition to the tevent of any party.

 These presents by any party.

 The event of any breach of sechular party in the defaulting party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and if such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such brushed and its such each is party to remedy such and its such each is party to remedy such and its such each is party to remedy such and its such each is party to remedy such each is party to remedy such each is party to remedy such and its such each is party to remedy to the each is party to the each is par
 - 21. If is agreed that any notice or communication to be served abon any of the parties to those presents shall be given by Registered Post AtD. / Speed Prost parties to those presents shall be given in these presents

Page 15 of 20



- 22. All disputes, claums and questions whatspever which may arise during the development of the said Developable Land between the parties hereto touching or relating to or arising out of these presents or as to any act of commission or omission of any party or as to any other matter in anyway relating to these presents shall be referred to the arbitration of a Sole Arbitrator, if mutually agreed upon by the parties or to three Arbitrators, one to be appointed by each party to the dispute and the two appointed arbitrators shall appoint the third arbitrator. Such arbitration shall be held in accordance with the provisions of Arbitration and Conciliation Act, 1996 or any statutory modification or re-execument thereof for the time being in force. The Arbitration proceedings shall be held in Mumbai.
- 23. The Stamp duty and registration charges, payable on this Deed of Assignment, Substituted Powers of Attorney and any other deed, writing or document incidental thereto to be executed in favour of the Assignee Developer shall be borne and paid by Assignee Developer. Each party shall bear its respective Advocates fees.

IN WITNESS WHEREOF the parties hereto have hereunto set and subscribed their respective hands to this Deed on the day, month and year first hereinabove written.

SCHEDULE

FIRSTLY: All that piece or parcels of Freehold land and ground bearing Cadastral Survey No.1903 (part) of Byculla Division admeasuring 1092.35 sq. mls. or thereabout inclusive of proposed set back area lying and being at Maulana Azad Road, Jacob Life Mumbal in the registration District of Mumbal and bounded as follows:

On or towards the East.

By Maulana Azad Road & Sub-Plot B3 🦃 🚳

On or towards the West

By C. S. No. 1903 (pt) of Byoulist Division spans

SUB-PLOT "A"] (Building known as "Kalpatacu

Heights) & Sub-Plot B3

On or towards the North

By C. S. No.1904 (pt) of Byculla Division [part of

SVE-MOT "6"]

On or towards the South

By C.S. Nos.1907, 1908 and 1/1908 of Byoula

Clyision

SECONDLY: All that piece or parcels of freehold land and ground bearing Cadastral Survey No.1905 of Byculla Division admeasuring 38711.56 sq. mts. or thereabouts inclusive of proposed set back area situated at Sane Guruß Marg and Maulana Azad Road, Jacob Circle, Mumbal in the registration District of Mumbal and bounded as follows:

On or towards the East

partly By Maulana Azad Road and C.S.

No.1906of Byculla Division

On or towards the West

Partly by Sane Gurufi Marg and C.S. No. 2/1905

of Byculla Division [part of SUB-PLOT "B"]

s/A

On or towards the North

By C. S. No. 1910

On or towards the South.

Partly by C.S. No.1906 and by CS No.1904 (ct)

and 1/1905 both of Bycutta Division [part of

SUB-PLOT 1877

TMIRDLY: All that piece or parcels of freehold land and ground bearing Cadastral Survey No.1/1905 of Byoulia Division admeasuring 210.70 sq. bits. or thereabouts situated, lying at Jacob Circle, Mumbai in the registration District of Mumbai and bounded as follows:-

On or towards the East

By C.S. No. 1905 of Byculla Division (part of SUB-

PLOT "B"]

On or towards the West

· By C.S. No.1904(pt) of Byculla Division [part of

SUB-PLOTIBY

On or towards the North

Partly by C. S. No.1995 and C.S. No.2/1905 both

of Byculla Division [part of SUB-PLOT "B"]

On or towards the South

By C.S. No.1904(pt) of Byoulla Division [part of

SUMB-PLOT "B"]

FOURTHLY: All that piece or parcals of freehold land and ground bearing Cadastral Survey No.2/1905 of Byculle Division admeasuring 71.54 sq. mts, or thereabouts inclusive of proposed set back area situated, lying at Jacob Circle, Mumbal in the registration District of Mumbal and bounded as follows:-

On or towards the East

By C.S. No.1905 of Byculla Division [part of SUB-

PLOT "B"]

On or towards the West

By C.S. No.1904(pt) of Byculla Division (part of

508-PLOT 1813

On or towards the North

Partly by C. S. No. 1905 of Byculla Civision [part

of SUB-PLOT "B"] and partly by Same Guruji

Marg

On or towards the South

By C. S. No. 1/1905 of Byculfa Division [part of

SUB-PLOT "B"]

FIFTHLY: All that piece or parcels of leasehold land and ground bearing Cadastral Survey No.1904 (part) of Byculla Division admeasuring 19878.68 sq. mts. or thereabouts inclusive of proposed set background the between Dr. Anand Rao Nair Rose and

Maulana Azad Road, bounded as follows:- 1

most in the registration District of Mumbal and

E 229 | 9/

On or towards the Ea

partly av Balliana Azad Road and CS 🔊 👁 🕔

1/905 of Byculla Division (parce)

UB-Pto [78] and by portions of C.S. No. 1904

handed over to BMMP and MHADA)

On or towards the West

Firty by the junction of Same Guruji Marg and Cr. Anand Rao Nair Road and C. S. No.:/1904 (pt) & C. S. No. 1903 (pt) of Byculla Civision. [part of Suß-PLO? "A"] (Bullding known as "Kalpataru Heights) and by portions of C.S. No.

4

Mon or towards the North

1904 (pt) being handed over to GMMP and MHADA)

Partly by C. S. No. 1905 & C.S. No. 1/1905 [part of SUB-PLOT "B"] and C.S. No. 1906 of Byculla Dwision

On or towards the South

Partly by C. S. No.1/1994 (pt) (part of SUB-PLOT "A"] (@miding known as "Kalpataru Heights)& C. S. No. 1903 (pt) of Byculla Division and by a portion of C.S. No. 1904 (pt) being handed over to BMMP)

The above developable land aggregates to 60064,63 sq.mbrs. as under: -

Firstly C.S. No. 1903 of 1192.35 sq.mtrs.
Secondly 1905 38711.56
Thirdly 1/1905 200.70
Fourthly 2/1905 771.54
Fifthly 1904 19878.68

198-1 Cent 96

Total

60064.83

SIGNED AND DELIVERED BY THE Within named Ongwal Developer

K. RAHEJA CORP PRIVATE LIMITED

By the hands of Mr. A.D. Brakky
who is the authorised signatory under the
Board Resolution dated 110 2006
in the presence of Mr. (Sapan - Pauser

Raheja Core. Pvi. Ltd.

Director/Authorised Signatory

SIGNED AND DELIVERED BY THE

Within named Assignee Developer GENEXT HARDWARE & PARKS

PRIVATE LIMITÈD

By the hands of Mr. Ca G. Environcy Cy

who is the authorised signatory under the \Rightarrow | \mathcal{D} \mathcal{C} \mathcal{C} \mathcal{C} \mathcal{C} \mathcal{C} \mathcal{C} \mathcal{C} \mathcal{C}

in the presence of Mr. Ashician D. Kanners

fall 1111

Auth Sign - James

)

RECEIPT

Received of and from the withinnamed Assignee Doveloper a sum of Rs. 2,00,00,000/(Rupees Two Crores (n'y) by cheque bearing No.171201 dated 10th October 2006drawn on UTI Bank Ltd. together with the sum of Rs. 88,60,00,000/- (Bupees Eighty Eight Croves only) by chaques bearing Nos 17128/ 17126/ (Bated 2006) crawn on Dank making in the Apprecate an amount of Rs.90,00.00,000/- (Rupees Ninety Crores City) towards the Security Deposit as withinmentioned.

Place : Munibal Date : <u>ess</u>/09/2007 We Say Received For K. RAHSIA CORP PVT. LITD. (Chiginal Opvioloper)


(Authorised Signatory)

Witnessess:

M. ASHER OF CAMISTS

2 Brigary Power

हेंबई-1 इंबई-1



Annexure "B"



Power of Attorney dated 25th February 2005 and registered with the office of the Sub-Registrar of Assurances at Bombey under Sr. No. 345 of 2005 in respect of marketing of the Developers Premises and Residual Premises

Power of Attorney dated 25th Pebruary 2005 and registered with the office of the Sub-Registrar of Assurances at Bombay under Sr. No. 346 of 2005 in respect of development of the Developable Land Power of Attorney dated 25th February, 2005 in respect of conveyance of the Developart Portion and Residual Portion.

3.



For Oenert Aindware & Parks Pet.


1.

2.

Por K. Rabeja Corp. Pvi. Ltd.

100jung. ector/Authorised Signatury







CERTIFIED TO 22 TRUE CARY

M. M. Konkar ADVOCATE & NOTARY SA, ALCI CHAMBERS, TAMARIND LAND, BOMBAY - 400 023

No. of super Society SE of the Standard Land Standard Land

Ministrate Control Conference

dilities but the 華 सार्थ विकासिक्त है। كالسلامتكهارا ونعفاء 1700000 20.766 808 physical and emphasized and the comparison of th 9 2 開展 100 140.85 and better the strategic of the second d keri Sasad 5 paleste man bet fre. × ID-HIE KROWN MARK AND MAIN BALL LINES A Strong IN -- The Scottlett of State 50 LOVA is charte. to write their new county presentill. Consideral 1 St. See of Peron in Brechtlid Secondary 2. Per cl Strel or L DAY JAKE MESAE 1 THE CONTROL TO STATE OF THE PARTY AND PARTY AN म्य

(delate)

THE FAME HAS CONTINUED OF CHANGE OF THE CONTINUED HAS BEEN DEFAULT THE CONTINUED HAS BEEN DEFAULT THE CONTINUED HAS BEEN DEFAULT THE THE THE THREE THR (RE-GILL FOUNDAME OF A STATE OF THE CONTROL OF THE VR 8,820,54798 M.NS-MB.

N. C. DOLLIN I, LIO, PURINE S. TOLLIN INC.

to from helds both at Balente 111.5

9

It highli had free Solas Hay

III DAVISHOUSE BELLEVIEW OF SALESHOOD OF THE COLOR OF THE

- 14.

(1), Freed | 11, Septial retries to the little of the litt

中国的对于1000年1000年1000年100日,1000年100日,1000年10日,

1

4

いっぱんなのがが

NO WENTER SEC TOTA ON-PARTED AS NO SUM ASSESSOR WERE FOUND TO THE FOLLOWING THE SECOND WITH THE SECOND SECO

1555 TH

frans fruit Hilde in 18 hyde is

Selfe.

The Parish of Parish Springs of exhibiting on Code South


A OF META ADDITIONAL TO A STATE AND SERVICE THE TOTAL WITH THE WITHOUT THE ADDITIONAL SERVICE THE TOTAL WITH TH

Appearance of the control of the con

(Rectanglian "1)" besteels show many deciried.)

Here yet of this william work of Lichagaiter about laws part of this william work.

Applied City Servey and Land Security







| PETTERNOTON (2006) | TOTAL | Collector Seal Ball By TOWARD AND AND AND AND AND ASSESSED ASSESSED. BO ह्मा स्थानक्ष्यंत्रातः क्ष्माक्ष्यं क्ष्माश्रम् । १६५१,५ nga by 135 Kitor Application is 196 C. 6. Physiological dir is allabel fill 1 (2, 2004) | 15, Septiment of Italian | Market of | Market of | Market of other of the other of der ber in begen ber ber ft. 1 11241.124 - 184 SHALK S MACE TO THE PARTY 212.8 W-1 90.088K 8 --- PT ICHE SETTE CHUTALE E DANC O TANCO TE TENTO E CONTINUADO DE COMBETA CLASA DE SECULOS SEL DE CALA TANCO EN COMBETA DE SECULOS SEL DE SECULOS SEL DE TANCO EN CALACIDA DE SECULOS SEL DAN SE ACESTA DE SECULOS SEL SEL DESCRIPTO SECTION AND RESIDENCE OF THE SECTION AND RESI 題 part 662 year-year may because health trades 400.0 Lists. (a)-yearing the redictional view (PC. 1 1 200 White Series in the New Charles Series (New York of Series It, but of Acade Heise Breast Serie 110m B 20mmです。 (1985) in Solvani indira 1988 gast to other. Secretary |पासका t. Imlined CO-GAME BL. B.S 1970. TREADURATED NO. 24, Lene from Malit Johne Fulisher ₹ CLIT, CONUS. IT COM J. forthing engages within a state of the following diam'r. Construction bearing in 1835 to San Park Cond but | 15, the of Perce in breticial heartist NAME OF TAXABLE PARTOR PARTORS. FOR BOARDAM WAR DATE OF CHARGES MAILY TREESTY. C | 40 km | 1 17355 | 1 JULIA COSSAN MENDE NACIONAL L'ENTERNA 2 Recolifornia)], bead Hilling DISSESSED TRACKS. 10905 tt. Organi from Polyna 10.50 Rights Ro. 10 Tex Yo. 70 ONE BLAD 1000 9 00 PAIDE DILLING (0000) 411 13811 Lake, B 湾 Pomolic ٤

TOTAL MENTION THE TAX BENEFIT OF STREET, AND ADDRESS OF THE PERSON OF TH

\$ a

n (9

A residence we note that he seen

I become the track one or per his true with the debt of it is before the second property of the property of th

Commission to the beautiful country of the bea To not the feet with the south, south the प्रवाद्यान A ASSESSED FULL OF THE WAY THE HE WAY GOT ALL MANAGEMENT OF A THE ASSESSED FOR THE ASSESSED SECTION CONTRACTOR TO SECTION SECTION OF SEC WELL MANTE DECRUISE N. 124 - 98 MONTY - 15 DE JA 100 SEPTEMBLE DE SERVICE DE CRES NO, MEDI SECURITY RECEIVED WAS KITALIS WORDEN OF SOUTH COLD FE, SON SOCIETY, TILLING SO, 1903 WIN SEPTEMBER 5-3-27-50 MATCHER CHICAGOS NO ME, SOLIS INSCRINSIN DALIS.
SENTENDO, SENTENDOS NO ME, SOLIS INSCRINSIN DALIS. あれなが、あるなが、あれなの A MARKA 11-29-20-11-29-20 四十年前 四十年月 おかか おかる T 18 CH. 19:

A SEMANDAL MEMBERS PALLACIA NO NOTATION STOREGISTAL PARTY.

WAS NOT ASSESSED TO US DATE HE BUS THEN SHEET IT HE

ME ALSO HER, METERNES IV ASSTURES JOA CLI LA CALLET HANNET HE

time of April and: CARE A USC PTLAN the of April collocation and the season of t wage BWG/365

SECURED MANAGEMENT SECURED SET SET AND COMPANY

SEASON ON PARTY WAS SEEN OF REPORTED TO THE REPORT OF THE SEASON OF THE

WALL AND THE WAY NOT AND THE PARTY OF THE PARTY OF THE PARTY.

make to that it is from they at the subset of Calabranase saids from part of the other world as the property returned to transfer to 1998 May with the control of the property returned to the property of the subset of the property returned to the property of the subset of the subset

But ten yees surfied with the original related and loans correct.

Colde-Jus

Book To the total of States and the property of the Comments and feel that Sectors hy In. Accele to State Accelerate THE SERVICE CORRESPONDENCIAL गांध जातीताच्या ग Tabers | Taberkowers E. U. (2014) | Contents L. don, b. J. London Scor M. (in-Jamana) (in-Jamana) Ė | Asserted the difference per 100 Apr. Total and mar Collect |
| The 109, 20 April |
| T Sinte It is warmagock with the coop wide the pile on appeals the Modelle fields with oil for the deal best best is \$1 000 for a 4-20% amplies fight find about best from the the discusse salars for an eff feative for energy of the FOR ASSESSION OF THE PROPERTY CONTRACTOR IN THE PERFORMANCE IN THE PER Section . 6 P. 1,116.00 junith contract of 52 institute and until dealer most object in abut 1900 of 150 start of when AMILE . 2 1 THE THE PART AND THE PARTY IN T CONTRACT MALE RELIGIOUS PROGRAM MANY LINES. E Salaman INCOMPRESENTATION OF STREET PROPERTY. Super market on the post of these of about the con-3000 4 11. Not at Armedition by Present Date. RACHESTER OF POLICY HAN Ş (Mass) FOR TALL STATE SAME. 1. Crelling 2 25, tense from Phille hap or Satished 10年で [[中間] (10年) 9 THE STATE OF PRINCIPLE SOURCE OF MARKET BLACK COLUMN AND STATE OF COLUMN PRINCIPLE. 3,34418 1. State Level 1 Machine of Decou, in Predicted Security Public Model 1 ووع TO PROPERTY OF L. Armers INTERPORTED FOR THE Lan Jales : ATEL BY E4-201 11 -21カヨー・・・・・・ 日本のオー・エー・エー 200 B 1 - 1 - 1 - 1 - 1 - 1 - 1 を重要でするです。 では、 NUMBER OF THE PROPERTY. biging fruit from Sental 1900 CO. (1) Pirts or: PCDLA Pc State no. 10 No. 80, 50 - 194 वस्य

STATE OF STREET

ř

Company of the Section of the Section


5

DECEMBER OF STATES OF THE STAT


Michael and the mary pagentaries of distriction and extending

: ketterple "t. i' innertra who many debrid i' libbi ii niji ii a tim oop of to potest Mifahiyahe mida term per mi Mot afton noord





and the arm of the property referred to therein to _MOLES 50, solven, CROST LINE MOLES EXES SURFINED TAKE. MOST SETTLE SO. Adv. DLD Mich has beyn serified with the original sound and found correct.





をおけること

HOSTOCKEN ANTORNE NAME AT ATTENTIAL IN COLLEGE OF THE WORKEN CHANNES OF COUNTY STORY.

41-5-5-6-5-5-6-4-4-1-201.

O SENSITIONED A REPORT MAINTAINED TO SENSITION OF THE SENSITION OF THE SENSITIONED WAS THE SENSITIONED WAS TO SENSITIONED TO SENSITIONED BY THE SENSITION OF THE SENSITIONED T を発生し

New of April Carl St. M. Date (1991), W. Mills of April Carl St. Mills of April Carl St. Mills of St. Mills o Reference of Lower springerston

Markey III Prime: POLL

NAME S

MORT SCHOOL DE THE ME STATE OF HOUSE AND STATE OF HOUSE AND STATE OF THE THEORY STATE THAN THE STATE OF THE S

Fallschen boltette. A. Odbelos Social. Fold A CARMANIA A transfer Same ACCUMANTE. P.Techin 20.000 1200 90.000 1110 L Date 1 1033 3 CL. A CHARLE 1.05461 ¥. L SITH B L. Knool Brol | M. Rose of Devon in Beneficial Describing 1. the distantal -利には STATE OF Ę

ALL DO NO MARKAGE ALL

18.1 HE THE RESERVOIR THE PROPERTY OF THE PROPERTY OF THE PARTY. THE PART OF A CONTRACT OF THE PARTY OF THE P NO FILE CONTRIBUTION OF THE WASTE WASTE OF THE CONTRIBUTION OF THE TRANSPORT OF THE TRANSPORT OF THE TRANSPORT OF THE CONTRIBUTION OF THE CONTRIBUTION OF CONTRIBUTION OF THE CONTRIBUTION OL RUD + ATIM CHRISC BENE-1506 M. Bak of Assisting by freezed flower A LACK SOUND FOR INCIDENTAL DISC MASSIN 101-400 C.G.M. 978 CITY NAMED STATES THAT STATES TO SEE THE STATES THE STA THE ALDER HAVE DANCE ON WITHOUT IN THE

9

the In Sect.

IIC HAPTON KUCH UN.

I ALDEROCK VIPLE COLLINS IN ICO OLI ACCAMPINATORY OF USUAL VIOLEN A NOTABLE OF COLUMN TO THE COLUMN AND A SHEET OF ILLUSTRAND OF OF ILLUSTRA THE EAST RIVER WAS ARRESTED BONE

3

13

199

The trial from frue tools of any

HOSE BLOCKS OF THE A PRINK DESIGNED OF THE SEA OF THE WAY web Ball are few fathe hop or fullshe FCN 0 2.... 一日本の中の本の十十八日の日

9.9 ź

G tons | 11, Septiatrons hala

ANSTRAINE BLUID AS HETTEN OF THE FINE BROWN DE PROMOTION OF THE BROWN DESCRIPTION OF THE BROWN DESCRIPTION OF THE BROWN BROWN

1 breson Lindbled a Wild III was be to built

E Linited

1

3033 For Early, to have been as a supplementary of the Parist and the management of the transmission of the tra



Parison IGES Agricy In. 10. Paris, 10.

in law i

8

AMPLIANCE OF THE THE PARK AND AND STREET STR

ONE

FA NYSE, E. P. MARLE

्याक्षक क्ष्मका । I List believing PLEASE BOOM JM1192 Workfully 19 Still C. R. NOBRELLE A track : Lieston South MITTHE - व्यक्तम \$2,000 1,50,00 10,00 10,00 Man 1 (02/2) ś A COM 14,54811 17 MOS A Laboratory ÷ Licentifed I II, the of from it helical facesity 1. Jeen Stort y J.Cal STEP STA

to bear.

¥ 60

を言る THE WAR

th Betylene has - 125 NO NO THE CONTROL OF COURT OF OF EXPRESSION AND MEMORY STATEMENT OF THE CONTROL O TLE-100X APROVICE HERE ALSO DER SINCHES DE THE THE The effect realized company of the order of the company of the MONTHS AZDET AT 801 THE NOJAMENT THIS FROMEN HANDS OF GREEN PARKETS IN PACE. H. Ste of Applicating Print Day A PART NATION IN PARTIES 1780. 11 OLD FEB 75:20 (F. 17). Cristian unaccome and i date in communication TO TAMES WATER.

NO. N. W. M. C., S.

Hallese from Millighth or flat

feet that from ford, of any

-

IID SPORT IT MAN HOLING SATE, U.P.202 Pollate to National M. Specialisatic Infinite National Management Infinite National Management Infinite Miles, Miles rate to tel. Mile 11日元 2223 Material South Comments of State of State of South Comments of South Sou The field tegs. List 14-00 is juined to be asset Dang. 聖公司 S. Conf. Barr ger first & hers Ŕ - VIII -ASSESSMENT THE AS THE NOTANGE HE HAS RESTRICTED BY THE STATE OF THE STATE OF STATES OF THE STATES OF L. Bereits **全国的基础的基础的基础的** DASH MASH VILLE, B. D. 1865 STORY MARRIES.





| AXIS-BANK LTD. | exis early, ashora | 02E GATE | PA-08-5101 | |
|------------------------------|--|----------|--|---|
| PAY THE | * | | OR ORDER | 1 |
| Thirty thousans only | | | | 1 |
| n 126566 | | Rs. | H1111111111111111111111111111111111111 | 5 |
| PO Si No. | . 0 | na. | 180° | 2 |
| 028 TO SEE READ BOOKS (MESS) | Sippy | in 4 | AUTHORSED SONITORY KISHORS KHUBNAN! | |
| | AUTHORISED SIGNATURY | 22.0 | KISHORE KHUBRANI S. S. No. 2008 | |





γ 95)ΒμιΟ 140 - 105

R BOW







FORM 6 (See Rule 19(1))


Driving Licence

Mr. Ashwin

Sonwille/daughter of

Me Digamber

Kamb 1



amount in address/ Official addresa (7 any)

Permanent Address 1-18 Henciae Bidg, 250 Y.P. Rd, Girgann Murn-04

Date is bint . 21-11-14.72 Educational qualifications . .

Direct group with AH laster (Option

The haider of this Toence is licensed to directhroughout India the vehicles of the following description:—

MICYCLE WITH GEAR

MOTOR CYCLE WITH GEAF

The licence to drive a motor vehicle other than transport vehicle is wild.


From 171-04, to 20-11-2022

RS.4001-14693441

23363544693441

Signature and Isignation of the Licensity Authority.

Mumbal (Caster li





दस्त गोषवारा **माग** - २

दस्त क्रमांक (R671/2007)

दाल क. [अग्रह: 867:-2007] दा गोववारा बाजार मुन्द :2202004000 सोमदान 2262064000 भरतेले पुराक गुन्त : 22620050

ਕੁਰਗ ਨੂੰਅਰ ਫੈਸਟਰਾਡਾ ਵਿਕਾਸ਼ਨ *09/05/2007* 04:00 PM दिव्यक्तिमाना दिनाक QA/DE/2007

PUBIAC क्षेत्र हरूर करगा-वाधी #ही 1 4cc 108

्रे रेस्सामा प्रकार 5) कशरणाया किया त्याचे अभिसेख किया तरार संक्षेपनेस

रिक्का क. 1 नी वेळ : (सादरीकरण) 06/08/2007 एउ ए० FM ਗਿਤਨਾ ਭਾ. 2 ਥੀ ਵੇਲ : (ਤੀਂ) 08/08/2007 04:02 PM Fireces अ. 3 की देख : (क्युजी) 08/08/2007 04:05 PM fline 도 4 명 4명 : (Sherts) 05/06/2007 04:05 Pfd

em নাত্র কৈবোল কিবাক - 06/08/2007 04:07 FM

চাক্তা : खातील इतम असे निपेदीत करतात की, है उत्तर्पक करून देगा-धाना वक्तीशः ऑक्वजाह, य स्पाची ओळख पटवितात.

तंश्रद सुदान स्थार . , पर/पृश्रेट में: मिलन सात

गलके/पननाः ३ स गोळीबर रोठ

ईमारतीचे नावा -इंमास्त 🛬 -

पेठ/दशाहतः साताकुक पू

शहर/गारः मु

ठानुकाः -विनः ५५

क्षेत्र दिएकर क्षेत्रकी - क्षर/क्ष्तेट में अन्य हैंद्वे

गलनी/काशः की फैंशड

इमान्त्रीचै २०३ -

ईमारत न. -

वेद्यवसाहतः -शक्तारकाः विस्ताव मु

तातुकाः -

चेत्रं ४


पवती क..४३५५ हित्राक(06/08/2002) पन्यतीचे वर्णन बांक जीवेक्ट हाईवेक्ट बेंब पार्कस्य में ति श्रे आँचो किले गोरवन की कुफरेजा

. नादणी की ्यक्कल (अ. ११(१)), पृष्टाकनाची नयरण 720 part 11(2)₁. रुजवृत्तः (श. १२) व व्यक्ताचित्रकः (भ_ा 13) ः एकडिन औ

३०१२० एक्न

प्रस्कारक कार्यांच केंद्र औं का Fill of Same 780 es अपीलक MANUTAL ... NURSE

A STATE OF THE STA



06/08/03

DATED THIS LODGE AUGUST 2007

K.RAHEJA CORP PRIVATE LIMITED
....Original Developer

....

AND

DEED OF ASSIGNMENT FOR TRANSFER OF DEVELOPMENT RIGHTS

RAKESH KUMAR

ARCHITECT

Plot No. C 30, Block 'G', Opp. SiDBi, Bandra Kuria Complex, Bandra (E), Mumbai: 400 051 Tel. 2656 4000 Fax 2656 4604

Date: 13/05/2019

To, The Member Secretary, SEAC-II Environment Department, 15th Floor, Mantralaya, Mumbai-400032

Subject: Environment Clearance for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot on sub-plot 8 of property bearing CS No 1903, 1904, 1905, 1/1905, 2/1905 of Byculla division abutting Dr. A.L. Nair Road and Maulana Azad Road, Jacob circle, Mahalaxmi by Genext Hardware & Parks Pvt. Ltd.

Reference: 96th Meeting of SEAC-II, 15.04.2019 Item No 5 in Agenda (Online Unique Application No 0000001765)

Architect area certificate for area constructed on site as on 13/05/2019

| Sr.No | Building Details with configuration as per EC dated 29.09.2014 | Floors Constructed Up to | FSI Area in Sq.M. | Non FSI Area in (Sq. M.) | Total BUA in (Sq. M.) |
|-------|--|--|-------------------|-----------------------------|--------------------------|
| 1 | Bldg, no 1 (Tower B1,82,A) i.e. Tower A, B,C) Stift + 41 Upper floors over two levels of podium | As per EC dated 29.09.2014. (Work Completed) | 65,846.16 | 1,16,639.23 | 1,82,485,39 |
| 2 | Bidg. no 2 2 Basements + 2 Parking Floors + Stilt + 44 upper floors | As per EC dated 29.09.2014 (Work Completed) | 31,935.02 | 33,870.88 | 65,805.90 |
| 3 | Composite Bldg no 3 Municipal Public Parking lot: 3 Basements (pt) + Ground (pt) + 4 upper floors (pt). Residential Wing 3 Basements (pt.) + Ground (pt) +Intermediate Parking floor + 4 Parking Floors (pt) +2 Parking Floors (full) + Stilt + 43 floors | As per EC dated 29.09.2014 (Work Completed) Work completed as below, 3 Basements (pt.) + Ground (pt) + 4 Parking Floors (pt) +2 Parking Floors (full) + Stilt | NIL 576.8 | 65,563.61 29,928.24 | 65,563.61 30,505.04 |
| | Total | | 98,357.98 | 2,46,001.96 | 3,44,359.94 |

Built up area as per EC dated 29/09/2014 u/n SEAC-2014/CR-35/TC-1 is 3,88,031.81 Sq. M., Built up area completed on site admeasures 3,44,359,94 Sq. M., which is less than built up area as per EC dated 29/09/2014 u/n SEAC-2014/CR-35/TC-1.

Thanking You, Yours faithfully

RAKESH KUMAR

RAKESH KUMAR Architect CA/90/13582

Agenda of 96th Meeting of State Expert Appraisal Committee (SEAC-2)

SEAC Meeting number: 96 Meeting Date April 15, 2019

Subject: Environment Clearance for for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot at Sub Plot 'B' bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A.L. nair Road and Maula Azad Road, Jacob Circle, Mahalaxmi by Genext Hardware & Parks Pvt. Ltd.

Is a Violation Case: No

| L.Name of Project | |
|--|--------|
| 3.Name of Project Proponent Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd. | |
| 4.Name of Consultant Dr. D. A. Patil, Mahabal Enviro Engineers Pvt. Ltd. 5.Type of project Residential Project along with Municipal Public Parking Lot Amendment in existing project. (Vertical expansion to residential wing of Building No.3 h proposed) Amendment in existing project. (Vertical expansion to residential wing of Building No.3 h proposed) Amendment in existing project. (Vertical expansion to residential wing of Building No.3 h proposed) We have obtained EC u/n. SEAC-2014/CR-35/TC-1 dt. 29/09/2014 for the plot area 61,520 and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and FSI area of 1,29,988.78 mg., Non FSI area of 2,58,043,03 mg. with total construction and 1,290,043,040,040,040,040,040,040,040,040,04 | |
| Residential Project along with Municipal Public Parking Lot | |
| 6.New project/expansion in existing project/modernization/diversification in existing project modernization/diversification in existing project 7.If expansion/diversification, whether environmental clearance has been obtained for existing project 8. Location of the project 9. Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutt A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 9. Taluka 10. Village 9. Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutt A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 9. Taluka 10. Village 9. Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 9. Taluka 10. Village 8. Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 9. Floor: | |
| project/modernization/diversification in existing project. 7. If expansion/diversification, whether environmental clearance has been obtained for existing project 8. Location of the project 8. Location of the project 8. Location of the project 9. Taluka 10. Village 10. Village 10. Village Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 9. Taluka 10. Village Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 10. Village Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 10. Village Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 10. Village Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra Sepulla Division Atabate Dr. A. L. Nair road and Maulana Azad Road, Jacob Circl | |
| whether environmental clearance has been obtained for existing project 8. Location of the project 9. Location of the project 10. Location of the project 11. Area of the project 11. Area of the project 12. Location of the project 13. Note on the initiated work (If approval Number) 14. Location of the project | s been |
| A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra 9.Taluka Mumbai Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Maha Correspondence Name: Room Number: Floor: Building Name: Raheja Tower Road/Street Name: Plot No. C-30, Block G, Opp SIDBI, Locality: Bandra Kurla Complex Bandra (East), Mumbai 11.Area of the project Municipal Corporation of Greater Mumbai (MCGM) OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no issued u./no.EEB9/9527/E-A dt.11/02/2018 12.IOD/IOA/Concession/Plan Approval Number 13.Note on the initiated work (If applicable) 13.Note on the initiated work (If applicable) 15.Total Plot Area (sq. m.) A. L. Nair road and Maulana Azad Road, Jacob Circle, Maha Authousian Andrea (Sundamental Circle, Maha Authousian Andrea (Sundamental Circle, Maha Authousian Azad Road, Jacob Circle, Maha Authousian Andrea (East), Mumbai Correspondence Name: | |
| Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Maha Correspondence Name: | g Dr. |
| Correspondence Name: Room Number: | |
| Room Number: - | ıxmi |
| Floor: Raheja Tower Raheja Tower Raheja Tower Road/Street Name: Plot No. C-30, Block G, Opp SIDBI, | |
| Raheja Tower Road/Street Name: Plot No. C-30, Block G, Opp SIDBI, | |
| Plot No. C-30, Block G, Opp SIDBI, | |
| Locality: Bandra Kurla Complex Bandra (East), Mumbai. 11.Area of the project Municipal Corporation of Greater Mumbai (MCGM) OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no issued u./no.EB-907-E-A dt.11/02/2018 12.IOD/IOA/Concession/Plan Approval Number 10D/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018 Approved Built-up Area: 210603.62 On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846 and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 mand the work of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2. 14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable) OCC for building no.1 issued u/no.EBP/9527/E-A dt.18/07/2013 and OCC for building no.3 i | |
| City: 11.Area of the project Municipal Corporation of Greater Mumbai (MCGM) OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no issued u/no.EBP/9527/E-A dt.11/02/2018 10D/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u/no.EBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u/no.EB-907-E-A dt.11/02/2018 Approved Built-up Area: 210603.62 On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846 and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 material been completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2. 14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable) OCC for building no.1 issued u/no.EBP/9527/E-A dt.18/07/2013 and OCC for building no | |
| 11.Area of the project Municipal Corporation of Greater Mumbai (MCGM) OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no issued u./no.EB-907-E-A dt.11/02/2018 12.IOD/IOA/Concession/Plan Approval Number IOD/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018 Approved Built-up Area: 210603.62 On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846 and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 name to be completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2. 14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable) OCC for building no.1 issued u/no.EBP/9527/E-A dt.18/07/2013 and OCC for building no. issued u/no.EB-907-E-A dt.11/02/2018 61,520.46 m2 | |
| OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no. issued u./no.EB-907-E-A dt.11/02/2018 12.IOD/IOA/Concession/Plan Approval Number IOD/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018 Approved Built-up Area: 210603.62 On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846 and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 mand the work of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2. 14.LOI / NOC / IOD from MHADA/Other approvals (If applicable) OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.1 issued u/no.EB-907-E-A dt.11/02/2018 61,520.46 m2 | |
| 12.IOD/IOA/Concession/Plan Approval Number 12.IOD/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018 Approved Built-up Area: 210603.62 On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846 and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 n been completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2. 14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable) OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.1 issued u/no.EB-907-E-A dt.11/02/2018 61,520.46 m2 | |
| Approval Number u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018 Approved Built-up Area: 210603.62 On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846 and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 magneticable) 13.Note on the initiated work (If applicable) On site the work of Building No.1 having construction area of 65,805.90 m2 (FSI: 31,935.02 magneticable) Deen completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2. OCC for building no.1 issued u/no.EBP/9527/E-A dt.18/07/2013 and OCC for building no issued u./no.EB-907-E-A dt.11/02/2018 15.Total Plot Area (sq. m.) 61,520.46 m2 | 2 |
| 13.Note on the initiated work (If applicable) On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846 and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 material been completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2. 14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable) OCC for building no.1 issued u/no.EBP/9527/E-A dt.18/07/2013 and OCC for building no issued u./no.EB-907-E-A dt.11/02/2018 61,520.46 m2 | |
| 13.Note on the initiated work (If applicable) and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 magnetic plane) and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 magnetic plane) been completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over construction completed on site is 326537.40 m2. OCC for building no.1 issued u/no.EBP/9527/E-A dt.18/07/2013 and OCC for building no issued u./no.EB-907-E-A dt.11/02/2018 15.Total Plot Area (sq. m.) 61,520.46 m2 | |
| Other approvals (If applicable)issued u./no.EB-907-E-A dt.11/02/201815.Total Plot Area (sq. m.)61,520.46 m2 | 2) has |
| | 2 |
| 16 Deductions 4 470 19 m2 | |
| 1,170.10 112 | |
| 17.Net Plot area 57,050.27 m2 | |
| FSI area (sq. m.): 1,32,331.76 m2 (Entire Project) | |
| 18 (a).Proposed Built-up Area (FSI & Non-FSI) Non-FSI area (sq. m.): 2,60,802.75 m2 (Entire Project) | |
| Total BUA area (sq. m.): 393134.51 | |
| Approved FSI area (sq. m.): 1,28,688.95 m2 (Entire Project) | |
| 18 (b).Approved Built up area as per DCR Approved Non FSI area (sq. m.): 2,56,764.51 m2 (Entire Project) | |
| Date of Approval: 11-02-2018 | |
| 19.Total ground coverage (m2) 24,531.61 m2 | |



| 20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky) | 43% |
|--|------------|
| 21.Estimated cost of the project | 8356193347 |

| Serial number | Buildin | ng Name & number | Number of floors | Height of the building (Mtrs) | | | |
|---|---|--|---|-----------------------------------|--|--|--|
| 1 | Bldg No. | 1 (Tower B1, B2 & A1) | Stilt + 41 upper floors on 2 levels of podium | 172.275 m | | | |
| 2 | | Bldg No. 2 | 2B + 2 Parking Floors + Stilts + 44 Upper Floors. (41 habitable floors + 2 fire check floors + 1 service floor) | 177.65 m | | | |
| 3 | | 3:- Composite Bldg a) esidential Wing | 2B (pt) + Gr (pt) + intermediate Parking Floor + 4 Parking Floors (pt) + 2 Parking Floors (full) + stilts + 44 Upper floors (habitable floors) + 2 fire check + 1 service floor | 206.50 m | | | |
| 4 | | 3:- Composite Bldg b) al Public Parking Lot | 3B + G (pt) + 4 Upper Floors (pt). To be handed over to MCGM and 5th & 6th Floor above MPPL will be retained for Residential parking. 25.10/ 26.30 m | | | | |
| 23.Number tenants an | | Bldg. 2: 110 Nos. Bldg. 3: 126 Nos. | | | | | |
| 24.Number of expected residents / users | | 1,545 | | | | | |
| 25.Tenant per hectar | | 90/Ha | | | | | |
| 26.Height building(s | | .4 | 57 | | | | |
| 27.Right of way (Width of the road from the nearest fire station to the proposed building(s) 36.60 m wide Dr. A.L. | | | Tair Marg on West side & 27.43 m wid | le Maulana Azad Marg on East side | | | |
| 28.Turning for easy ac fire tender movement around the excluding for the pla | ccess of from all e building the width | 9.00 m | | | | | |
| 29.Existing structure | | NA | | | | | |
| 30.Details demolition disposal (I | with f | NA | | | | | |

| 21 | Drodi | iction | Details |
|-----|--------|--------|----------------|
| OI. | .Prout | ICHOIL | Details |

| Serial Number | Product | Existing (MT/M) | Proposed (MT/M) | Total (MT/M) | |
|------------------|----------------|-----------------|-----------------|----------------|--|
| 1 | Not applicable | Not applicable | Not applicable | Not applicable | |




applicable)

| | 32.Total Water Requirement | | | | | |
|-----------------------------------|--|-----------------|--|--|--|--|
| | Source of water | MCGM | | | | |
| | Fresh water (CMD): | 117 KLD | | | | |
| | Recycled water - Flushing (CMD): | 61 KLD | | | | |
| | Recycled water - Gardening (CMD): | 33 KLD | | | | |
| | Swimming pool make up (Cum): | - | | | | |
| Dry season: | Total Water Requirement (CMD) | 178 KLD | | | | |
| | Fire fighting - Underground water tank(CMD): | As per CFO NOC | | | | |
| | Fire fighting - Overhead water tank(CMD): | As per CFO NOC | | | | |
| | Excess treated water | 71 KLD | | | | |
| | Source of water | MCGM + RWH | | | | |
| | Fresh water (CMD): | 99 KLD + 18 KLD | | | | |
| | Recycled water - Flushing (CMD): | 61 KLD | | | | |
| | Recycled water - Gardening (CMD): | - | | | | |
| | Swimming pool make up (Cum): | - 43 | | | | |
| Wet season: | Total Water Requirement (CMD) | 178 KLD | | | | |
| | Fire fighting - Underground water tank(CMD): | As per CFO NOC | | | | |
| | Fire fighting - Overhead water tank(CMD): | As per CFO NOC | | | | |
| | Excess treated water | 104 KLD | | | | |
| Details of Swimming pool (If any) | * | | | | | |




| | 33.Details of Total water consumed | | | | | | | | | | |
|--------------------------|------------------------------------|---------------------------------------|---------------------|--|---|-------------------|-------------------|-------------------|-------------------|--|--|
| Particula rs | Consumption (CMD) | | | | Loss (CMD) |) | Effluent (CMD) | | | | |
| Water Require ment | Existing | Proposed Total | | Existing | Proposed | Total | Existing | Proposed | Total | | |
| Domestic | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| | | | | | | | | | | | |
| | | Level of th water table | | 3 m | | | | | | | |
| | | Size and n tank(s) an Quantity: | | 2 Nos.of RV | VH tanks wit | :h 74 m3 cap | acity each. | 9 | | | |
| | | Location o tank(s): | f the RWH | | ment for bld & 3rd basem | | Basement fo | or Residentia | l tower | | |
| 34.Rain V Harvesti | | Quantity o pits: | f recharge | NA | | | 2 | | | | |
| (RWH) | | Size of rec | harge pits | NA | | | | | | | |
| | | Budgetary (Capital co | | 25 Lakh | | | | | | | |
| | | Budgetary (O & M cos | allocation st) : | 2 Lakh/year | | | | | | | |
| | | Details of if any: | UGT tanks | Residential: 2nd Basement PPL: 3rd Basement | | | | | | | |
| | | | | | 7 | | | | | | |
| 25 64 | | Natural wa drainage p | | Toward Eas | and West S | Side | | | | | |
| 35.Storm drainage | | Quantity o water: | f storm | 2980.71 m3/hr | | | | | | | |
| | | Size of SW | D: | 0.35 x 0.35 m, 0.45 x 0.6 m, 0.6 x 0.8 m | | | | | | | |
| | | | | | | | | | | | |
| | | | neration | 167 KLD | | | | | | | |
| | | STP techn | ology: | MBBR Technology | | | | | | | |
| 36.Sewa | hre and | Capacity o (CMD): | | | 3 STPs will be provided with total 220 m3 capacity i.e. 100 m3 (for bldg. No. 2), 100 m3 (for bldg No. 3) and 20 m3 for PPL | | | | | | |
| Waste w | - | Location & the STP: | | | Bldg No. 2: Ground Floor, Bldg No. 3: a. Resi. Bldg: 2nd Floor Parking Lvl. & b. PPL: Ground Floor. | | | | | | |
| | 2 | Budgetary (Capital co | allocation ost): | 45 Lakh | | | | | | | |
| | | Budgetary (O & M cos | allocation st): | 9 Lakh/yeaı | ? | | | | | | |





| | 37.Solid waste Management | | | | | | | |
|---|---------------------------|---|----------------|--|------------------------------------|-------------------------------------|--|--|
| Waste generation in Waste generation: | | | | Construction debris: 4,2 | 00 m3 | | | |
| the Pre Constru and Construction phase: | ction | Disposal of construction debris: | f the | The construction debris Demolition and Desilting 2016. | | | | |
| | | Dry waste: | | 269 Kg/day | | | | |
| | | Wet waste | } | 403 Kg/day | | | | |
| Wasta ganara | tion | Hazardous | waste: | Used oil from DG | | | | |
| Waste genera in the operati Phase: | | Biomedica applicable | | NA | | | | |
| 114501 | | STP Sludge sludge): | e (Dry | 2 KLD | | 0 | | |
| | | Others if a | ny: | Household E-waste gene | eration | | | |
| | | Dry waste: | | Dry garbage will be disp | posed off to recyclers | | | |
| | | Wet waste | } | Wet garbage will be con used as organic manure | | al Composting unit and | | |
| Mode of Dispo | neal | Hazardous | waste: | Authorized recyclers | | | | |
| of waste: | | Biomedical waste (If applicable): | | NA | | | | |
| | | STP Sludge (Dry sludge): | | Sludge use as manure for gardening | | | | |
| | | Others if a | ny: | Authorized recyclers | | | | |
| | | Location(s |): | Ground | | | | |
| Area requirement: | | Area for the storage of waste & other material: | | 100 m2 | | | | |
| | | Area for machinery: | | 25 m2 | | | | |
| Budgetary alloc | | Capital cos | st: | Rs. 12 lakh | | | | |
| (Capital cost an O&M cost): | α | O & M cos | t: | Rs. 6 Lakh/year | | | | |
| | | | 38.Ef | fluent Charecter | estics | | | |
| Serial Number | Paran | neters | Unit | Inlet Effluent Charecterestics | Outlet Effluent Charecterestics | Effluent discharge standards (MPCB) | | |
| 1 | Not app | plicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| Amount of effluent generation (CMD): | | | Not applicable | | | | | |
| Capacity of the ETP: Not application | | | Not applica | ble | | | | |
| Amount of treated effluent recycled: | | | Not applica | cable | | | | |
| Amount of water send to the CETP: Not applica | | | Not applica | ble | | | | |
| Membership of C | ETP (if | require): | Not applica | ble | | | | |
| Note on ETP tech | nology | to be used | Not applica | ble | | | | |
| Disposal of the ET | ΓP slud | lge | Not applica | ble | | | | |





| | 39.Hazardous Waste Details | | | | | | | | | |
|------------------|----------------------------|--|---------------------------|-----------------|--------------------------|--------------|---|--|-------------------------------------|---------------------------|
| Serial Number | Descr | iption | iption Cat | | UOM | Exis | ting | Proposed | Total | Method of Disposal |
| 1 | Not ap | plicable | Not applicable | | Not applicable | No applio | | Not applicable | Not applicable | Not applicable |
| | | | 4 | l0.St | acks em | issio | n De | etails | | |
| Serial Number | Section & units | | linits | | el Used with Quantity | | x No. | Height from ground level (m) | Internal diameter (m) | Temp. of Exhaust Gases |
| 1 | Not ap | plicable | N | Not app | olicable | No applio | | Not applicable | Not applicable | Not applicable |
| | | | 4 | 1.De | tails of F | uel | to be | e used | | |
| Serial Number | Туг | e of Fuel | | | Existing | | | Proposed | | Total |
| 1 | Not | applicable | | N | lot applicabl | е | N | Not applicabl | e A | Not applicable |
| 42.Source | of Fuel | | | Not a | pplicable | | | | | |
| 43.Mode of | Transportat | ion of fuel to | site | Not a | pplicable | | | | | |
| | | | | | | | | | | |
| | Total RG a | | | | Existing lan | dscape | e: 14,4 | 126.20 m2, F | RG proposed | on ground is 425 m2. |
| | No of tree | | | s to be cut | | | | | | |
| 44.Green Belt | | Number of be planted | | s to | o 146 Nos. | | | | | |
| Develop | ment | List of pro native tree | | | | | | | | |
| | | Timeline f completion plantation | n of 2 years | | | | | | | |
| | 45.Nu | mber and | d list | of t | rees spe | cies | to b | e plante | d in the | ground |
| Serial Number | Name of | the plant | Common Name | | | Qua | ntity | | eristics & ecological importance | |
| 1 | Sat | win | Alstonia scholaris | | | 25 Shady Tr | | Shady Tree | ee, white fragrant flowers | |
| 2 | Bahava | | Cassia fistula | | 42 | | Medium sized deciduous tree. Beautiful yellow flowers, Butterfly host plant | | | |
| 3 | Palas | | Butea monosperma | | 10 | | Medium sized deciduous tree. Beautiful orange flowers, Butterfly host plant | | | |
| 4 | Kadamb | | Anthocephallus cadamba | | 13 | | 3 | Shady, large deciduous tree, fast- growing graceful tree, ball shaped flowers. | | |
| 5 | Ashoka Polyanlthia | | | a longifolia 56 | | | 6 | Shady tree | with red-yellow flowers. | |
| 46 | 6.Total qua | ntity of plar | nts on | groui | nd | | | | | |
| 47.Nun | nber and | list of sl | hrub | s an | d bushes | spe | cies | to be pla | anted in | the podium RG: |
| Serial Number | | Name | | | C/C Dista | nce | | | Area | n m2 |
| 1 | - | | | - | | | | | | - |



| | 48.Energy | | | | | |
|--------------------|--|--|--|--|--|--|
| | Source of power supply: | TATA | | | | |
| | During Construction Phase: (Demand Load) | 500 kVA | | | | |
| | DG set as Power back-up during construction phase | 500 kVA | | | | |
| Dower | During Operation phase (Connected load): | 10.8 MW | | | | |
| Power requirement: | During Operation phase (Demand load): | 5.2 MW | | | | |
| | Transformer: | - | | | | |
| | DG set as Power back-up during operation phase: | • Building No. 2: 1 x 1250 kVA • Building No. 3: Resi. Bldg:1 x 1500 kVA • MPPL: 1 x 750 kVA | | | | |
| | Fuel used: | HSD | | | | |
| | Details of high tension line passing through the plot if any: | NA | | | | |
| | 49.Energy savi | ng by non-conventional method: | | | | |

Solar Hot water system to Residential Buildings Provision of Solar PV Panels

50.Detail calculations & % of saving:

| Serial Number | Energy Conservation Measures | Saving % |
|------------------|------------------------------|----------|
| 1 | Total Energy Saving | 23.6% |

51. Details of pollution control Systems

| NT-1 | Source | Existing pollution control system | Proposed to be installed |
|--|----------------|-----------------------------------|--------------------------|
| applicable Not applicable Not applicable | Not applicable | Not applicable | Not applicable |

Budgetary allocation | Capital cost: Rs. 15 Lakh (Capital cost and O & M cost: Rs, O&M cost):

52. Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

| Serial Number | Attributes | Parameter | Total Cost per annum (Rs. In Lacs) | | |
|------------------|--|-----------|------------------------------------|--|--|
| 1 | Water spray for dust suppression | - | 4.5 | | |
| 2 | Site sanitation and Potable Water Supply to Labour | - | 5 | | |





| | | As nor the CDCD | | | |
|----|--|---|-----|--|--|
| 3 | Environmental Monitoring | As per the CPCB guidelines through MoEF Approved laboratories - Ambient Air-RSPM, PM2.5, SO2, NOx, CO), Noise: Leq day time and Night Time | 8 | | |
| 4 | Health check-up & first aid | - | 6 | | |
| 5 | Safety Personal Protective Equipment | Helmets, Safety Shoes, Safety Belt, Goggles, Hand Gloves etc. | 10 | | |
| 6 | Traffic Management | Sign Boards, Persons at entry exit and Parking area | 4.5 | | |
| 7 | Tyre cleaning and Vehicle maintenance | - | 3 | | |
| 8 | Storm water Management | - | 4 | | |
| 9 | Safety Training to Workers (Twice in Year), Safety Officer | - | 5 | | |
| 10 | Safety nets | - | 14 | | |
| | | | | | |

| | b) Operation Phase (with Break-up): | | | | | |
|------------------|-------------------------------------|---|-----------------------------|---|--|--|
| Serial Number | Component | Description | Capital cost Rs. In Lacs | Operational and Maintenance cost (Rs. in Lacs/yr) | | |
| 1 | STP (Tertiary) | Continuous O & M Environment Monitoring: Monthly, STP outlet water quality for pH, BOD, COD, SS and O & G | 45 | 9 | | |
| 2 | Solar System | Weekly | 15 | 2 | | |
| 3 | Rainwater harvesting | During rainy season (cleaning of UG tanks and filtration units before rainy season) | 25 | 2 | | |
| 4 | Solid Waste Composting plant | Continuous O & M Environment Monitoring: Monthly to assess the compost quality | 12 | 6 | | |
| 5 | Landscape | Daily | 116 | 12 | | |

52. Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

| Description | Status | Location | Storage Capacity in MT | Maximum Quantity of Storage at any point of time in MT | Consumption / Month in MT | Source of Supply | Means of transportation |
|----------------|----------------|----------------|------------------------------|---|---------------------------------|---------------------|----------------------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

53. Any Other Information

No Information Available

54. Traffic Management

Nos. of the junction to the main road & design of confluence:

36.60 m wide Dr. A.L. Nair Marg on West side & 27.43 m wide Maulana Azad Marg on East side





| | Number and area of basement: | • Building No. 2: 2 Nos. 11,738.02 m2. • Building No. 3: 3 Nos. No. of Basements: Total Area of Basements: 36342.09 m2. |
|------------------|---|---|
| | Number and area of podia: | • Building No. 2: 3 Podiums with total area 10,915.1 m2. • Building No. 3:- 7 Podiums with total area 59,726.56 m2. |
| | Total Parking area: | • Building 2 : 22653.12 m2 • Building 3: Residential Parking: 29167.12 m2 • Municipal Public Parking Lot: 65,631.60 m2 |
| | Area per car: | • Building 2 : 37.23 m2 • Building 3 • Residential: 38.06 m2 • MPPL: 48.88 m2 |
| | Area per car: | • Building 2: 37.23 m2 • Building 3 • Residential: 38.06 m2 • MPPL: 48.88 m2 |
| Parking details: | Number of 2- Wheelers as approved by competent authority: | 2W parking provided: PPL: 258 Nos. Residential: 144 Nos. |
| | Number of 4- Wheelers as approved by competent authority: | • Building No. 2: 327 Nos • Building No. 3 (Residential) : 352 Nos • Public Parking Lot: 1316 Cars |
| | Public Transport: | 23 Nos. of Transport vehicles |
| | Width of all Internal roads (m): | 9 m |
| | | |
| | | |



| | CRZ/ RRZ clearance obtain, if any: | NA |
|-----------------------|--|---|
| P C a a a | Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries | NA |
| S | Category as per schedule of EIA Notification sheet | 8 (b) |
| | Court cases pending f any | No |
| | Other Relevant Informations | Environmental Infrastructure provided for Bldg. No. 1 (B1, B2 & A1 Bldgs.) • No. of Tenements: 318 Nos. • Water Requirement: 232 KLD (Domestic: 145 KLD + Flushing: 75 KLD + Gardening: 12 KLD) • Sewage generation: 176 KLD • STP provided: 200 KLD (SBR technology) • Solid waste generation: 783 kg/day (Biodegradable component is composted using mechanical composting machine & Non-biodegradable component is handed over to authorized recyclers) • RWH Tanks: 1 tank with 63 m3 and 2 tanks with 60.5 m3 capacity • Connected Load: 5.7 MW • Demand Load: 4.8 MW • DG sets: 10 x 1250 kVA & 3 x 500 kVA • Parking (4W): 718 Nos. The estimated project cost mentioned in item No. 21 is for Bldg. 2 & 3 only. |
| S A | Have you previously submitted Application online on MOEF Website | No |
| | Date of online submission | - |
| В | Brief informa | tion of the project by SEAC |

Representative of PP Mr. Nikhil Mehta was present during the meeting along with environmental consultant M/s. Mahabal Enviro Engineers Pvt. Ltd.

PP informed that, the project under consideration is *Residential Project along with Municipal Public Parking Lot Project - Redevelopment Type. PP further stated that, the total plot area of the project is 61,520.46 Sq.mt. having total construction area area 393134.51 Sq.mt. (FSI - 1,32,331.76 sq.mt + NON FSI 2,60,802.75sq.mt) and the building configuration is as follow-*

| Building Name & number | Number of floors | Height (Mtrs) |
|-----------------------------------|--|---------------|
| Bldg No.1 (Tower B1, B2 & A1) | Stilt + 41 upper floors on 2 levels | 172.275 m |
| | of podium | |
| Bldg No. 2 | 2B + 2 Parking Floors + Stilts + | 177.65 m |
| | 44 Upper Floors. (41 habitable | |
| | floors + 2 fire check floors + 1 | |
| | service floor) | |
| Bldg No. 3:- Composite Bldg a) | 2B (pt) + Gr (pt) + intermediate | 206.50 m |
| Residential Wing | Parking Floor + 4 Parking Floors | |
| | (pt) + 2 Parking Floors (full) + | |
| | stilts + 44 Upper floors (habitable | |
| | floors) + 2 fire check + 1 service floor | |
| Bldg No. 3:- Composite Bldg b) | 3B + G (pt) + 4 Upper Floors (pt). | 26.30 m |
| M ID III D II | To be handed over to MCGM and | |
| Municipal Public Parking Lot | 5th & 6th Floor above MPPL will | |
| | be retained for Residential parking. | |

It is noted that the project earlier considered in 85th SEAC-2 meeting held on 19-01-2019 and deferred as PP was absent.

It is noted that, the project has received Environmental clearance in 2006 & amendment in 2014.

The project proposal was discussed on the basis of presentation made and documents submitted by the proponent. All issues related to environment, including air, water, land, soil, ecology and biodiversity and social aspects were discussed. Committee noted that the project is under 8a (B1) category of EIA Notification, 2006. Consolidated statements, synopsis of compliances, form 1, 1A, presentation & plans

Submitted are taken on the record.

SEAC Meeting No: 96 Meeting Date: April 15,

Mr. Surykant Nikam
(Secretary SEAC-II)

SEAC Meeting No: 96 Meeting Date: April 15,

2019 (SEIAA-STATEMENT-0000001765)

SEAC-MINUTES-0000003829

Page 12

Shri M.M.Adtani (Chairman SEAC-II)

DECISION OF SEAC

In view of above, the proposal is deferred and shall be considered only after the compliance of above observations.

Specific Conditions by SEAC:

- 1) It is noted that, representative of PP not submitted the authority letter. PP to submit the same along with copy of company resolution.
- 2) PP to submit the company merger document.
- 3) PP to submit dated Architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014.

FINAL RECOMMENDATION

a above.





MUNICIPAL CORPORATION OF GREATER MUMBAI No. CHE/HRB-787/DPWS 05 NCV 2018

OFFICE OF THE: Chief Engineer (Development Plan) Brihanmumbai Mahanagarpalika, Municipal Head Office, 5th Floor, Annex Building, Mahapalika Marg, Fort, Mumbai-400 001.

To, Mr.Rakesh Kumar,

Architect, Plot No.C-30, Block 'G', Opp.SIDBI, Bandra Kurla Complex, Bandra(E), Mumbai-400051.

> Proposed development of composite Bldg.No.3, having Sub:-Residential Tower & Municipal Public Parking lot on plot bearing C.S.Nos.1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, at Dr.A.I.Nair Road & Maulana Azad Road, near Jacob Circle, Byculla, Mumbai, in 'E' Ward (for Dev.:M/s.Genext Hardware & Parks Pvt.Ltd.).

Architect: Mr.Rakesh Kumar

M/s.Sterling Engineering Consultancy Services Str.Con:

Pvt.Ltd.

Geotech.:Con.:M/s.Geocon International Pvt.Ltd. Env.Con.: M/s.Pristine Consultants Pvt.Ltd. Developer: M/s.Genext Hardware & Parks Pvt.Ltd.

Ref:- Your letter dtd.13.4.2018.

Gentleman,

With reference to your above referred representation regarding subject matter, I have by direction to inform you that the High Rise Committee as constituted by the Govt. in Urban Development Deptt. as per G.R. U/No.TPB/4313/CR-41/2013/UD-11 dated 9th June,2014 has accepted your proposal for proposed development of composite Bldg.No.3, having Residential Tower & Municipal Public Parking lot on plot bearing C.S.Nos.1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, at Dr.A.I.Nair Road & Maulana Azad Road, near Jacob Circle, Byculla, Mumbai, in 'E' Ward (for Dev.: M/s. Genext Hardware & Parks Pvt.Ltd.), as per the High Rise Committee meeting held on 6.10.2018, subject to the terms & conditions as mentioned below:-

The proposal envisages construction of proposed high rise composite building comprising of parking lot & residential building. The parking lot building is comprising of three level basement + ground floor + 1st to 6th upper floor whereby three basements + ground + 4 upper floors are proposed for public parking lot and entire 5th & 6th floors are proposed for captive parking of residential building with a total height of 34.80 mtrs. from the general ground level to podium level. The High Rise Residential Building comprising of 2 level basements + ground floor + intermediate floor + 6 parking floors + stilt (podium floor) + 1st to 47th floors including 1 service and 2 fire check floor with total height of 206.50 mt. from general ground level upto terrace level.

MANDATORY CONDITIONS:

- Access roads to the site and roads on the site that will be required as per plan permanently should be minimum water bound macadam road and constructed before construction activities commence. This will help in reducing local dust emissions to a great extent. The road can be converted to a black top road once the construction activities are completed.
- 2. As the site is located in an developed urban area, it is essential to enclose the site using barriers, to reduce the noise and dust impacts on surrounding buildings and sites.
- Jack hammers and other construction equipments tend to generate a lot of noise, it is therefore essential that noise protective equipments like ear muffs & ear plugs be provided to the operator of the machine. To reduce the noise from the equipment, silencer/ dampers should be attached to the equipment.
- 4. All Stationary machinery that create noise should be installed at points away from sensitive receptor area.
- 5. Noise prone activities should be restricted to the extent possible during night time, particularly during the period 6p.m. to 6.a.m.
- 6. During excavation and transportation over un-metalled roads near the project site, there is a scope for local dust emissions. Frequent water sprinkling in the vicinity of the construction activity should be done and it should be continued even after the completion of the excavation till construction is complete.
- 7. Excavation should be carried out in such a manner that it will not reduce slope stability. As much of the top soil and waste materials as possible should be used for landscaping and leveling activities in the surrounding area. As far as possible store the excavated soil (the amount that would be required later for leveling and landscaping) on site, so that the soil can be reused during landscaping.
- 8. A basic surface drainage system for the site should be worked out to avoid water runoff on to the surrounding properties and roads, especially during the monsoon months.
- 9. If during excavation, water accumulates in the excavated areas, then it should be pumped out and disposed off either in the municipal storm water drain or into recharge soak pits of bore wells.
- Load and unload trucks with construction material on site and not on surrounding roadside.
- The responsibility to carry out the work as per submissions made to the
 Committee solely rests with the project proponents.
- 12. If the project attracts the provisions of the MOEF Notification under SO No.114(E) dt.19.2.1991 and recent Notification dt.6.1.2011 and Notification dtd.07-07-2004 & revised EIA Notification dtd.14.9.2006, the clearance in this respect shall be obtained and all the conditions mentioned therein shall be complied with.
- 13. The approval of High Rise Committee is for the proposed high rise building having total height of 206.50 mt. only from general ground level up to terrace level, subject to obtaining sanction from Competent Authority as per various provisions of D.C.P. Regulations 2034 amended up to date,

- such as deficiency in open spaces, CFO requirement, parking requirement, Civil Aviation NOC, if any, etc.
- 14. The conditions as stated in the NOC from C.F.O. U/No.FB/HR/CITY/150 dtd.30.5.2012, FB/HR/CITY/661 Dtd.18.6.2013 and Dtd.18.6.2018 shall be complied with. If the plans cleared by Committee, differ from the plans of CFO NOC, revised CFO NOC shall be submitted to the concerned Zonal Building Proposal Office.
- 15. That the NOC from Civil Aviation Authority for the height of the building under reference shall be obtained, if applicable, and all the conditions thereof shall be complied with.
- 16. The acceptance of proposal by High Rise Committee is not indicative of admissibility/approval of the proposal regarding D.C.P. Regulations 2034 other statutory compliances & the necessary building proposal shall be submitted to concerned Ex.Eng.(Bldg.Proposal) for requisite approval. The aspect such as permissible FSI applicable DC.P.Rules & policies in force shall be verified by the concerned Executive Engineer (Building Proposal) before approval of plans.
- 17. The Technical Committee for High Rise Buildings, however, reserves right to alter/ modify/ augment fire safety related provisions as well as disaster management related provisions, on the basis of decision to be taken in the upcoming meetings.
- 18. That the permission is granted based on the documents submitted by the Architect and if at any time are found fake/ fraudulent, then the permission issued shall be treated as revoked/ cancelled without further notice.
- 19. After the clearance given by HRC for a proposed building, not further changes of any kind shall be effected without permission of the HRC (Technical Committee for High Rise Buildings). If any changes made in the proposal without obtaining clearance from HRC, earlier clearance given by the HRC shall be treated as revoked/ invalid.
- 20. That the aspect regarding approval/ final NOC to the 33(24) component, if any, and its respective permission shall be scrutinized by Dy.Ch.Eng.(B.P.) as per the prevailing policy and the sanction from respective HPC shall be obtained.
- The necessary other permissions from various other Departments/ Committees/ Authorities shall be obtained as per requirements.

Recommendatory Condition

- At the time of site clearance, care must be taken to minimize the need for cutting of trees and damage to the native vegetation.
- Clearing of site area may involve removal/ transplantation of trees, underbrush, vines, fences, shades etc. All the unwanted vegetation then becomes solid waste that needs to be disposed off site. As this is organic matter, instead of disposing it offsite, the mater should be composed on site.
- 3. Phase out the site clearing process to only areas that need excavation initially this will reduce the dust emission from currently unused areas. If site has been cleared, vegetate the area by growing temporary groundcover plants or flower beds in the area. Alternatively cover the ground with a sheet, this sheet can be made out of empty cement bags,

and the area then used to store materials, this will help reduce the dust emissions from these areas and provide a clean surface to store material on.

- To reduce dust emissions and erosions from slopes on the site, apply non toxic chemical soil stabilizers (Geotextiles) to the area.
- 5. The short term traffic management plan should be worked out to prevent unnecessary traffic problems. One measure to be incorporated is to avoid trucks during the morning and evening rush hours i.e. before 10.00 a.m. and after 5.00 p.m.
- In cases where the construction of paved access or Water bound macadam road is not possible, frequent water sprinkling required to reduce local dust emissions.
- Traffic speeds on unpaved roads should be reduced to 15 Km.ph. or less, and all the vehicles should have reverse horns.
- 8. On windy days avoid excavation activities to reduce dust emissions.
- Prevent the excavated soil from spilling out of the site boundaries onto adjoining roads and properties.
- 10. Prevent other garbage waste such as construction debris, plastic material from mixing with the excavated soil that is being transported out of the site for dumping off site. This soil will be used for land filling and mixing of garbage with it can lead to soil contamination.
- 11. Water the site at least twice a day to reduce the dust emissions. Once during mid morning and once in the evening.
- Soil stockpiled for more than two days shall be covered, kept moist or treated with soil binders to prevent dust generation. (A good cover sheet can be formed by stitching empty cement bags silt open to form a sheet).
- 13. Since, there is likelihood of fugitive dust form the construction activity, material handling and from the truck movement in the vicinity of the project site, project proponents should go for tree plantation programme along the approach roads and the construction campus.
- 14. Re-vegetate disturbed areas as early as possible.
- 15. As soon as construction is over, the surplus earth should be utilized to fill up low lying areas. The rubbish should be cleared and all un built surfaces reinstated.
- 16. Construct appropriate temporary housing structures for the labourers on the site with due approval from the competent authority. Houses should be provided with proper light and ventilation, and should be located at a safe location on the site.
- Provisions should be made for providing them with potable, drinking water.
- 18. The construction site should be provided with sufficient and suitable toilet facilities for workers to allow proper standards of hygiene. These facilities would be connected to septic tank and maintained properly to ensure minimum environmental affect. Care should be taken not to route the sanitary effluents to the river or any other natural water body.
- 19. To prevent unauthorized falling of trees in the nearby undeveloped areas by construction workers for their fuel needs, it should be ensured that the contractor provides fuel to the construction workers.
- Arrangements should be made for daycare and education to construction workers children. Certain NGO's working in this area can be associated

- with or alternatively one female worker can be paid to oversee the younger children and to prevent them from coming in harms way.
- 21. Solid waste generated from the labour camp as well as the construction site should be disposed off properly. Organic waste can be composted, and inorganic waste should be disposed in nearest municipal bins.
- 22. To sweep and clean adjacent roads of the site that get soiled due to the frequent movement of trucks to and fro from the site, at least once a day.
- 23. All outdoor lighting, including any construction related lighting should be designed, installed and operated in a manner that ensures that all direct rays from project lighting are contained within construction site and that residences are protected from spillover light and glare.
- 24. Parking for construction site workers should be provided on site to prevent clogging of surrounding roads.
- 25. Tea stalls if established for the site should be given space on site and not on access roads. This will prevent the gathering of labourers on the roads and obstruction of traffic.
- Rotary piling method can be adopted for construction of bored cast in site/ bored pre-cast piles. Preferably, M.S. liner can be provided upto hard stratum.
- Preferable minimum grade concrete in sub structure foundation can be M-40 grade and use of anti corrosive treatment can be considered for M.S. reinforcements.
- 28. Ground Water in Mumbai is likely to be saline and further there is a possibility of sewage contamination in well water, as such, municipal water be used for construction.
- 29. Withdrawal of ground water should be restricted as it may cause sudden draw-down and subsidence of surrounding land/buildings.
- 30. The electric meters and substation in the buildings be located on higher level to prevent power failure during floods.
- 31. The earlier HRC NOCs issued vide letter U/No.CHE/HRB-434/DPWS dtd.19.8.2013 is treated as cancelled.
- 32. Other features shown in the plan like temple on ground floor and swimming pool on podium floor, etc. are not in the purview of High Rise Committee and approvability of the same shall be separately dealt by concerned Planning Authority i.e. Building Proposal Section.

Note: That the total height of Crown/ Architectural Elevation features above the terrace slab shall not be more than 9.00 Meter.

If your client is agreeable to the aforesaid terms and conditions, you may approach to the DY.CH.ENG.(B.P.)CITY, who is being informed separately regarding subject matter.

Yours faithfully,

Acc: - A Set of Plan + EMP Book

Chief Engineer (Development Plan) Member Secretary, Technical Committee for High Rise Buildings



FORM FOR FILING ANNUAL RETURNS

[To be submitted by producer/manufacturer/refurbisher/dismantler/recycler/bulk consumer by 30th day of June following the financial year to which that return relates]

Submitted For

April 2021-March 2022

Apply As

Bulk Consumer

1. Name of the Bulk Consumer / recycler

M/s. Genext Hardware & Parks Pvt. Ltd. Sub plot B, CTS No 1903(pt),1904(pt),1905,1/2/1905, Byculla Div., Jacob circle,

Mahalaxmi, Mumbai-11

2. Name of the authorised person Full address of authorised person

Mr. Manish Kothari (Associate Vice President) Sub plot B, CTS No 1903(pt),1904(pt),1905,1/2/1905, Byculla Div., Jacob circle,

Mahalaxmi, Mumbai-11

Telephone Email

9820880060 mkothari@kraheja.com

Fax

02226564306

3. BULK CONSUMERS:

Type
Fluorescent and other Mercury containing lamps - CEEW 5

User terminals and systems - ITEW 9

Quantity(MT)
0.010

0.030

4. Name of the destination where E-waste is channelized Address

Address of the destination where E-waste is channelized

Mercury Metal Industries D-48, Mahad MIDC Industrial Area, Dist. Raigad, Maharashtra- 402309.

Place Date

Mahalaxmi, Mumbai Jun 24, 2022

MUNICIPAL CORPORATION OF GREATER MUMBAI

To, Shri Bihari Lund Architect, Plot No. C-30, Block G Opp. SIDBI Bandra Kurla Complex Bandra (East) Mumbai 400 051

Ex. in., Proceeds (City)-II \
E' Ward, Municipa Office, 3rd Floor,
10, S. K. Hafizudd a Marg, Byculla,
Mumbai - 400 008.

Sub: Proposed amended layout under modified D.C Regn.58 and sub division and layout on the property bearing Sub Plot B of C.S. No. 1903 (ot.), 1904 (ot.), 1905, 1905/1 and 1905/2 of Byculla Division at Dr.A.L. Nair Marg, Jacob Circle, Byculla, Mumbai for M/s Hindoostan Spg and Wvg. Mills Ltd. (Unit A & B).

Ref Your letter dated 25.11.2011


With reference to the above, this is to inform you that, the amended layout plans submitted by you are hereby approved subject to following conditions.


- That the 12.00 M. wide temporary right of access provided for MHADA and M.C.G.M. plots shall be maintained in good condition, and be made available to both authorities till regular access from Maulana Azad Road is available.
- That the terms and conditions of the layout dated 23.9,2004 are applicable and shall be complied with.
- That the revised M.O.E.F. N.O.C. for Building No.3 i.e. public parking lot and residential building shall be submitted.

One set of plan duly signed and stamped is hereby returned in token of approval.

Yours aithfully,

Dy. Chief Engineer (Elilding Proposal) City





Section.

MANARASHIBA MARKITIKIN CERTRIC ROLLE

: 24020781/24010437

i4: 24024068

Parkage 2

http://mpcb.mah.nic.in e-mall; mpcb@vsnl.net



CALPATANG POINT, A" & Silver Corde Corde Sion Circle Sion (East), MUMBAL 400 022

ORANGEASI

Consent No. BOROJPAPU 367

Consent to Establish is granted to

Date: [0 /04/2006

Mrs. K. Rabeja Corporation Pvl. Ltd., CA to Capricon Realty Ltd., (Hindustan Mill), Sub Plot B, C.S.No. 1903 (pt) 1904 (pt), 1905, 1/1905, 2/1905 of Byculla Divn., Off Dr. A.L. Nair Rd., Maulana Azad Rd., Jacob Circle, Byculla, Numbal.

located in the area declared under the provisions of Water Act (P&CP) 1974, Air Act (P&CP), 1981 and Authorization under the provisions of H.W (M & H) Rules and amendments thereto subject to the provisions of the Acts and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is feeued to SVe. K: Rahoja Corporation Pvt. Ltd.,
CA to Caprison Reelly Ltd.,
(Hindustan Mill), Sub Plot B, C.S.No. 1903 (pt)
1904 (pt), 1906, 1/1906, 2/1005 of Byculla Civil.,
Off Or. A.L. Nak Rd., Maulana Azad Rd.,

Jacob Circle, Byculla, Mumbal

For development of land/plot as new construction activities named as M/s. K. Raheja Corporation PVL Ltd., CA to Capricon Realty Ltd., (Hindustan MR), Sub Plot B, C.S.No. 1903 (pt), 1904 (pt), 1905, 1/1905, 2/1905 of Bycuta Divn., Off Dr. A.L. Nair Rd., Maulana Azad Rd., Jacob Circle, Bycuta, Mumbai on 91520.36 aq mtra including utilities and services such as commercial/residentiat/educational/health and recreation amenities stc. as per construction commencement, cartificate issued by local body.

2. CONDITION UNDER WATER ACT &

The daily quantity of (a) sewage effluent from above construction project including (b) waste water from awimming tank/water sports shall not exceed 370 cubic meters per day.

(i) Sewage lightment Treatment: The Applicant shall provide a comprehensive sawage treatment plant as is warranted with reference to influent quality and corresponding mode of disposal and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:-

| PARAMETERS | Limit | - Standards for sub- streams | | |
|-----------------------------|---------------|------------------------------|----------|----------|
| The second second second | 2000 | (A) | (8) | Unit |
| OH . | in between | 5.5 to 9 | 7 to 8.5 | 1 -51 (4 |
| Suspended Solids , | Not to exceed | 100 | 10 | mg/l |
| B.O.D. 3 days 27 C | Not to exceed | 30 | 10 | mgd |
| Oil & Grease · . | Not to except | 10 | NIL | mod |
| Dissolved Phosphates (es P) | Not to exceed | 5 | 6 | ngi |
| Dissolved Oxygen | No less than | 5 | 5 | mail |
| R. Chlorine | Not to exceed | 0.1 | 0.1 | Mg/I |



(I) Sawage offluent Dieposal:-

The treated sewage effluent shall be recycle to the maximum extent for flushing, fire fighting etc. and excess treated effluent shall be disposed of an land for gardening/ irrigation/ lawns/ tree-plantations within own premises, and/or excess treated sewage effluent shall be disposed into to under ground drainage scheme provided by local body. In no case, effluent shall find its way to any water body directly/indirectly at any time.

(lii) Non-Hazardous Solld Waster-

The total quantity shall not exceed 1410 Mg per day and shall be segregated and treated as follows:-

| Sr | Type of Segregated eolid waste | Quantity - Karday | Treatment | Disposal |
|----|-----------------------------------|----------------------|--|-------------------------|
| 1 | Organic | 665 | brwessel Composting at alta only | Self-use |
| 2 | Inert | 885 | Secregation | At approved landfill |
| 3 | Paper Packing | CONTROL IN | Segregation | Sale . |
| 4 | Rubber | | Segregation | At approved land(i) |
| 5 | Glass | | Sauregation | Salo |
| 6 | Miscellaneous(STP Sludge) | 40 | Segregation | Sale/Alt approved land@ |

3. Other Conditions:-

- All ectivities shall be in resonance with the provisions of Indian Forest Act, 1927 (16 of 1927), Forest (Conservation) Act, 1960 (59 of 1980) and Wildlife (Protection) Act, 1972 (53 of 1972), CR2 notification, and special neiffications published for Dahanu, Mitrod Jengke, Matheren and Mahableshwar area wherever applicable and all the Environmental Statutes and Instruments.
- This Consent to Establish is Issued only for Developing Construction Project purposes.
- No quarrying activities shall be commenced in the area unless appropriate permissions are obtained for a limited quarrying material required for construction of local maidential housing and traditional read maintenance work, provided that such guarrying is not done on Forest Lands and the material is not exported to the outside area.
- There shall be no felling of trees whether on Forest, Government, Revenue or Private lands except as per prevailing Rules.
- 5 Edirection of Groundwater for the residential complex shall require prior permission of the State Ground Water Authority or other relevant authorities, as applicable;
- Mear the activities that are related to water (like activity of water parks, water sports) and/or in the vicinity of lake, Dissolved Oxygen shall not be less than 6 moditor.
- 7. In order to ensure that the water from this residential complex do not enter trip outside environment, the natias crossing the township/complex premises, shall be fined, covered and made water tight by the applicant within the promises with Intermittent inspection of chambers following good engineering practices as per the regulations of local body. This management shall be such as also to help in excluding the external pollutants degrading the internal environment of residential complex.
- The Applicant shall prepare management plan for water harvesting, roof-water reclamation, water/storm water conservation and implement the same before handling over of complex for occupation.
- 9. The Applicant chall draw plans for the segregation of solid wastes into biodegradable and non-biodegradable components. The biodegradable material shall be recycled through scientific in-house composting with the approval of local body and the inorganic material shall be disposed off at approved Municipal Solid Waste landfill site of local body environmentally acceptable location and method. It is clarified that the term solid waste includes domestic, commercial, and garden wastes, but does not include hazardous and bio-medical wastes. The activities of bio-composting and engineered land fill shall be as per the Municipal Solid Weste (M&H) Rules, 2000.

- 40. Applicant shall be responsible to take adequate precautionary measures as detailed in this consent
- 11. The applicant/generator shall be responsible for safe and scientific collection, transportation, treatment and disposal of Blo-Medical Waste as per the provisions made under the Bio-Medical Waste (Management & Handling) Rules, 1998. Any activity as defined under BAW (M & M) Rules has to obtain a separate Authorization from Maharashbra Pollution Control Board.
- 12. The applicant, during the construction stage shall provide Septic tank and soak pit of adequate capacity for the domestic effluent generated due to workers residing at site. Proper loading and unloading of construction material, excavated material and its proper disposal as per MSW (M&H) Rules 2000. Cutting of trees is not permitted, however in unavoidable conditions necessary permission from the local body shall be obtained. Green belt of 33% of the open space shall be developed excluding lawns.
- The Applicant shell comply with all the provisions of, the Water (Prevention and Control of Pollution) Cess

1977 (to be referred as Case Act) and Rules as Amended ,2003 and Rules there under :-The daily water consumption for the following categories shall not exceed, as under

From ULB (ii) Domeelic From other sources (In CHID) th CMDI a) Duling construction stage b) After completion 460

(f) For swimming pool For the fighting (recycled effluent)

The Applicant shall regularly submit to the Board, the returns of water consumption in the prescribed form and pay the case as specified under Section 3 of the said Act.

6. CONDITIONS UNDER AIR ACT :-

The Applicant may install two numbers of diesel generating sets (DG Sets), of capacity 400 & 200 KVA, and shall be equipped with comprehensive control system as is warranted with reference to generations of emissions and operate and maintain the same continuously so as to achieve the level of policiants to the following standards:-

Standards for emissions of sir Poliutents

| 1) | ЗРИ/ТРМ | Not to Exceed | 160 | mg/Nm3 |
|------|----------------|---------------|-----|--------|
| li) | 901 | Not to Exceed | 60 | PPM |
| III) | NOx | Not to Exceed | 60 | PPM |

The Applicant shall observe the following fuel patterns:

| No. | Type of Fuel | Quantity | |
|------|--|--|--|
| 1110 | Control of the contro | The state of the s | |

(III) The Applicant shall erect the Chimney (s) of the following specifications

| Mo. | Chimney attached to | Height above roof level |
|-----|---------------------|-------------------------|
| | | 4 |

- The Applicant shall provide ports in the chimney and facilities such as ladder, platform etc for monitoring. the air emissions and the same shall be open for inspection to/and for use of the Board's staff. The chimneys shall be numbered as S-1, S-2 etc and these shall be painted/ displayed to facilitate
- Water spraying shall be done on ground to avoid fugitive emissions.
- Construction material shall be carried in enclosed vehicles during constriction activities.



(iv) Conditions for DG Sets :-

Noise from DG Sets shall be controlled by providing accustic enclosure or by treating the room accustically.

Applicant should provide accustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room shall be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss shall be done at different points at 0.5 meters from acoustic enclosure/ room and then average.

The Applicant should make efforts to bring down noise level due to DG Set, outside the premises, with ambient noise level requirements by proper setting and combot measures.

Installation of DG Set must be strictly in compliance with recommendations of DG set manufacturer;

A proper routine and preventive maintenance procedure for DG Set shall be set and followed in consultation with the DG manufacturers, which would help to prevent noise levels of DG Sets from detarlorating with use.

The DG set shall be operated only in case of power failure. The applicant shall make arrangement for regular electrical power.

The Applicant shall not cause any nulsance in the surrounding area due to operation of DG sets. In case of problems, the D.G. set shall not be operated until it is set back to satisfactory position.

(v) Conditions For Utilities like Klichen, Eating Places etc., I-

The letchen shall be provided with exhaust system chimney with oil catcher connected to chimney through

The tollet shall be provided with exhaust system connected to channey through ducting.

- The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A). The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs, higher than the nasrest tallest building through ducting and shall discharge into open air in such way that no nuisance is caused to maighbors.
- (a) The Applicant shall take adequate measures for control of noise levels from its own sources within the complex (residential cum Commercial) in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned as between 6 a.m. to 10 p.m. and night time is reckoned between 10 p.m. to 6 a.m.
- (b) Construction equipments generating noise of less than 86/80 db(A) are permitted.
- (c) No construction work is permitted during night time.
- 8. CONDITIONS UNDER HW (M & H) & AMENDMENT RULES 2003

The Applicant shall not generate or hundle any hazardous waste.

- 7. The proposed activity comes under Entry 31 (New Construction Project) listed in schedule 1 of the EIA Notification dated January 27, 1994 (as amended till date) issued by Ministry of Environment & Forest, Govt. of India, New Delhi and therefore, Environmental Clearance from Govt. of India (MoEF) shall be required as per conditions in the amended EIA Notification dated July 07, 2004.
- The applicant shall certify that the bricks used in construction are manufactured using the ash from Thermal Power stations if it is within a radius of 100 km. from Thermal Power Plant and submit the names of bricks manufacturer.
- 3. This "Consent to Establish" is issued subject to the planning permission and permission for nonagricultural (N.A.) use from the Compolent Authority.

10. The applicant shall obtain Environmental Clearance from NoEF, GOI before taking any steps to develop/ start construction the site. chation

Mombei

- 11. The applicant shall not-hendover the residential complex unless obtain Consent to OperatorioCo from Maharzehtra Poliution Control Board and compliance of Environment Clearance granted by MoEF Government of India.
- 12. The applicant shall take the proper remediation measures to ensure that the ground water and soil contamination is prevented and follow due diligence at the construction stage.
- This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant;



For and on behalf of the Maharashtra Politrion Control Board

> (Or. D.B. Boralter) Member Secretary

To,
Mie. K. Reheje Corporation Pvt. Ltd.,
CA to Caprison Really Ltd.,
(Hindustan Mill), Sub Plot B. C.S.No. 1903 (pt)
1904 (pt), 1904, thises, 201905 of Byoulia Dhyn.,
Off St. A.L. Mair Rd., Meujana Azad Rd.,
Jacob Cirole, Byoulia,
Musibal.

Copy forwarded with compliments to

1. The Collector Mumbal.

Copy to

1. Regional Officer MPCB, Murroa:

- 2. Sub Regional officer, MPCB, Mumbal.
- 3 Chief Accounts Officer, MPCB, Mumbol

Received consent fee of

| Amount | DD No. | Date | Drawn on |
|----------------|--------|------------|----------|
| Re. 6,09,000/- | UB2337 | 14.10,2005 | UTI Bank |

- 4. Cese Branch, MPCB, Mumbel.
- 5. Master No.
- 6. EIC, M.P.C.Board, Murribal.

MABARASITERA POLLUTION CONTROL BOARD

Phone : <010427/4020781

/1037124/4035273

Fax

240448329407406874022516

Birgail (

enquiry@mpcb gov in

Visit At .: http://mpck.gov.in



Kalpalaru Povit, 3:ri 8 4th floor Sign- Maturoa Schenie Road No. 8, Cpp, Cine Planet Cinema, Near Sign Circle Sign (E)

Mumbar - 400 D22

Consent order No :- Format 1.0/BO/CAC-rell/ElC-MU-5918 . 11/TWCAC- 7496 Date-8-82014

To

M/s. Genext Hardware and Packs Pvt. Ltd.,

"Raheja Tower",

BICC, handra (E), Murabai-51,

Subject: Consent to Establish for expansion i.e. Bldg no 2 & 3 for residential building cam patific parking building project in Orange Category.

Ref

1. C to E (bldg no.1) granted vide no. BO/RO(P&P)/367 dated 10.4.2006.

2. Mineues of 11th CAC meeting of 2014-15 held on 19.7.2014

Your application CE1406000344 Dated; 5.6.2614

For: Consent to Establish for bldg, no.2 & 3 for residential building cum public parking building project

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Au (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Mazordous Wastes (M., II & T. M.) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I. II. III & IV appeared to this order.

- 1. The Consent to Establish is granted for a period up to commissioning of the unit of 3 years whichever is earlier.
- " The capital investment of the project (part) is Rs. 1132.13 Cos. (As per undertaking submitted by PP)
- 3. The Consent to Establish is valid for Bldg no.2 & 3 of residential building cum public parking building project of Ms. Genext Hardware and Parks Pvt. Ltd. on sub plot B' bearing CTS no. 1904(pt), 1904(pt), 1905, 1/1905, 2/1906 of byculla Division of Dr. A.L. Nahr Road, Manham Arad Road, Jacob circle, Byculla, on total plot area- 61,520.36 sq. antrs. BUA (bldg no. 2 & 3)(FSI)-61526.46 sq. in. and construction area -206546.42 sq.m. (FSI)-non-FSI) as per the commencement on thicate issued by local budy.


Conditions under Water (P&CP), 1974 Act for discharge of effluents

| Sec. | Description | Permitted quantity of discharge (CMD) | Standards to be actueved | Disposal |
|------|-----------------------|--|--------------------------------|---|
| ١. | Trade efficent | NIL | NA | NA |
| 2. | Domestic efficient | 159 CMD | As per Schedule -1 | 60's recycle for secondary purposes such as flushing, ac cooling, gardening etc and remaining discharge to municipal sewer. |

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Sr. | Description of stack / source | Number of Stack | Slandards to be achieved |
|-----|-------------------------------|-----------------|--------------------------|
| 1. | DG.Set (2x1250 KVA) | 2 | As per Schedule - II |
| 2. | DG Set (2x500 KVA) | | As per Schedule -11 |
| 3. | DG set (1x 250 KVA) | | As nev Schedule - II |

newsyl throwers and Party Per, Lar., SRO Morphy Pht/9003675000



Dept 1 of 2

6. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000.

| Si. | Type Of Waste | Quantity & UoM | Treatment | Disposal |
|-----|-------------------|----------------|-----------------------|--------------------------------|
| | Biodegradable | 385 kg/day | Mechanical composting | Use as manure |
| 2 | Non-biodegradable | 257 kg/day | | Sale to authorized recycler |

7. Conditions under Hazardom Waste (MH & TM) Rules, 2008 (or treatment and disposal of hazardous waste:

| Sr. No. | Type Of Waste | Category | Quantity | UOM | Treatment | Disposal |
|------------|---------------|----------|----------|-----|-----------|--------------------|
| Nil | | | | (1) | | No. of Contract of |

8 The Board reserves the right to review, amand, suspend, revoke etc. this consent and the same shall be binding on the industry.

5. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

10. PP shall submit the affidavit in Board's prescribed format within 16 days in the prescribed format regarding the compliance of conditions of EC/ CRZ efeatance and C to E.

11. The applicant should not take any effective steps for implementation of the project before obtaining Environmental Clearance as per EIA Notification 2006 and amendmenta thereto. As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEP vide office memorandum no. J-1103/41/2006-1A.11(I); Dated-13/8/2010,fencing of the site to protect it from petting encroached & construction of temporary shodis) for the guard(s) & acquisition of land shall not be treated as an effective step.

For and on behalf of the Maharashtra Pollution Control Board

> (Rayeev Kumar Mithl. is Member Secretary

Reveived Consent for of a

| Sr. No. | Amount(Rs.) | DD, No. | Date | Drawn On |
|------------|-------------|---------|----------|-----------|
| 1. | 1102100/- | 109603 | 2.6.2014 | Axis Bank |
| 2. | 1164000 | 109305 | 2.6.2014 | Asis Bank |

Conv to:

- Regional Officer Mumbai and Sub-Regional Officer- Mumbai 1, MPCB, Numbai
 They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have proposed three Sewage Treatment Plant (STPs)
 with the design capacity of 100 CMD each for bldg, no.2 and 3 and 20 CMD for public
 parking bldg.
 - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules inade there under from time to time, whichever is stringent.

| Sr No. | Parameters | Standards prescribed by Board | | |
|--------|-------------------|---|--|--|
| | | Limiting Concentration in mg/l, except for pll | | |
| 01 | BOD (3 days 27oC) | 30 | | |
| 02 | Suspended Solids | 50 | | |
| 03 | coo | 100 | | |
| 04 | Residual Chlorine | 1ррпі | | |

- C) The treated effluent shall be 60% recycled for secondary purposes such as tollet flushing, air conditioning, firefighting, Agriculture, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.
- D) Project proposent shall operate STP for five years from the date of obtaining occupation certificate.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.) Purpose for water consumed Water consumption quantity (CMD)

1. Domestic purpose 232

Offution Charles and American Charles and American

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

As per your application, you have proposed to install Air pollution control (APC) system
and also proposed to erect following stack (s) and to observe the following fuel pattern-

| Sr. No. | Stack Attached To | APC System | Height in Mtrs. | Type of Fuel | Quantity & UoM | S % | SO ₂ |
|------------|------------------------|-----------------------|--------------------|-----------------|-------------------|-----|-----------------|
| 1- | DG Set (2x1250 KVA) | Acoustic enclosure | Mtrs Each | HSD | 203.8 ht/hr | 1 | 97.8 |
| 2. | DG Set (2x500 KVA) | Acoustic enclosure | Mtrs Each | HSD | | 38 | 2 |
| 3. | DG Set (1x250 KVA) | Acoustic enclosure | Mtrs Each | HSD | 183 | 2 | - |

^{*} above the roof of the building in which it is installed.

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:


| Particulate | Not to exceed | 150 mg/Nm ² . | |
|-------------|---------------|--------------------------|--|
| matter | | 3/0/2 | |

- The Applicant shall obtain necessary prior permission for providing additional control
 equipment with necessary specifications and operation thereof or alteration or
 replacement alteration well before its life come to an end or erection of new pollution
 control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to
 any technological improvement or otherwise such variation (including the change of
 any centrol equipment, other in whole or in part is necessary).

Page 1 of 2

Schedule-III Details of Bank Guarantees

| No. | (C to | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|-----|---|----------------------|--|--|--|---|
| | E/O/R) Proposed | | | | | |
| 1 | Consent to establish (expansi on) | Rs. 10 laldı | 15 days from date of issue of consent | | | Five years from date of issue of consent |
| 2 | | Rs. 10 lakh | 15 days from date of issue of consent | Towards compliance of consent conditions | Upto Commissioning or 5 years which ever is carlier | Five years from date of issue of consent |
| | | | issue of | - Constitution | or 5 years which | of issue |
| | | | | N. Carlotte | 10 | |
| | | | | 600 | | |
| | | | | | | |
| | | | | 100 | | |
| | | | | William . | | |
| | | | 00 | Milion . | | |
| | | | NO. | | | |
| | | 300 | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



Parts

Schedule-IV.

Conditions during construction phase

- ii During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters.
- b During construction phase, the ambient air and more quality should be closely monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MoSE approved laboratory.
- Noise generating activity shall be carried out during day time only.

General Conditions:

- 1) The applicant shall provide facility for adjection of environmental complex and samples of trade and sewage effluents our emissions and hazardous waste to the Board staff at the terrional or designated points and shall pay to the Board for the services rendered in this behalf.
- Industry should monitor effluent quality, etack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney(s) and facilities such as ladder, plauform etc. for monitoring the air emissions and the same shall be open for inspection toland for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1. S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions acror or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services. Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities matalled to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to shide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement, Report for the financial year ending 31st March in the prescribed Form-V as per the previsions of rule 14 of the Environment (Protection) (Second Appendment) Rules, 1992.
- 7) The industry should comply with the Hazardous Waste (M.H & TM) Pules, 2006 and submit the Annual Rotorns as per Rule 5(6) & 2242) of Hazarsons Waste (M.H & TM) Rules, 2008 for the preceding year April to March in Form IV by 30th June of every year.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) The applicant shall obtain Consent to Operate from Board before commissioning of the project.
- 10) Industry shall strictly comply with the Water (P&CP) Act. 1974. Air (P&CP) Act. 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB websitetwew pipel.gov.in).
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 12) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be unintained.
- 13) Conditions for D.G. Set.
 - a) Name from the D.G. Set should be controlled by providing an account enclosure of by treating the mont acoustically.

e allulio

e jutal Parkar

Council the Andre and Parks Por Appl (500) Marabas MANA 913675000

- b) Industry should provide accurate enclusive for round of raise. The accordence enclusive institute for interest according to the second health be designed for manager 25 dB (A) as enton loss or for marking the surfacest poles standards whichever is or higher side. A suitable exhaust mutiler with insertion loss of 25 dB (A) shall also be provided. The measurement of according to the domest different points of 0.5 meters from according to inclusive room and then average.
- Industry should make efforts to being down noise level due to DG ser conside reductry?
 procuests is other author) neasy requirements by proper satting and compoling assures.
- d) Installation of DG Set most be specify in compliance with recommendations of DG Set manufactions.
- c) A proper routine and precentive maintenance procedure for DG set should be set and followed in tonsultation with the DG manufacturer which would help to prevent noise levels of DG set from deterioriting with use.
- A. D.G. Set shall be operated only in case of power failure.
- (ii) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set
- b) The applicant shall comply with the notification of McEP dated 17.05 2002 regarding noise limit for generator sets run with diesel.
- 10 The ordustry should not hause any nutsame in surrounding area.
- 15) The industry shall take adequate measures for control of noise levels from its own sources within the premises 60 as to maintain ambient air quality standard in respect of mose to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in however 6 a.m. and 10 p m. and night time is reckoned between 10 p.m. and 6 a.m.
- 16) The applicant shall maintain good house keeping.
- 17) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31° March of the year and number of trees planted by September and with the Environment Statement
- 18) The non-hazardous solid waste origing in the factory premises, sweepings, etc. be disposed of sound-ficilly so as not to cause any nuisance / pulletion. The applicant shall take occasiony portrussions from civic applicanties for disposal of solid waste.
- 19) The applicant shall not change or after the quantity, quality, the race of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for willow previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been grunted/without prior consent of the Board. A first
- 20) The industry shall ensure that fugitive emissions from the activity are controlled so as an institute close and safe environment in and around the factory premises.
- 21) The industry shall submit official e mail address and any change will be duly informed to the MPCB.
- 22) The industry shall achieve the National Ambient An Quality standards prescribed vide Covernment of India, Notification dt. 16 11.2009 as amended



MAHARASHTRA POLLUTION CONTROL BOARD

i2hone

4010437/4020781

/4037124/4035273

24044532/4024068 (4023516)

Email

enquiry@mpcb.gov.in

Visit At

http://mpcb.govan



Kalpatan: Point, 3rd & 4th floor, Sion- Matunga. Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Crute, Sion (E). Mumba: - 400 022

Consent order No: Format 1.0/BO/CAC-cell/EIC-MU-5408-13/O(part)/CAC-10539 5.9014 17.11.2014 Date-

Mis. Gonest Hardware and Parks Pvt. Ltd.,

CA to Capricon Realty Ltd...

"Ralieja Tower",

Plot no. C-30, Block 'G'.

Opp. SIDBI, BEC, Bandra (E), Mumba)-51,

Subject: Consent to 1" operate (part) for residential building no.1 in Orange Category. Ref

C to E (bldg. no.1) granted vidu no. BO/RO(P&P)/367 dated 10.4.2006.

 C to E (bldg. no.2 & 3) granted vide no. Formatl.0/BO/CAC-cell/EIC-MU -5978 -14 /CE/CAC- 7496 dated 8.8.2014.

 EC granted by MoEF, Gol vide no. 21-68/2006-IA.III dated 1.9.2006 and by GoM. vide no.SEAC-2012/CR-35/TC-1 dated 29.9.2014.

Minutes of 19th CAC meeting of 2014-15 held on 13.10.2014

Your application CO1310000380.

Dated: 28.10 2013

For: Consent to Operate for residential building project under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollition) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (21, 11 & T M) Rules 2008 is considered and the consent is horeby granted subject to the following terms and conditions and \mathbf{a}_i detailed in the schedule I. Π_i $\Pi \Pi_i$ & IV annexed to this order:

- The Consect to Operate is granted for a period up to 31,10,2015.
- 2. The capital investment of the project (part) is Rs. 825.51 Cis. (As per CA certificate submitted by PP)
- The Consent to Operate is valid for restdential building and of Ms. General Hardware. and Parks Pvt. Ltd. on sub-plot*B* bearing CTS no. 1903(pt), 1904(pt), 1905, t/1905, 2/1905 of bygulla Division of Dr. A.L. Nair Bond, Maulana Azad Road, Jacob circle, Byculla, on total plus area- 61,520,86 sq. mtra & and (PSI BUA of 65846,16 sq.m., Non-FSI BUA of 116639.23 sq.m.) caustruction BUA of 182485.39 sq.m. (as per revised EC) as per the occupation contificate issued by local hody.

Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| in. | Descripti | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|-----|----------------------|--|-----------------------------|--|
| E | Trade effluent | . NIL | NA | NA NA |
| 2, | Domestic effigent | 176 CMD | As per Schedule -I | 60% recycle for secondary purposes such as flushing, ac cooling, gardening etc and remaining discharge to manicipal sewer. |

Conditions under Air (P& CP) Act, 1981 for air emissions.

| Sr. | Description of stack / source | Number of Stock | Standards to be achieved |
|-----|-------------------------------|-----------------|-----------------------------|
| 1 | DG Set (40x1250 KVA) | 10 | As per Schedule - II |
| 2 | DG Set (3x500 KVA) | 3 | As per Schedule -II |

the resolutions and part that he" hidy on a SRO Months (2004) Assessed

Page 1 of 7

6 Conditions under Municipal Solid Waste (Management and Handling) Rule,2000:

| Sr. no. | Type Of Waste | Quantity & UoM | Treatment | Disposal |
|------------|-------------------|----------------|-----------|-----------------------------|
| - | Biodegradable | 685 kg/day | OWC | Use as manure |
| 2 | Non-biodegradable | 685kg/day | - | Sale to authorized recycler |
| 3 | STP sludge | 40 kg/day | | manure |

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

| Sr. Type Of Waste No. | Calegory | Quantity | СОМ | Treatment | Disposal |
|--------------------------|----------|----------|-----|-----------|----------|
| SII | | | | | |

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be hinding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. PP shall submit the affidavit in Board's prescribed format within 15 days in the prescribed format regarding the compliance of conditions of EC and C to O.
- II. PP shall comply with the conditions stipulated in Environmental Clearance granted by Golvide no. 21-68/2006-IA-III dated 1.9.2006 and revised EC granted by GoM vide no. vide no.SEAC-2014/CR-35/TC-1 dated 29.9.2014.

For and on behalf of the Unharashtra Pollution Control Board

> Rajeev Kumar Mital, 146) Member Secretary

Received Consent fee of -

| MCCCLI | red Competitore | V | | Million Control Bridge | |
|------------|-----------------|---------|-----------|------------------------|---|
| Sr. No. | Amount(Rs.) | DD. No. | Date | Dent-11 On | Remarks |
| L. | 1457800/- | 106496 | 5.10.2013 | Axis Bank | The consent fees is obtained |
| 2. | 1494213/- | 110900 | 5.11.2014 | Axis Bank | as C to O for a period from 1.7.2013 to 31.10.2015 and C to E revalidation (Rs. 1218000). |

Copy to:

- Regional Officer Mumbai and Sub-Regional Officer- Mumbai 1. MPCB. Mumba)

 They are directed to ensure the compliance of the consent conditions. RO shall inform the Bank to return the BG of Rs. 10 lakh obtained against C to E (expansion) (dtd 6.8, 2014) for compliance of condition of not to take effective steps prior to obtaining EC. as PP has obtained the same on 29.9.2014.
- 2. Chief Accounts Officer, MPCB, Mumbal.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have provided Sewage Treatment Plant (STP) with the design capacity of 200 CMD.
 - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

| Sr No. | Parameters | Standards prescribed by Board Limiting Concentration in mg/l, except for pH | | |
|--------|-------------------|---|--|--|
| | | | | |
| 01 | BOD (3 days 27oC) | 30 | | |
| 02 | Suspended Solids | 50 | | |
| 03 | COD | 100 | | |
| 04 | Residual Chlorine | 1ppm | | |

C) The treated eliterat shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, Agriculture, on fixed for gardening etc and remaining shall be discharged in to the municipal sewerage system.

D] Project proponent shall operate STP for five years from the date of obtaining occupation

certificate.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, illing water cess returns in Form-1 and other provisions as contained in the said act.

Sr. no. Purpose for water consumed Water consumption quantity (CMD)

1. Domestic ourpose 232

Comp.

Page 3 of 7

"General licited water and park Pvt. Itd" bldg. no. I, SRO Mumbai 170/1/950850

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to install Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

| St. No. | Stack Attached To | APC System | Height in Murs. | Type of Fuel | Quantity & UoM | S % | SO ₂ |
|------------|-------------------------|-----------------------|--------------------|-----------------|-------------------|-----|-----------------|
| l. | DG Set (10x1250 KVA) | Acoustic enclosure | Mtrs Each | HSD | Kg/hr | 1 | |
| 2, | DG Set (3x500 KVA) | Acoustic enclosure | Mtrs Each | HSD | Kg/hr | 10 | > |

^{*} above the roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

| Particulate | Not to exceed | 160 mg/Nm ³ . |
|-------------|---------------|--------------------------|
| matter | | |

- The Applicant shall obtain necessary prior permission for providing additional control
 equipment with necessary specifications and operation thereof or alteration or
 replacement alteration well before its life come to an end or erection of new pollution
 control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

POLICE OF THE PARTY OF THE PART

Schedule-III Details of Bank Guarantees

| Sr. No. | Consent (C to E/O/R) | (Cto Imposed Period | | Purpose of BG | Compliance Period | Validity Date |
|------------|---|---------------------|--|-------------------|----------------------|---|
| | | | | Existing | | |
| 1 | Consent to establish (expansi on) | Rs. 10 laich | 15 days from date of lesue of consent | | | Five years from date of issue of consent |
| | | | | Proposed | 0 | |
| 1 | Consent to Operate | Rs. 10 lakh | 15 days from date of issue of consent | pollution control | continuous | 28.2.2016 |

"Genera hardware and part Pvc.haf" Mig. no.1, SRO Macrical Lacons

Page 5 at 7

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sawage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf
- Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(a) and facilities such as ladder, platformetc, for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services. Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amondment) Rules, 1992.
- 7) The industry should comply with the Hazardous Waste (M.H & TM) Rules. 2008 and aubinit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M.H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- An inspection book shall be opened and made available to the Board's officers during their
 visit to the applicant.
- 9) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection
- 12) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 13) Conditions for D.G. Sec.
 - Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the from acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suftable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. Ther measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/noim and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures
 - d) Installation of DG Set must be strictly in comphance with recommendations of DG Set manufacturer.
 - of A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

** General topologie and park Pot Ref. hidg. on 1, SRO Monthay 178/042/9043

Page 6 of 7

D.G. Set shall be operated only in case of power failure.

g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

14) The industry should not cause any nuisance in surrounding area.

15) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

16) The applicant shall maintain good housekeeping.

17) The applicant shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 314 March of the year and number of trees planted by September end, with the Environment Statement.

18) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take-

necessary permissions from civic authorities for disposal of solid waste...

19) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

20) The industry shall ensure that fugitive emissions from the activity are controlled so as to

maintain clean and safe environment in and around the factory premises.

21) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

22) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.



Page Tul 7

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/ 24010437

Fax. 24023516

Website: http://mpcb.gov.in E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd - 4^{lh} Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022

Consent order No :- Format1.0/80/CAC-cc/l/EIC-MU-6910-15/CO(Part-I)/CAC-7-502_ Date-02(06)2016

10.

M/s. Genext Hardware and Parks Pvt. Ltd.

Sub plot "8" bearing CTS no. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of Bycuffa Division of Or, A.L. Najr Road, Maulana Azad Road, Jacob circle, Mahalaxmi, Mumbai

Subject: Renewal of Consent to Operate (Part-I) for Residential Building no.1 in Orange Category. Ref. ...

- Consent to Tstablish (bldg. no.2) granted vide no. 80/80(P&P)/367 dated 10.8,2006.
- Consent to Establish (bldg. no.2 & 3) granted vide no. Format1.0/80/CAC-cell/EIC-MU =5978 -14 /CE/CAC-7496 dated 8.8.2014.
- EC granted by MoEF, Gol vide no. 21-68/2006-IA.III dated 1.9.2006 and by GoM vide no.SEAC-2014/CR-35/TC-1 dated 29.9.2014.
- Consent to Operate granted vide BO/CAC-Cell/EtC-MU-S406-13/O(part)/CAC-10539 dated 17.11.2014 valid upto 31.10.2015.
- 5. Your application approved in 15th CAC meeting of 2015-2016 held on 09.03.2016.

Your application CR3510000030, Dated: 28.09.2015

For: Renewal of Consent to Operate (Part-I) for Residential Building no.1

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M. H & Y M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule (, N., III & IV annexed to this order:

- The Consent to Operate is granted for a period up to 31.10.2021.
- The capital investment of the project (port) is Rs. 964.59 Crs. (As per CA certificate submitted by applicant)
- The Consent to Operate (Part-I) is valid for Residential Building no.1 of M/s. Genekl Hardware and Parks Pvl. Ltd. on sub-plot "8" bearing CTS no. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of Byculla Division of Dr. A.t. Naiv Road, Maulana Azad Road, Jacob circle, Mahalaxmi, Mumbai on Total Plot Area of 61,520.36 sq. mitrs and construction BUA of 1,82,485.39 sq.m. (as per revised EC), including utilities and services.
- 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr. no. | Oescriptio n | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|------------|----------------------|---------------------------------------|-----------------------------|--|
| 1. | Trade elfluent | COL | AN | NA |
| 2. | Domestic effluent | 176 CMD | As per Schedule –1 | The treated effluent shall be 60% (i.e. 106 CMD) recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body. |

Genest birdyore and park Por Jal" Mdg. on 1. SRC (Mandian 1712/05085000)

Pass Col 6.

s. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Sr. | Description of stack / source | Number of Stack | Standards to be achieved |
|-----|-------------------------------|-----------------|-----------------------------|
| 1. | DG Set (10x1250 KVA) | 10 | As per Schedule -II |
| 2 | DG Set (3x500 KVA) | 3 | As per Schedule -II |

6. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000:

| Sr. no, | Type Of Waste | Quantity & UoM | Treatment | Disposal |
|---------|-------------------|----------------|-----------|-----------------------------|
| 1 | Biodegradable | 685 kg/day | owc | Use as manure |
| 2 | Non-blodegradable | 685kg/day | 142 | Sale to authorized recycler |
| 3 | 5TP sludge | 40 kg/day | | manure |

Conditions under Hazardous Waste (MM & TM) Rules, 2008 for treatment and disposal of hazardous waste:

| Sr. No. | Type Of Waste | Category | Quantity | UOM | Treatment | Disposal | |
|------------|---------------|----------|----------|-----|-----------|----------|--|
| Nii | | | | | CO 200 | | |

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any
 other Government authorities.
- PP shall comply with the conditions stipulated in Environmental Clearance granted by Gol vide no. 21-68/2006-IA.III dated 1.9.2006 and revised EC granted by GoM vide no. vide no.SEAC-2014/CR-35/TC-1 dated 29.9.2014.

For and on behalf of the Maharashtra Pollution Control Board

Member Secretary

Received Consent fee of -

| Sr. No. | Amount(Rs.) | DD. No. | Date | Drawn On |
|---------|-------------|---------|------------|-----------|
| 1 | 19 29,300/- | 068858 | 28.08.2015 | Axis bank |
| 2 | 38,58,239/- | 74125 | 23.05.2016 | Axis bank |

Copy to:

- 1. Regional Officer, Mumbai and Sub-Regional Officer MPC6, Mumbai-I
 - -- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have provided Sewage Treatment Plant (STP) with the design capacity of 200 CMD.
 - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

| Sr No. | Parameters | Standards prescribed by Board | | |
|--------|--------------------|---|--|--|
| | | Limiting Concentration in mg/l, except for pH | | |
| 01 | BOD (3 days 27o€) | 10 | | |
| 02 | Suspended Solids | 10 | | |
| 03 | COD | 50 | | |
| 04 | Residual Chlorine | 1ppm | | |

- C) The treated effluent shall be 60% (i.e. 106 CMD) recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body, in no case, effluent shall find its way to any water body directly/indirectly at any time. Project proponent shall provide flow meter to ensure 60% recycling of treated sewage and shall maintain the record with data logging system. Project Proponent shall achieve the treated domestic effluent standard for the parameter 80D-20 mg/lit, and shall install online monitoring system within 4 months.
- D] Project proponent shall operate STP for five years from the date of obtaining occupation certificate.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution). Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-1 and other provisions as contained in the said act.

| Sr. no. | Purpose for water consumed | Water consumption quantity (CMD) |
|---------|----------------------------|----------------------------------|
| 1. | Domestic purpose | 232 |

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to install Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

| Sr. No. | Stack Attached To | APC System | Height in Mtrs. | Type of fuel | Quantity & UoM | S % |
|------------|----------------------|-----------------------|--------------------|-----------------|-------------------|-----|
| 1 | OG Set (10x12S0 KVA) | Acoustic enclosure | 7.1* mtrs each | HSD | Kg/hr | 1 |
| 2. | DG Set (3x500 KVA) | Acoustic enclosure | 4.5° mtrs. each | HSO | Kg/hr | 1 |

^{*} above the roof of the building in which it is installed.

 The applicant shalf operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

| Particulate | Not to exceed | 150 mg/Nm | |
|-------------|---------------|-----------|--|
| matter | | 7/1 | |

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III Details of Bank Guarantees

| Sr. No: | Consent (C to E/O/R) | Amt of BG Imposed | Submission Period** | Purpose of BG | Compliance Period | Validity++ |
|------------|---|----------------------|---|---|----------------------|-------------------------------------|
| 1 | Renewal of Consent to Operate | Rs. 10 lakh | 15 days from date of issue of consent | Towards O & M of pollution control system | Continuous | Validity of this consent + 4 months |

- ** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
- ++ The Bank Guarantee(s) shall be valid for a period upto: Validity of consent + 4 months:
- # Existing BG obtained for above purpose if any may be extended for period of validity as above.

Schedule-IV

General Conditions:

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board stalf at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011.
- 3) Drainage system shall be provided for collection of sewage elfluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak inours.
- 55 Conditions for D.G. Set.
 - Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient moise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Applicant shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - d) Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
 - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - g) D.G. Set shall be operated only in case of power failure.
 - h) The applicant should not cause any nursance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule 2011.
- Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB
- 8) Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the linancial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

Gangsii handware and park their and felder not to SRO behinder 1/O/1295(\$5000)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/ 24010437

Fax: 24023516

Website: http://mpcb.gov.in E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022

Consent order No: - Format1.0/BO/CAC-cell/UAN No. 0000049585/CO(Part-I)/CAC- 1903001472
Date- 26 03 2419

To.

M/s Genext Hardware & Parks Pvt. Ltd.,
Sub Plot - B of C.S. No. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division,
Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai-400 011.

Subject: Grant Consent to 1st Operate (Part-I) for Building No. 2 (Tower-D) of Residential & Composite Building with Public Parking in RED Category.

Ref: 1. Environment Clearance accorded by GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.

Consent to Establish granted by Board vide no. BO/RO(P&P)/367 dtd. 10/04/2006.

Minutes of Consent Appraisal Committee meeting held on 25/10/2018.

Your application No. 0000049585 Dated 26/05/2018

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Consent to 1st Operate (Part-I) is valid for period upto 30/06/2019.
- The capital investment of the project (Part) is Rs. 402.67 Crs (As per C.A. Certificate submitted by project proponent and capital investment of complete project is 888 Crs).
- 3. The Consent to 1st Operate (Part-I) is valid for Sale Building No. 2 (Tower-D) of Residential & Composite Building with Public Parking of M/s Genext Hardware & Parks Pvt. Ltd. at Sub Plot B of C.S. No. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle; Mahalaxmi, Mumbai-400 011 on total plot area of 68,274.86 Sq. Mtrs. for construction BUA (FSI) 31,935.02 Sq. Mtrs. out of Total construction BUA of 2,05,546.42 Sq. Mtrs. as per Environmental Clearance No. SEAC-2014/CR-35/TC-1 dated 29/09/2014 and Commencement Certificate issued by local body including utilities and services.
- 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr. no. | Description | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|------------|----------------------|---|--------------------------------|---|
| 1. | Trade effluent | NIL | NA | NA NA |
| 2. | Domestic effluent | 59 | As per Schedule-I | The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening. |

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Sr. No. | Description of stack/ source | Number Of Stack | Standards to be achieved |
|---------|------------------------------|-----------------|--------------------------|
| 1 | DG Sets (1 x 1,250 KVA) | 1 | As Per Schedule -II |

6. Conditions under Solid Waste Management Rule, 2016:

Sr. no. Type Of Waste Quantity

M/s Genext Hardware & Parks Pvt. Ltd. (Part-I), SRO Mumbal I/ UAN No. 00000049585

Page 1 of 6

| | | | Treatment | Disposal |
|---|-------------------|----------------|-------------------------------|--|
| 1 | Biodegradable | 165 Kg/day | OWC followed by composting | Used as Manure |
| 2 | Non-Biodegradable | 110 Kg/day | - | Segregate and Hand over to Local Body for recycling |
| 3 | STP Sludge | As actual Kg/D | *** | Used as Manure |

Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules,
 2016 for treatment and disposal of hazardous waste:

| Sr. No. | HW Cat. & Type Of Waste | Quantity | UOM | Treatment | Disposal |
|---------|-------------------------|-----------|--------|-----------|-----------------------------------|
| 1 | 5.1 - Used/ Spent Oil | As actual | Ltrs/A | 14 | Sale to Auth. Party/ Re-processor |

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall comply conditions stipulated in Environmental clearance issued by SEIAA, GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
- Project Proponent shall submit an undertaking in Board's prescribed format within 15 days regarding compliance of Environmental Clearance (EC) and Consent to Operate conditions.
- 12. Project Proponent shall submit the undertaking within 15 days in the prescribed format towards part of the built up area/ building for which application for 1st Consent to Operate (Part-I) is made and that the same is included in the Environmental Clearance accorded.
- 13. Project Proponent shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.
- The treated effluent shall be 60% recycled for secondary purposes such as tollet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening.
- Project Proponent shall submit the Bank Guarantee of Rs. 25 lakhs towards O & M of pollution control system.
- Project Proponent shall operate organic waste digester along with composting facility/ bio-digester (biogas) with composting facility for the treatment of wet garbage.
- Project Proponent will be responsible for proper operation & maintenance of pollution control systems for initial period of five years after Society formation and afterward handover the facility to the Society for its further operation in good and working conditions.

For and on behalf of the Maharashtra Pollution Control Board

> (E. Ravendiran, IAS) Member Secretary

Received Consent fee of -

| Sr. No. | DR/DR/RTGS/NEFT/TRXN No. | Bank Name | Amount | Date |
|---------|--------------------------|-----------|----------------|------------|
| 1 | TXN1805003337 | - 4 | Rs. 8,05,340/- | 29/05/2018 |

Copy to:

- 1. Regional Officer (Mumbai)/ Sub-Regional Officer (Mumbai-I), M.P.C. Board.
 - They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- CC/CAC desk- for record & website updating purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have provided STP of capacity 100 CMD with MBBR Technology for the treatment of 59 CMD sewage.
 - B] The Applicant shall operate the Sewage Treatment Plant (STP) to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

| Sr. No. | Parameters | Standards prescribed by Board |
|---------|-------------------|---|
| 100 | 1.773 | Limiting Concentration in mg/l, except for pH |
| 01 | BOD (3 days 27°C) | 10 |
| 02 | Suspended Solids | 20 |
| 03 | COD | 50 |
| 04 | Residual Chlorine | 1 ppm |

C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. In no case, effluent shall find its way to any water body directly/indirectly at any time. Project proponent shall provide flow meter to ensure 60% recycling of treated sewage and shall maintain the record with data logging system.

Project Proponent shall install online continuous monitoring system for the parameters Flow, BOD & TSS at the outlet of Sewage Treatment Plant with the connectivity to MPCB Server within 3 months.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system and/ or extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall consume water as follows:

| Sr. no. | Purpose for water consumed | Water consumption quantity (CMD) | | |
|---------|--|----------------------------------|--|--|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 | | |
| 2. | Domestic purpose | 74.0 | | |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 0.00 | | |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 | | |

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to installed the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

| Sr. No. | Stack Attached To | APC System | Height in Mtrs. | Type of Fuel | Quantity & UoM | S % | SO ₂ (Kg/D) |
|---------|----------------------|-----------------------|--------------------|-----------------|-------------------|------------|---------------------------|
| 1. | D.G. Set (1,250 KVA) | Acoustic Enclosure | 4.5 | HSD | 197 Kg/Hr | 1 | 95 |

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

| Total Particulate matter | Not to exceed | 150 mg/Nm ³ |
|--------------------------|---------------|------------------------|
| | Al . | - |

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

| Sr. No. | Consent (Renewal Of C to O) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity |
|------------|-----------------------------------|----------------------|----------------------|--|----------------------|------------|
| 1 | 1st C to O(Part-I) | Rs:25 Lakh | Within 15 Days | Towards O & M of pollution control systems | 30/06/2019 | 31/10/2019 |

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Schedule-IV

General Conditions:

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions
 and hazardous waste to the Board staff at the terminal or designated points and shall pay to
 the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
 - Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

-----00000------

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0/CAC-CELL/UAN No.0000073917/CE - 1910000 789

Date: 16 10 2019

To,

M/s Genext Hardware & Parks Pvt. Ltd.,

CS Nos. 1903, 1904,1905,1/1905 & 2/1905 of Byculla Division,

Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai.

Sub: Grant of re-validation of Consent to Establish for construction of remaining part of the Project i.e. Building No. 3 & Public Parking Lot under Red Category

- Ref: 1. Environment Clearance accorded by Env. Dept GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
 - Consent to Establish accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC-MU-5978-14/CE/CAC-7496 dtd. 08/08/2014
 - Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC-MU-6910-15/CO(Part- I)/CAC-7502 dtd. 02/06/2016
 - Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000049585/CO(Part-I)CAC-1903001472 dtd. 26/03/2019.
 - Minutes of Consent Appraisal Committee meeting held on 14/08/2019.

Your application No.MPCB-CONSENT-0000073917 Dated 10.06.2019

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Revalidation of Consent to Establish is granted for a period upto commissioning of project or 5 years / or upto 08-08-2024 whichever is earlier.
- The capital investment of the project is Rs.673.56 Crs. (As per undertaking submitted by pp).
- 3. The Consent to Establish is valid for for construction of remaining part of the Project i.e. Building No. 3 & Public Parking Lot of M/s Genext Hardware & Parks Pvt. Ltd., CS Nos. 1903, 1904,1905,1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai on total plot area 61,520.46 sq. mtrs. for remaining construction BUA 1,39,740.52 sq. mtrs. out of total construction BUA 2,05,546.42 sq. mtrs. as per Environment Clearance and construction permission issued by Local Body including utilities and services.
- 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr No | Description | Permitted | Standards to | Disposal |
|----------|-------------------|-----------|--------------|--|
| 1. | Trade effluent | Nil | NA | NA NA |
| 2. | Domestic effluent | 83 | | The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air- conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to local body sewer line. |

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Stack No. Description of stack / source | Description of stack / source Number of Stack | | |
|---|---|---------------------|--|
| S-1 & S-2 DG Sets (750 & 1250 KVA) | 1 | As per Schedule -II | |

6. Conditions under Solid Waste Rules, 2016:

| Sr No | Type Of Waste | Quantity & UoM | Treatment | Disposal |
|----------|---|----------------|-----------|--|
| 1 | Biodegradable | 143 Kg/Day | NA | Use as Manure |
| 2 | Non- Biodegradable Waste (Inert, Paper Packaging, Rubber, Glass) | 128 Kg/Day | NA | Dry garbage will be segregated and hand over to local body for recycling |
| 3 | STP Sludge | 10 Kg/Day | NA | Use as Manure |

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

| Sr No | Category No. | Quantity | UoM | Treatment | Disposal |
|-------|--------------|----------|-------|-----------|--------------------------------------|
| 1 | 5.1 | 200 | Ltr/A | NA | Sale to Auth. Party/ Re-processessor |

- 8 This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10 PP shall provide STP so as to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.
- The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to local body sewer line.
- PP shall install organic waste digester along with composting facility/bio-digester (biogas) with composting facility for the treatment of wet garbage.
- PP shall obtain NOC from MCGM for disposal of construction debris at specific site inspected and approved by Municipal Corporation.
- 14 PP shall submit BG of Rs. 10 Lakhs towards compliance of EC and Consent to Establish conditions.
- PP shall provide bus transport for resident/ employees to the extent possible directly or indirectly through the operator so as to reduce traffic congestion and resultant in reduction of air pollution.
- 16 Consent shall be issued without prejudice to the order passed as may be passed by the Hon'ble Supreme Court of India in special leave petition Civil No. D23708/2017.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Ravendiran IAS), Member Secretary

Received Consent fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 1347120.00 | 5451845 | 10/06/2019 | RTGS |

Balance fees of Rs. will be considered at the time of next renewal of consent Copy to:

- 1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai I
- They are directed to ensure the compliance of the consent conditions.
- Cheif Accounts Officer, MPCB, Sion, Mumbal
- CC-CAC Desk- for record & website updating purpose.

SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity 120 CMD for treatment of domestic effluent of 83 CMD.
 - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

| Sr. No. | Parameters | Standards prescribed by Board |
|---------|--------------------|---|
| | | Limiting Concentration in mg/l, except for pH |
| 1. | BOD (3 days 27o C) | 10 |
| 2. | Suspended Solids | 20 |
| 3. | COD | 50 |
| 4. | Residual Chlorine | 1ppm |

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to local body sewer line. In no case, effluent shall find its way outside Project Proponent's premise.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|------------|--|-------------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 95.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 0.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |

 The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

As per your application, you have proposed to provide the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

| Stack No. | Stack Attached To | CHIEF CHIEF CONTRACTOR OF THE PROPERTY OF THE | Height in Mtrs. | Type of Fuel | Quantity & UoM |
|-----------|----------------------|---|----------------------------|---------------------|----------------|
| S-1 | DG Set (750 KVA) | Acoustic Enclosure | THE PERSON NAMED IN COLUMN | The State of London | |
| 5-2 | DG Sets (1250 KVA) | Acquetic for | | HSD | 166.5 Kg/Hr |
| Above roo | of the building in w | bich it is install | 10 | HSD | 197 Kg/Hr |

* Above roof the building in which it is installed.

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

| Total Darticular mass. | | ACC. |
|-------------------------|---------------|---------------|
| Total Particular matter | Not to exceed | 150 mg/Nm3 |
| | | 200 HIGH HILL |

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- Conditions for utilities like Kitchen, Eating Places, Canteens:
 - a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
 - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III Details of Bank Guarantees:

| Sr. No. | Consent(C2E/C2O/C2R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|------------|----------------------|-------------------------|----------------------|---|----------------------|------------------|
| 1 | CZE | 1000000 | 15 | Towards compliance of the Environmental Clearance & Consent to Establish conditions | 08.08.2024 | 08.12.2024 |

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

| Srno. | Consent (C2E/C2O/C2R) | Amount of BG imposed | Submission Period | Purpose of BG | Amount of BG Forfeiture | Reason of BG Forfeiture |
|-------|--------------------------|----------------------------|----------------------|------------------|-------------------------------|-------------------------------|
| | | | NA | | A | |
| | | | | | | |
| | | | | | (V | |

SCHEDULE-IV

Conditions during construction phase

| A | During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters. |
|---|--|
| В | During construction phase, the ambient air and noise quality should be closely monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MoEF approved laboratory. |
| c | Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations. |

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during nonpeak hours.
- 5 Conditions for D.G.Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G.
 5et.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6 Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0/CAC-CELL/UAN No.0000073142/CO 1910000 829

Date: 17/10/2019

To,

M/s Genext Hardware & Parks Pvt. Ltd.,

Sub plot B, CS Nos. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division,

Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai.

Sub: Grant of renewal of Consent to Operate (Part-II) for Residential Building No. 2 of the Residential Project under Red Category

- Ref: 1. Environment Clearance accorded by Env. Dept GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
 - Consent to Establish accorded by Board vide No. Format 1.0/BO/CAC-Cell/EICMU-5978-14/CE/CAC-7496 dtd. 08/08/2014.
 - Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC-MU-6910-15/CO(Part-I)/CAC-7502 dtd. 02/06/2016.
 - Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000049585/CO(Part-I)CAC-1903001472 dtd. 26/03/2019.
 - Minutes of Consent Appraisal Committee meeting held on 14/08/2019.

Your application No.MPCB-CONSENT-0000073142 Dated 14.06.2019

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The 1st Consent to Operate is granted for a period up to 30.06.2020
- The capital investment of the project is Rs.502.7843 Crs. (As per C.A Certificate submitted by industry).
- 3. The Consent to Operate is valid for __named as Genext Hardware & Parks Pvt. Ltd., Sub plot B, CS No. 1903, 1904,1905,1/1905 & 2/1905,Building No. 2 on sub plot B, of CS No. 1903, 1904,1905,1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai,Mumbai,Mumbai city on Total Plot Area of 61520.46 Sq. Meters. SqMtrs for construction BUA of FSI: 31935.02 Sq. Mtrs + Non FSI area 33870.88 (Out of total construction BUA 2,05,546.42 Sq. mtrs) SqMtrs out of Total Construction BUA of SqMtrs as per EC granted dated 2014-09-29 including utilities and services
- 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr No | Description | Permitted | Standards to | Disposal |
|----------|-------------------|-----------|--------------|--|
| 1. | Trade effluent | Nil | NA. | NA . |
| 2. | Domestic effluent | 59 | | The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilized on land for gardening and or connected to local body sewer line. |

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Stack I | No. Description of stack / source | Number of Stack | Standards to be achieved |
|---------|-----------------------------------|-----------------|--------------------------|
| S-1 | DG Set (1250 KVA) | 1 | As per Schedule -II |

6. Conditions under Solid Waste Rules, 2016:

| Sr No | Type Of Waste | Quantity & UoM | Treatment | Disposal |
|----------|--------------------|----------------|-------------------------------|--|
| 1 | Bio Degradable | The Korpay | OWC followed by composting | Used as manure for gardening |
| 2 | Non-Bio Degradable | 110 Kg/Day | NA | Segregate and hand over to local body for recycling |
| 3 | STP sludge | 5 Kg/Day | NA | Used as Manure |

7 Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

| Sr No | Category No | . Quantit | y UoM Treatment | Disposal | MIN'H |
|-------|-------------|-----------|-----------------|---|-------|
| 1 | 5.1 | 100 | Ltr/A NA | Disposal by sale to authorized recycler | |

- 8 The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10 PP shall operate STPs so as to achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.
- 11 The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilized on land for gardening and or connected to local body sewer line.
- 12 PP shall operate OWC followed by composting facility for the treatment of Biodegradable waste and compost obtained shall be used as manure in their own garden/ plantation.
- PP will be responsible for proper operation & maintenance of pollution control systems for initial period of five years after Society formation and afterward handover the facility to the Society for its further operation in good and working conditions.
- 14 PP shall provide bus transport for residents/ employees to the extent possible directly or indirectly through the operator for the residents so as to reduce traffic congestion and resultant air pollution.
- 15 PP shall extend existing BG of Rs. 25 Lakh towards O & M of pollution control system and compliance of consent to operate conditions.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Ravendiran IAS), Member Secretary

Received Consent fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 200228.00 | TXN1909001452 | 23/09/2019 | Online Payment |
| 2 | 1005569.00 | 5451945 | 14/06/2019 | RTGS |

Copy to:

- 1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai I
- They are directed to ensure the compliance of the consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. CC-CAC Desk- for record & website updating purpose

SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity 100 CMD for treatment of domestic effluent of 59 CMD.
 - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

| Sr. No. | Parameters | Standards prescribed by Board | | |
|---------|--------------------|---|--|--|
| | | Limiting Concentration in mg/l, except for pH | | |
| 3. | BOD (3 days 27o C) | 10 | | |
| 2. | Suspended Solids | 30 | | |
| 3, | COD | 20 | | |
| 4. | Residual Chlorine | 50 | | |
| 11.77.5 | rvesiduei craoline | 1ppm | | |

- C] The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilized on land for gardening and or connected to local body sewer line. In no case, effluent shall find its way outside Project Proponent's premise.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.

| Sr. No. | | Water consumption quantity (CMD) |
|------------|--|-------------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | |
| 2. | Domestic purpose | 0.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 78.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |

 The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

| Stack No | o. Stack Attached To | APC System | Height in Mtrs. | Type of Fuel | Quantity & UoM |
|----------|----------------------|--------------------|--------------------|-----------------|----------------|
| S-1 | DG SET (1250 KVA) | Acoustic Enclosure | 15 | HSD | 197 Kg/Hr |

* Above roof the building in which it is installed.

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

| Total Particular matter | Not to exceed | 150 mg/Nm3 |
|-------------------------|---------------|------------|

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) Conditions for utilities like Kitchen, Eating Places, Canteens:-
 - The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
 - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs, higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III Details of Bank Guarantees:

| Sr. No. | Consent(C2E/C2O/C2R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|------------|----------------------|-------------------------|----------------------|---|----------------------|------------------|
| 1 | C2R (Part-II) | 2500000 | Existing | Towards O&M of pollution control systems and towards compliance of the Consent conditions | 30.06.2020 | 30.10.2020 |

^{**} The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

| Srno. | Consent (C2E/C2O/C2R) | Amount of BG imposed | Submission Period | Purpose of BG | Amount of BG Forfeiture | Reason of BG Forfeiture |
|-------|--------------------------|----------------------------|----------------------|------------------|-------------------------------|-------------------------------|
| | | II KOME OUGE | NA | 1100-100 | | 1.0000.000.000 |
| | | | | | | |
| | | | | 1 | | |
| | | | | 1 | 1 | |

SCHEDULE-IV

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during nonpeak hours.
- 5 Conditions for D.G.Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed
 in consultation with the DG manufacturer which would help to prevent noise levels of DG set from
 deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G.
 Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6 Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.



Maharashtra Pollution Control Board

5e54c6ed1cb48b12ced85f86

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0/CAC-CELL/UAN No.0000076548/CO -200 200 10 4 5

Date: 25 02/2020

N/s Genext Hardware & Parks Pvt.
Ltd. "Public Parking Lot", Sub Plot B, CS
Nos. 1903, 1904, 1905, 1/1905 & 2/1905 of
Byculla Division, Sane Guruji Marg, Near
Jacob Circle, Mahalaxmi, Mumbai.

Sub: Grant of Consent to 1st Operate (Part-III) for Public Parking Lot under Red Category

- Ref: 1. Environment Clearance accorded by Env. Dept GoM vide No. SEAC-2014/CR-35/TC-1 dtd. 29/09/2014.
 - Consent to Establish accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000073917/CE-1910000784 dtd. 16/10/2019.
 - Consent to Operate accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC MU -6910-15/CO(Part-I)/CAC-7502 dtd. 02/06/2016.
 - Consent to Renewal accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000073142/CO-1910000829 dtd. 17/10/2019.
 - Minutes of Consent Appraisal Committee meeting held on 07/01/2020.

Your application NO. MPCB-CONSENT-0000076548

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The 1st Consent to Operate is granted for a period up to 28.02.2021
- The capital investment of the project is Rs.91.49 Crs. (As per C.A Certificate submitted by industry).
- 3. The Consent to Operate is valid for Public Parking Lot of M/s Genext Hardware & Parks Pvt. Ltd. at plot bearing Sub Plot B, CS Nos. 1903, 1904, 1905, 1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai on total plot area 61,520.46 sq. mtrs. for construction BUA 65,563.61 sq. mtrs. out of total construction BUA of 3,88,031.81 sq. mtrs. as per Environment Clearance granted dated 29/09/2014 and construction permission issued by local body including utilities and services.

| Sr.No | Permission Obtained | Plot Area (SqMtr) | BUA (SqMtr) |
|-------|----------------------------------|-------------------|-------------|
| 1 | Environment Clearance | 61520.46 | 388031.61 |
| 2 | Consent to Establish | 61520.46 | 388031.61 |
| 3 | Consent to Operate (Part- I) | 61520.46 | 182485.39 |
| 4 | Consent to Operate (Part- II) | 61520.46 | 65805.90 |

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 1 of 7



Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr No | Description | Permitted (in CMD) | Standards to | Disposal |
|----------|-------------------|--------------------|------------------------|--|
| 1. | Trade effluent | Nil | NA | NA |
| 2. | Domestic effluent | 14 | As per Schedule - I | 60% recycled for secondary purposes and remaining for gardening and/ or connected to local body sewer line. |

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Stack No. | Description of stack / | Number of | Standards to be |
|-----------|------------------------|-----------|---------------------|
| | source | Stack | achieved |
| S-1 | DG Sets (750 KVA) | 1 | As per Schedule -II |

6. Conditions under Solid Waste Rules, 2016:

| Sr No | | Quantity & UoM | Treatment | Disposal |
|----------|--------------------|-------------------|----------------------------|---------------------------------|
| 1 | Biodegradable | 40 Kg/Day | OWC followed by composting | Used as manure for gardening |
| 2 | Non-Bio Degradable | 26 Kg/Day | Segregation/ Recycle | Auth. vendor/ Local Body |

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

| Sr No | Category No. | Quantit | y UoM | Treatment | Disposal |
|----------|---------------------|---------|-------|-----------|--|
| 1 | 5.1 Used /spent oil | 100 | Ltr/A | Recycle | Sale to Auth. Party/ Re- processessor |

- 8 The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10 PP shall operate STP so as to achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.
- 11 The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilised on land for gardening and or connected to local body sewer line.
- 12 PP shall operate OWC followed by composting facility for the treatment of Biodegradable waste and compost obtained shall be used as manure in their own garden/ plantation.
- 13 PP shall extend existing BG of Rs. 25 Lakh towards O & M of pollution control system and compliance of consent to operate conditions.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Ravendiran IAS), Member Secretary

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 2 of 7



Received Consent fee of -

| | | Transaction/DR.No. | Date | Transaction-Type |
|---|-----------|--------------------|--------------|------------------|
| 1 | 125000.00 | TXN1908000596 | 14/08/2019 0 | nline Payment |

Copy to:

- Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai II
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai
- 3. CC-CAC Desk- for record & website updating purpose.



Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 3 of 7



SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity 300 CMD for treatment of domestic effluent of 14 CMD.
 - B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

| Sr. No. | Parameters | Standards prescribed by Board |
|---------|--------------------|---|
| | | Limiting Concentration in mg/l, except for pH |
| 1. | BOD (3 days 27o C) | 10 |
| 2. | Suspended Solids | 20 |
| 3. | COD | 50 |
| 4. | Residual Chlorine | 1ppm |

- C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilised on land for gardening and or connected to local body sewer line. In no case, effluent shall find its way outside Project's premise.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|------------|---|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 15.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 0.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |

 The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 4 of 7



SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

| Stack | Stack Attached | APC System | Height in | Type of | Quantity & |
|-------|------------------|------------------------------|-----------|---------|------------|
| No. | To | | Mtrs. | Fuel | UoM |
| S-1 | DG Set (750 KVA) | Acoustic Enclosure/ Stack | 6.5 | HSD | 152 Kg/Hr |

 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

| Total Particular matter | Not to exceed | 150 mg/Nm3 |
|-------------------------|---------------|------------|
| | | |

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) Conditions for utilities like Kitchen, Eating Places, Canteens:
 - a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
 - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 5 of 7



SCHEDULE-III Details of Bank Guarantees:

| Sr. No. | Consent(C2E/C 2O/C2R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|------------|--------------------------|-------------------------|----------------------|---|----------------------|------------------|
| 1 | CZE | 2500000 | Existing | Towards O&M of pollution control systems and towards compliance of the Consent conditions | 28.02.2021 | 30.06.2021 |

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

| Srno. | Consent (C2E/C2O/C2R) | Amount of BG imposed | Submission | of RG | BG | Reason of BG Forfeiture |
|-------|--------------------------|----------------------------|------------|-------|----|-------------------------------|
| | | | NA NA | | 4 | |



Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 6 of 7



SCHEDULE-IV

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

Genext Hardware & Parks Pvt. Ltd./CO/UAN No.MPCB-CONSENT-0000076548

Page 7 of 7



Maharashtra Pollution Control Board

5e6b59a8c491da7b2638368e

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0/CAC-CELL/UAN No.0000077338/CE - 200300084

Date: 13 03 2020

To.

M/s Genext Hardware & Parks Pvt. Ltd., Sub plot "B", C.S. Nos. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division, Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Mumbai.

Sub: Grant of amendment in Consent to Establish for construction of remaining part of the Project i.e. Building No. 3 under Red Category

- Ref: 1. Environment Clearance accorded by Env. Dept GoM vide No. SEIAA-EC-000001987 dtd. 13/09/2019.
 - Consent to Establish accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000073917/CE-1910000784 dtd. 16/10/2019.
 - Consent to Operate (Part-I) accorded by Board vide No. Format 1.0/BO/CAC-Cell/EIC MU-6910-15/CO(Part-I)/CAC-7502 dtd. 02/06/2016.
 - Consent to Operate (Part-II) accorded by Board vide No. Format 1.0/BO/CAC-Cell/UAN No. 0000073142/CO/CAC-1910000829 dtd 17/10/2019.
 - Consent to Operate (Part-III) accorded by Board vide No. Format 1.0/CAC-Cell/UAN No. 0000076548/CO-2002001045 dtd. 25/02/2020.
 - 6. Minutes of Consent Appraisal Committee meeting held on 30/01/2020.

Your application NO. MPCB-CONSENT-0000077338

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal ofAuthorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

- The Consent to Establish is granted for a period upto commissioning of project or upto 28-02-2025 whichever is earlier.
- The capital investment of the project is Rs.432.9442 Crs. (As per undertaking submitted by pp).
- 3. The Consent to Establish is valid for construction of remaining part of the Project i.e. Building No. 3 of M/s Genext Hardware & Parks Pvt. Ltd. on sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra, Mumbai, Mumbai city on Total Plot Area of 61,520.46 sqm SqMtrs for construction BUA of 3,93,134.51 sqm (BUA of building 3 residential wing: 79,279.61 sqm) SqMtrs out of Total Construction BUA of SqMtrs as per EC granted dated including utilities and services

| Sr.No | Permission Obtained | Plot Area (SqMtr) | BUA (SqMtr) |
|-------|-----------------------|-------------------|-------------|
| 1 | Environment Clearance | 61520.46 | 393134.51 |
| 2 | Consent to Establish | 61520.46 | 393134.51 |

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 1 of 8



| 3 | Consent to Operate (Part- I) | 61520.46 | 182485.39 |
|---|-----------------------------------|----------|-----------|
| 4 | Consent to Operate (Part- II) | 61520.46 | 65805.90 |
| 5 | Consent to Operate (Part- III) | 61520.46 | 65563.61 |

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr No | Description | Permitted (in CMD) | Standards to | Disposal |
|----------|-------------------|--------------------|------------------------|---|
| 1. | Trade effluent | Nil | NA | NA |
| 2. | Domestic effluent | 80 | As per Schedule - I | 60% recycle for secondary purposes and remaining on land for gardening or into sewerage system provided by local body |

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Stack No. | Description of stack / | Number of | Standards to be |
|-----------|------------------------|-----------|---------------------|
| | source | Stack | achieved |
| S-1 | DG Set (1500 KVA) | 1 | As per Schedule -II |

6. Conditions under Solid Waste Rules, 2016:

| Sr No | Type Of Waste | Quantity & Uol | 1 Treatment | Disposal |
|----------|------------------|----------------|-------------------------------|-----------------------------|
| 1 | Dry Waste | 126 Kg/Day | Segregation | Auth. vendor/ Local Body |
| 2 | Wet Waste | 189 Kg/Day | Mechanical Composting Unit | Used as Manure |
| 3 | STP Sludge | 10 Kg/Day | Dewatering | Used as Manure |

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

| Sr No | Category No. | Quanti | ty UoM | Treatmen | nt Disposal |
|----------|---------------------|--------|--------|----------|--|
| 1 | 5.1 Used /spent oil | 20 | Kg/M | Recycle | Sale to Auth. Party/ Re- processessor |

- 8 This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10 PP shall provide STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.
- 11 The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilised on land for gardening and connected to local body sewer line.
- 12 PP shall install organic waste digester along with composting facility/ biodigester (biogas) with composting facility for the treatment of wet garbage.
- 13 PP shall obtain NOC from MCGM for disposal of construction debris at specific site inspected and approved by Municipal Corporation.

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 2 of 8



- 14 PP shall extend BG of Rs. 10 Lakhs towards compliance of EC and Consent to Establish conditions.
- PP shall provide bus transport for resident/ employees to the extent possible directly or indirectly through the operator so as to reduce traffic congestion and resultant in reduction of air pollution.
- 16 Consent shall be issued without prejudice to the order passed as may be passed by the Hon'ble Supreme Court of India in special leave petition Civil No. D23708/2017.
- 17 This Consent is issued with the overriding effect on earlier Consent to Establish No. Format 1.0/BO/CAC-Cell/UAN No. 0000073917/CE-1910000784 dtd. 16/10/2019.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Ravendiran IAS), Member Secretary

Received Consent fee of -

Sr.No Amount(Rs.) Transaction/DR.No. Date Transaction Type

1 865888.40 TXN1909001577 25/09/2019 Online Payment

Copy to:

- 1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai I
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai
- 3. CC-CAC Desk- for record & website updating purpose

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 3 of 8



SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity 100 CMD for treatment of domestic effluent of 80 CMD.
 - B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

| Sr. No. | Parameters | Standards prescribed by Board |
|---------|--------------------|---|
| | | Limiting Concentration in mg/l, except for pH |
| 1. | BOD (3 days 27o C) | 10 |
| 2. | Suspended Solids | 20 |
| 3. | COD | 50 |
| 4. | Residual Chlorine | 1ppm |

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilised on land for gardening and connected to local body sewer line. In no case, effluent shall find its way outside Project's premise.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|------------|--|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 85.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 0.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 4 of 8



SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to provide the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

| Stack | Stack Attached | APC System | Height in | Type of | Quantity & |
|-------|----------------------|------------------------------|-----------|---------|------------|
| No. | To | | Mtrs. | Fuel | UoM |
| S-1 | DG Set (1500 KVA) | Acoustic Enclosure/ Stack | 10 | Diesel | 574 Kg/Hr |

 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

| Total Particular matter Not to exceed 150 mg/nm. | Total Particular matter | Not to exceed | 150 mg/Nm3 |
|--|-------------------------|---------------|------------|
|--|-------------------------|---------------|------------|

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) Conditions for utilities like Kitchen, Eating Places, Canteens:
 - a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
 - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 5 of 8



SCHEDULE-III Details of Bank Guarantees:

| Sr. No. | Consent(C2E/C 2O/C2R) | Amt of BG Imposed | Submission | Purpose of BG | Compliance Period | Validity Date |
|------------|--------------------------|-------------------------|------------|---|----------------------|------------------|
| 1 | C2E | 1000000 | Existing | Towards compliance of the Environmental Clearance & Consent to Establish conditions | 31.08.2024 | 31.12.2024 |

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

| Srno. | Consent (C2E/C2O/C2R) | Amount of BG imposed | Submission Period | of RG | Amount of BG Forfeiture | BG |
|-------|--------------------------|----------------------------|----------------------|-------|-------------------------------|----|
| | | | NA | | 141 | |





Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 6 of 8



SCHEDULE-IV

Conditions during construction phase

- A During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
- During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
- Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17,05.2002 and its amendments regarding noise limit for generator sets run with diesel.

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 7 of 8



- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.



Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd./CE/UAN No.MPCB-CONSENT-0000077338

Page 8 of 8



INNOVATIVE IDEAS IMPLEMENTED AT SITE

Annexure XI








TRAININGS/ TOOLBOX TALKS/INDUCTIONS


















TRAININGS/ TOOLBOX TALKS/INDUCTIONS









GOOD PRACTICES





Rubber mat available



Separate housekeeping team



Housekeeping at basement area



Safe access provided at site




Monthly motivational program

Doctor room



Labour camp



Aquaguard purified water supply



Site illumination





MUNICIPAL CORPORATION OF GREATER MUMBAI

(Solid Waste Management Department)

Office of Executive Engineer, SWM SWM Zonal Office 1,

Application Number - EB/5204/E/A-SWM, dated - 04/Jun/2018 Issued remarks Number SWM/000599/2018/E/CTY Dated 04/Jun/2018.

To (Architect / L.S), CC (Owner),

Rakesh Kumar Genext Hardware & Parks Pvt.Ltd C.A. to Capricon Reality

Raheja Tower, Plot No. C-30, GBlock Ltd

Bandra Kurla Complex, Bandra (E) 400051 Raheja Tower, G'Block, C-30, Bandra Kurla Complex,

Bandra (E) 400 051

Subject:- Approval to Construction and Demolition waste management plan for the site at CTS/CS Number 1903,1904,1905,1/1905

and 2/1905 of village Byculla at ward Ward E.

Reference:- Your application / online submission for C & D Waste Management Plan leveling & filling at designated site Dtd.

04/Jun/2018

IOD No. and Date :- EB/5204/E/A-IOD & 06/Jul/2013


With reference to your application / online submission, the Construction and Demolition waste management plan submitted by you has been approved as per "Construction and Demolition Waste Rules 2016". You are allowed to transport Construction & Demolition waste from construction site to the designated filling & leveling site subject to following term conditions.

- 1. This approval is subject to the orders given by Hon. Supreme Court u/no. in SLP (Civil) No. D23708/2017 dated 15.3.2018. You shall follow this order of Hon'ble Supreme Court and instructions therein.
- 2. You shall handle & transport Construction & Demolition Waste to the extent of 3600 Brass X 2.83 = 10188 Cu. Mtr. Only to designated unloading site M/s. Thakur Stone Quarry Survey No. 208, (New 4/3) of village Bhayanderpada (Ovala), Taluka Thane, Dist. Thane (M/s. Mishra Transport Service)
- 3. You shall transport the C & D waste with proper precautions and employ adequate measures safeguards to dispersal of particles through the air.
- 4. You have mentioned designated site for transportation of C & D waste for filling and leveling purpose. The C & D waste shall be transported and deposited at the designated site only.
- 5. In the event for any reason whatsoever, the consent given by the Designated Site / Agency is revoked or the time limit for the designated site has expired or the capacity of unloading site is exhausted. In such case the builder / developer shall forthwith stop the transportation activities. The builder / developer shall submit revised Construction and Demolition waste management plan along with required valid documents for revalidation of existing C & D Waste Management Plan.
- 6. The Construction & Demolition Waste shall be transported through your Transport Contractor M/S. Bastiwala Infrastructure.
- 7. The deployed vehicles shall abide by all the R.T.O. rules and regulations. You shall ensure that the vehicles should be properly covered with tarpaulin or any other suitable material firmly to avoid any escape / fall of waste on road from moving vehicle. The body and wheels shall be cleaned and washed thoroughly to avoid spreading of waste on road.
- 8. The copy of approved Construction and Demolition Management Plan shall be accompanied with each and every vehicle under this approval. The developer shall issue the proper challan for each and every trip of vehicles and that shall be acknowledged by the agency of unloading site. The developer shall maintain record of C & D material transported and shall make it available to MCGM

- and / or Monitoring Committee whenever required for inspection.
- 9. The approval is granted presuming that the papers submitted by the applicants / Owners are genuine. For any dispute arising there from out of documents submitted by applicant, POA / Occupant / Owner shall be held responsible as prescribed under the law prevailing in force.
- 10. The approval is granted hereto does not absolve the other approvals required from the other department of MCGM or Govt. authorities.
- 11. In case of disputes, court matters etc. related to the subject site / land / property, this approval cannot be treated as a valid proof.
- 12. In case of any breach of condition is brought to the notice of MCGM or Monitoring committee, Show Cause Notice will be issued and decision will be taken within one month as expeditiously as possible, which shall be binding on you / land owner.
- 13. This approval is not permission for excavation or permission for dumping but is the only approval under Construction and Demolition Waste Management Plan for the transportation of Construction & Demolition Waste for unloading at designated unloading site.
- 14. You / Land owner shall submit valid Bank Guarantee from the bankers approved by the MCGM and the amount applicable as per attached table. The bank guarantee remains valid till grant of Occupation Certificate (OCC).
- 15. The license architect / license engineer shall upload compliance report in respect of Construction & Demolition Waste Management Plan, any breach will entitle the cancellation of building permission and work will be liable to stop immediately.

Note:

- 1. The above remarks are system generated based on the input data submitted by Architect / Consultant / L.S and if in future it is found that the data is incorrect / fraudulent then the remarks deemed to be treated as cancelled and necessary action will be initiated.
- 2. The above remarks are system generated and does not require any signatures.



Landscape Development











Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Form 4

See rules 6(5),13(8),16(6) and 20(2) of Hazardous and other wastes 2016

FORM FOR FILING ANNUAL RETURNS

[To be submitted to state pollution control board/pollution control committee by 30th June of every year for the preceeding period April to march]

Unique Application Number:

MPCB-HW ANNUAL RETURN-0000029383

Submitted for Year:

April 2021 to March 2022

1. Name of the generator/operator of facility

M/s. Genext Hardware & Parks Pvt. Ltd.

1b. Authorization Number

Format 1.0/BO/CAC-cell/EIC-MU-6910-15/CO(Part-I)/CAC-7502 Dated. 02.06.2016 valid upto 31.10.2021 & Format 1.0/CAC-CELL/UAN No. 0000093490/CR-2011000784 Dated 12.11.2020 valid upto 30.06.2021

2. Name of the authorised person

Mr. Manish Kothari (Associate Vice President)

Telephone

9820880060

3. Production during the year (product wise), wherever applicable

Product Type * Product Name * **OTHERS** Not Applicable as project is for construction of residential building

1. Total Quantity of waste generated category wise

5.1 Used or spent oil

Type of Waste 5.1 Used or spent oil

0.50

KL/Anum

Dispatched to

Facility Name

Mumbai- 400086.

Submitted On:

27-06-2022

Address of the unit/facility

Sub plot "B" bearing CTS. No. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of Byculla Division of Dr. A. L. Nair Road, Maulana Azad Road, Jacob circle, Mahalaxmi,

Mumbai-400011

Date of issue

of consent Oct 31.

Jun 2, 2016

Full address of authorised person

M/s. Genext Hardware & Parks Pvt. Ltd. Sub plot "B" bearing CTS. No. 1903(pt), 1904(pt), 1905, 1/1905, 2/1905 of Byculla Division of Dr. A. L. Nair Road, Maulana Azad Road, Jacob circle, Mahalaxmi,

Mumbai-400011

Email

mkothari@kraheja.com

0.0000

Consented Quantity Actual Quantity UOM 0

--NA--

Date of validity

2021

PART A: To be filled by hazardous waste generators

& composite Building with Public Parking Lot

Fax

022-26564306

Type of hazardous waste Wate Name Consented Quantity Quantity **UOM** 0.100 0.50 Used/ Spent Oil KL/Anum

2. Quantity dispatched category wise. Quantity of waste UOM

Recycler or Actual user Mercury Metal Industries, B/5,

Ground Floor, Porbandarwala Bldg., Chirag Nagar, Ghatkopar (W),

Type of WasteName of WasteQuantity of WasteUOMNot Applicable0KL/Anum

4. Quantity in storage at the end of the year

Type of WasteName of WasteQuantity of WasteUOM5.1 Used or spent oilUsed/ Spent Oil0KL/Anum

PART B: To be filled bt Treatment, storage, and disposal facility operators

1.Total Quantity receivedUOMState NameNAKL/AnumMaharashtra

2. Quantity in stock at the beginning of the year

NA

S. Quantity treated

NA

KL/Anum

KL/Anum

4. Quantity disposed in landfills as such and after treatment

Direct landfilling **UOM** NA KL/Anum Landfill after treatment **UOM** NA KL/Anum 5. Quantity incinerated (if applicable) **UOM** NA KL/Anum **UOM** 6. Quantiry processed other than specified above NA KL/Anum

7. Quantity in storage at the end of the year.

NA

KL/Anum

PART C: To be filled by recyclers or co-processors or other users

1. Quantity of waste received during the year

Waste Name/Category Country Name State Name Quantity of waste received from domestic sources Units imported(If any)

NA India Maharashtra NA NA NA KL/Anum

2. Quantity in stock at the beginning of the year

Waste Name/CategoryQuantityUOMNANAKL/Anum

3. Quantity of waste recycled or co-procesed or used

Name of Waste Type of Waste Quantity UOM NA NA NA KL/Anum

4. Quantity of products dispatched (wherever applicable)

Name of productQuantityUOMNANAKL/Anum

5. Total quantity of waste generated

Waste name/categoryquantityUOMNANAKL/Anum

6. Total quantity of waste disposed

Waste name/categoryquantityUOMNANAKL/Anum

7. Total quantity of waste re-exported (If Applicable)

Waste name/categoryquantityUOMNANAKL/Anum

8. Quantity in storage at the end of the year

Waste name/categoryquantityUOMNANAKL/Anum

Personal Details

Place Date Designation

Mahalaxmi, Mumbai 2022-06-27 Associate Vice President

DG set photograph

ANNEXURE XV





TM & VEHICLE DETAILS TRACKER

| C+ No | Name of the Vendor's | endor's Vehicle derails | | | PUC |
|--------|-------------------------|-------------------------|--------------|------------|------------|
| Sr.No. | | Туре | Number | PUC No- | Valid till |
| 1 | KRC | Hydra | MH43 3520 | 06.06.2022 | 05.12.2022 |
| 2 | Ramukumar Gaikwad | JCB | MH03B9516 | 19-07-2022 | 18-01-2023 |
| 3 | Darshan Enterprises | TM | MH46F0743 | 25.09.2022 | 24.03.2023 |
| 4 | Darshan Enterprises | TM | MH04 EL 3649 | 08.04.2022 | 07.10.2022 |
| 5 | Nana Enterprises | TM | MH43 Y9240 | 25.06.2022 | 24.12.2022 |
| 6 | Nana Enterprises | TM | MH46 F0645 | 25.06.2022 | 24.12.2022 |
| 7 | Nana Enterprises | TM | MH43U5907 | 26.06.2022 | 25.12.2022 |
| 8 | Shakalivenkat Kishtappa | PICK UP | MH05DK9159 | 25.03.2022 | 24.03.2023 |
| 9 | KRC | JCB | MH02B9566 | 12.07.2022 | 11.01.2023 |
| 10 | KRC | Tavera | MH06AN5720 | 19.07.2022 | 18.01.2023 |

Annexure XVII



Photographs of STP

Annexure XVIII



Mechanical Micro Filter



Photographs of STP



Centrifugal Sludge Cake Basket



Activated Carbon Filter & UV Filter







Advertisement



जेनेक्स हाईवेअर ॲन्ड पार्कस प्रा.लि.

आमचा सर्व्हे नं. १९०३ (pt), १९०४ (pt), १९०५, १/१९०५, २/१९०५ भायखळा, मुंबई येथील प्रस्तावित रहिवासी प्रकल्पाचा अतिरिक्त विकास आणि विस्तार तसेच महानगरपालिकेचा सार्वजनिक वाहनतळ ह्या प्रकल्पाला पर्यावरण विभाग, मुंबई, यांच्याकडून SEAC-2014/CR-35/TC-1 पत्रकाखाली दिनांक २९ सप्टेंबर, २०१४ रोजी पर्यावरण विषयक मंजुरी देण्यांत आली आहे. सदर पर्यावरण विषयक मंज्रीची प्रत महाराष्ट्र प्रदुषण नियंत्रक मंडळ यांच्या कार्यालयामध्ये आणि पर्यावरण विभाग महाराष्ट्र शासन यांच्या http://envis.maharashtra.gov.in या संकेतस्थळावर उपलब्ध आहे.

HEZEREE PRESS JOURNAL
HIS I SATURDAY I OCTOBER 18, 2014

Genext Hardware & Perks Pvt. Ltd.

proposed Development and Expansion to the Residential Complex along with the Proposed Composite Building with a Municipal Public Parking Lot and a Residential Wing at CS No. 1903(ct). 1904(pt), 1905 1/1905 2/1905 at Byculia Division, Mumbai was accorded the Environmental Clearance from the Department of Ervironment, Government of Maharashtra vide letter no. SEAC-2014/CR-35/TC-1 dt. 29th September 2014. The copies of clearance letter are avallable with Maharashtra Pollution Control Board and may also be seen on the Department of Environment Govt. of Maharashtra website at

http://envis.meharashtra.gov.in

CHANGE OF NAME

NOTE

Collect the full copy of Newspaper for the submission in passport office.

HAVE CHANGED MY NAME FROM THAVE CHANGE MY NAME FROM ANGALI BAHIRWANI TO ANJU DWARKADAS BAHIRWANI AS PER GAZETTE NO (M-1968261) CL-493

I HAVE CHANGED MY NAME FROM MOHAMMED SALIM GULFAN TO MOHAMMED SALIM GULFAN SHAIKH, AS PER DOCUMENTS, DATE 26/09/2019 CL-514

I HAVE CHANGED MY NAME FROM SAMANT GOURI MUKESH TO FARHEEN SHAUKAT KHAN, AS PER GAZZATTE (M-17121394) CL-514 A

HAVE CHANGED MY NAME FROM ASHVANI KUMAR MISHRA TO ASHWANI KUMAR MISHRA, AS PER AFFIDEVIT, DATE:26/09/2019 CL-514 R

I HAVE CHANGED MY NAME FROM PRADEEP KUMAR MAHENDRA TO PRADEEP MHENDRA, AS PER AFFIDEVIT, DATE:27/09/2019 CL-514 C MY NAME HAS BEEN ERRONEOUSLY WRITTEN IN MY SON KUMAR VEALEATABAMANUS PASSPORT, AS

I HAVE CHANGED MY NAME FROM GANESHMAL AND GANESHRAM SOLANKI TO GANESH JASRAJ SOLANKI TO AS PER AFFIDAVIT CL-997 0

I HAVE CHANGED MY NAME FROM SHAHUL HAMEED MOHAMMED ISMAIL TO MOHAMMED ISMAIL SHAHUL HAMEED AS PER DOCUMENT CL-1

नावात बदल

गॅझेट नं. एक्स 7370 नुसार मी माझे नाव प्रकाश गोविंद चिकणे हे बदलून प्रकाश गोविंद देशमुख असे केले आहे.

CL-863

''जाहीर सूचना'' ''जेनेक्सट हार्डवेअर ॲन्ड पार्कस प्रा.लि.'' सी ए टू 'कॅप्रिकॉन रियलटी लिमिटेड'

आमच्या प्रस्तावित उप प्लॉट 'बी' सर्व्हें नं. १९०३, १९०४, १९०५, १/१९०५, २/१९०५ भायखळा डिव्हिजन, डॉ. ए. एल. नायर रोड आणि मौलाना आझाद रोड, जेकब सर्कल, महालक्ष्मी, मुंबई महाराष्ट्र येथील प्रस्तावित संयुक्त रहिवासी इमारतीसह रहिवाशी संकुल तसेच महानगरपालिकेचा सार्वजनिक बाहनतळ या प्रकल्पाच्या सुधारीकरणाला पर्यावरण विभाग, महाराष्ट्र शासन यांचेकडून क्र. SEIAA-EC-0000001987 दिनांक १३/०९/२०१९ द्वारे पर्यावरण विषयक मंजुरी देण्यात आली आहे. सदर पर्यावरणविषयक मंजुरीची प्रत प्रदूषण नियंत्रक मंडळ यांच्या कार्यालयामध्ये आणि पर्यावरण विभाग, महाराष्ट्र शासन यांच्या http://scmaharashtra.gov.in या संकेतस्थळावर उपलब्ध आहे.

PUBLIC NOTICE

Company's Name: N.R.AGARWALIND.LTD.
Regd. Office of the Company: 502 A/501B,
Fortune Terraces, 51h Floor, Opp. City Mall,
New Link Road, Andheri (W), Mumbai-53.
Notice is hereby given that certificate (s) for the
mentioned securities of the Company have been
lost/misplaced and the holder(s) of the said
securities have applied to the Company.
Any pregram who has claim in respect of the said

Any person who has claim in respect of the said

कोणत्याही व्यक्तीला खालील ममुद मिळकतीशी वा विरूद्ध विक्री, अदलाबदल, भेट, इच्छापत्रित दान, गहाण, भार, न्यास, वारसा, कब्जा, भाडेपट्टा, धारणाधिकार, देखभाल, कायदेशीर वारस दावा, सुविधाधिकार, क्ळवहिवाट, कोणताही हुकूम, निवाहा, आदेश वा अन्य जे जे काही असेल ते याद्वारे कोणताही दावा असल्यास त्याबाबत लेखी स्वरूपात निम्नस्वाक्षरीकारांना त्याचा पत्ता अस्मी अमित उतेकर, वकील, कार्यालय क्र. ८, तळमजला, गुरूदेव आर्केड सीएचएस लि., प्लॉट क्र. ७ ए, सेक्टर ९, खांदा कॉलनी, नवीन पनवेल (पश्चिम), ४१०२०६ येथे रितसर नोटराईण्ड केलेल्या पुष्ठयर्थ कागदपत्रांसह ह्या जाहीर सूचनेच्या प्रसिद्धीच्या तारखेपासून १४ दिवसांच्या (दोन्ही धरून) आत पाठविण्याची विनंती करण्यात येत आहे. कसूर केल्यास दावा आणि/वा हरकत, जर असल्यास, सोड्न दिली आहे आणि/बा त्यागित केली आहे असे मानले जाईल.

मिळकतीचे परिशिष्ट

प्लॉट क्र. १३४, रस्ता क्र. आरएससी ॥, सेक्टर क्र. २, भाग- १, चारकोप, कांदिवली (प.), मुंबई-४००६०७ यावर बांधण्यात आलेली चारकोप कविरा को-ऑपरेटिव्ह हाऊसिंग सोसायटी लिमिटेड म्हणून जात बिल्डिंगमधील ३ च्या मजल्यावरील मोजमापित ७५० चौरस फूट बिल्टअप एरिया, फ्लॅट क्र.

सदर दिनांक २८ सप्टेंबर, २०१९ सही/-अस्मी उतेकर वकील

म्हणाले. राजकारणानी पातके अत्यंत व्हाणाले. अस्त विशास्त अस्त व्हारणा वाहे. घरमस्ती अमेर क्यांने अपाले अपाले मिलेल मुलालाही सांगितले अगहे. अमेले हारांशी मी संपक्त करणवाना प्रपल्त रेतांशी पण होऊ शक्तांना सही. करणे हा त्यांचा स्वभाव आहे. लहांह् मोहण्याचा त्यांचा स्वभाव आहे. अस्ते माझ्या कुटुबात कागता होता नाइया नाइया कुटुबार प्रमुखाचा

कले. कधीही नोडीस न आलेल्या काकांनाही (श्रर पमसंग) अरंत आली. सध्याचे राजकारण आला खालच्या पातळीवर आल्याचुळे राजकारणात्वजी ब्यंसाय किंवा श्रेती केलेली बरी, असा सञ्जा प्रकार प्रमारचाचे प्राप्तर मुलाला दिला असल्याचे पवार यांनी सांभेराले. न शस्य पनासानर गुन्हा दाखल केला ? उनलेल्या इमेलमध्ये तुर्तास चौकशीची उनलेल्या इमेलमध्ये तुर्तास चौकशीची

सांगण्यावस्त्र गुन्हा



FREEPRESSJOU

MUMBAI | SATURDAY | SEPTEMBER: 28, 2019

www.freepressjournal.in

US homilies for Pak & India

When asked about President Donald Trump's offer to mediate on the Kashmir issue, Wells said, "I think Prime Minister (Narendra) Modi has made it clear that he's not seeking mediation." However, the president is willing to mediate, if asked by both parties, she said. At the same time, the US hopes to see "rapid action" by India to lift restrictions imposed in Kashmir and release of those detained, a senior official has said, a day after President Donald Trump offered to arbitrate or mediate between India and Pakistan to ease their tensions.

"Public Announcement" GENEXT HARDWARE & PARKS PVT. LTD. C.A TO CAPRICON REALTY LTD.

Our Proposed Amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot at Sub Plot 'B' bearing C. S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair Road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Mumbai, Maharashtra has accorded the Environmental Clearance from the Department of Environment, Government of Maharashtra u/No. SEIAA-EC-0000001987 dated 13/09/2019.

The copies of Environmental clearance letter are available with Maharashtra Pollution Control Board and also be seen on the Department of Environment Govt. of Maharashtra website at www.ecmpcb.in

Thomas. He further claimed, PMC is not in a precarious condition as the value of the fixed assets is 2.5 times the amount of loan given by the bank to HDIL. "The RBI auditors couldn't find anything amiss after the thorough scrutiny," pointed out Thomas. Thomas also claimed the central bank may further extend the cash withdrawal cap to Rs 1,00,000 from Rs 10,000 now.

Chavan to contest LS Satara bypoll

Incidentally, Satara is a bastion of the Congress and the NCP. Most of the legislators in this region belong to these two parties. Ramraje Naik Nimbalkar, Balasaheb Patil and Vilas Kaka Undalkar will help the Congress pose a formidable challenge to Udyana Raje and the BJP. Chavan currently represents the Karad South Assembly seat in the state legislature. This seat was traditionally represented by Vilas Undalkar for seven terms. He is very strong leader in Karad and was denied ticket due to Chavan's entry in state politics. But now the Congress party has decided to field his son Uday Singh, who will be given the ticket from Karad South.

PM casts himself as messenger of peace

As he shared his vision of the world at large, PM Modi insisted that India was not problem, but a part of the global warming solution. "If we see history and per capita emission, then you will see that India's contribution to global warming has been very less," he said, Modi also elaborated on his various domestic flagship schemes like 'Clean India Mission', 'Ayushman Bharat', 'Jan Dhan Yojana,' etcetera initiated by his government. He referred to Swami Vivekananda's historic address at the convention of Parliament of Religions in Chicago and asserted that India's message to the global community remained one of harmony and peace.

١١. ١٠ ١٠ ١٥ ١٥ ١٠ ١١ ١٠ ١١ ١٠ ١١ Conditional offers will not be accepted. Reserves right to Accept or Reject any offer The Executive Engineer, P.W. Division, Panvel

| Work Completion Period | Cost of Tender Form (Rupees) | (gnbees) | Project | Sr. ON |
|------------------------------|---------------------------------------|------------|---|-----------|
| ritnoM 8 | -/0099 | -/000'00'0 | Repairs and Repairs and Reconstruction of distressed spans of Railway Over Rausa Road MSH. Out in Tal. Thane, Dist. Thane | |

portal https://mahatenders.gov.in downloaded from Government of Maharashtra e-tender tioned in the tender form. Tender Documents can be with all documents necessary for Eligibility as men-Company/agency having requisite experience along following work from Contractors Individual /firm/ Engineer, Pave Division, Panver Dist. Halgad for the

I HAVE CHANGED MY NAME FROM PAVELDANTO FOUT

I HAVE CHANGED MY NAME FROM JOSE ANTONY ALAPAT TO JOSE ANTONY ALAPATT AS PER APPIDAVIT CC-923 A

I HAVE CHANGED MY NAME FROM SOUIKA MAYIN TO SONIKA MAYIN TO SONIKA WENT WO. VU SONIKA WO. VU SOSSO SOUICH TO SOUIKA WO. VU SOSSO SOUICH TO SOUICH

MAYUR SHRILESH PASALWAR TO MAYUR SHAILESH PASALWAD VIDE MAHARARAHTIA GOOT GAZETTE UO. (P-1927578) DATAD: SEPTEMBER, 5-17. 2019 I HAVE CHANGED MY NAME FROM

I HAVE CHANGED MY NAME FROM AFANN AS KHAW TO AFANA AHMED AZHAR KHAW AS PER DOCUMENT FOR ALL PURPOSES.

THAME CHANGES CT-881 B
OINTAING JAWAHAR JOSHI TO DIVYANG
THAME FROM

PURPOGES
CL-881 A
CL-881 A

I NABENDRA MAGAMIAL PATEL S/O

SEPT 2019 CL-156 AFRIDAVIT DATED 3RD CL-156 HAVE CHANGED MY NAME FROM HARBHAGWANDAS GOVINDRAM GOVINDRAM MARANG TO THARBHAGWANDAS GOVINDRAM HARBHAGWANDAS GOVINDRAM HARBHAG

1 HAVE CHANGED INT CL-91092 A
SABIRA MOHAMIED SALIM NAGORI" TO AS
SABIRA MOHAMIMED SALIM NAGORI" TO
SALIMAN TO AS
S

NAGORI. AS PER AADHAR, CL.91092 HAVE CHANGED MY NAME FROM MALANED SALEEM WOHAMED SALEEM WOHAMED TO SS

SOJO CF-94091

AAGESTED SOJH SELSTEMBER
AAGESTED SOJH SELSTEMBER
BINISOSES VE SER VERDVALL NOMBER
BERSON VND I ANTE BE KNOMN VS
BERSON VND I ANTE BE KNOMN VS
BERSON VND I ANTE BE KNOMN VS
BYFEN THAK GOJH JHE NAMES SHEEN
FORDVI' ERVENDENCK STEMBER!
FORDVI' ERVENDENCK SHEEN
FORDVI' ERVENDENC' ERVENDENCK SHEEN
FORDVI' ERVENDENCK SHEEN
FORDVI' ERVENDENCK SHEEN
FORDVI' ERVE CF-91091

ing No. left, A/C ding lare ENA OP Sd-MAR



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2022

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000050414

Submitted Date

30-09-2022

PART A

Company Information

Company Name

Genext Hardware and Parks Pvt Ltd

Address

CS No. 1903 (pt), 1904(pt),1905,1/1905,2/1905 at Byculla Division, Mumbai.

Plot no

CS No. 1903 (pt), 1904(pt),1905,1/1905,2/1905

Capital Investment (In lakhs)

192255

Pincode 400013

Telephone Number

23003377

Region

SRO-Mumbai I

Last Environmental statement submitted online

ves

Consent Valid Upto

31/10/2021 & 28/02/2025 &

30/06/2021

Industry Category Primary (STC Code) & Secondary (STC Code)

Application UAN number

Not Applicable

Taluka

Mumbai

Scale

Large

Person Name

Mr. Manish Kothari

Fax Number

23003382

Industry Category

Red

Consent Number

Format1.0/BO/CAC-cell/EIC-MU-6910-15/CO(Part-I)/CAC-7502 &

Format 1.0/CAC-CELL/UAN No. 0000077338/CE-2003000841 & Format 1.0/CAC- CELL/UAN No. 0000093890/CR-2011000784

Establishment Year

2006

Village

Mumbai

City

Mumbai

Designation

Associate Vice President -

Projects

Email

mkothari@kraheja.com

Industry Type

other

Consent Issue Date

02/06/2016 & 13/03/2020 &

12/11/2020

Date of last

environment statement

submitted

Sep 29 2021 12:00:00:000AM

Product Information

Product Name Consent Quantity Actual Quantity UOM

Not Applicable (As project is for Residential Complex and a Municipal Parking Lot wing)

MT/A

By-product Information

0

Part-B (Water & Raw Material Consumption)

| 1) Water Consumption in m3/day | | |
|--------------------------------|----------------------------|---------------------------|
| Water Consumption for | Consent Quantity in m3/day | Actual Quantity in m3/day |
| Process | 0.00 | 0.00 |
| Cooling | 0.00 | 0.00 |
| Domestic | 395.00 | 835.59 |
| All others | 0.00 | 14.03 |
| Total | 395.00 | 849.62 |

| 2) Effluent Generation in CMD / MLD | 2) | Effluent | Generation | in | CMD | / MLD |
|-------------------------------------|----|-----------------|------------|----|------------|-------|
|-------------------------------------|----|-----------------|------------|----|------------|-------|

| Particulars | Consent Quantity | Actual Quantity | UOM |
|------------------------------------|------------------|-----------------|-----|
| Daily quantity of trade effluent | 0 | 0 | CMD |
| Daily quantity of sewage effluent | 315 | 441.96 | CMD |
| Daily quantity of treated effluent | 0 | 331.47 | CMD |

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

| Name of Products (Production) | During the Previous financial Year | During the current Financial year | UOM |
|--|--|--------------------------------------|-----|
| Not Applicable -Residential Complex & Composite Building with Commercial wing and a Municipal Parking Lot wing | 0 | 0 | CMD |

3) Raw Material Consumption (Consumption of raw material per unit of product)

| Name of Raw Materials | During the Previous financial Year | During the current Financial year | ИОМ |
|---|--|--------------------------------------|---------|
| Not Applicable - Residential Complex & Composite Building with Commercial wing and a Municipal Parking Lot wing | 0 | 0 | Ton/Ton |

| 4) Fuel Consumption | | | |
|---------------------|------------------|-----------------|------|
| Fuel Name | Consent quantity | Actual Quantity | UOM |
| HSD | 6661.44 | 2.075 | KL/A |

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued) [A] Water

| Pollutants Detail | Quantity of Pollutants discharged (kL/day) | Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour | Percentage of variation from prescribed standards with reasons | | |
|-------------------|---|--|--|-----------|----------------|
| | Quantity | Concentration | %variation | Standard | Reason |
| рН | 0 | 7.26 | 19.33 | 5.5 - 9.0 | Not applicable |
| TSS | 4.35 | 9.83 | 90.17 | 100 mg/l | Not applicable |
| COD | 13.63 | 30.83 | 38.33 | 50 mg/l | Not applicable |
| BOD @ 27oC, 3days | 4.57 | 10.33 | 48.33 | 20 mg/l | Not applicable |
| Oil & Grease | 0.04 | 0.10 | 99.00 | 10 mg/l | Not applicable |

| [B] Air (Stack) Pollutants Detail | Quantity of Pollutants discharged (kL/day) | Concentration of Pollutants discharged(Mg/NM3) | with reaso | from d standards ons | | |
|---|--|--|-----------------------------|----------------------------|-------------------------------|---|
| DG Set-1 (750 KVA) - | Quantity 4.40 | Concentration 48.8 | %variatio 67.47 | n | Standard 150 mg/Nm3 | Reason Not applicable |
| PM | | | | | | |
| DG Set-1 (750 KVA) - SO2 | 2.89 | 32.07 | | | | Not applicable |
| Part-D | | | | | | |
| HAZARDOUS WASTE | ES | | | | | |
| • | ype Total During 0.00 | Previous Financial year | Total During 0.50 | g Current Fii | nancial year | UOM KL/A |
| Other Hazardous Was | te 0.00 | | 0.04 | | | MT/A |
| 2) From Pollution Co Hazardous Waste Ty 0 | | ring Previous Financial year | Total Duri i 0 | ng Current F | inancial year | UOM KL/A |
| Hazardous Waste T | ype Total Du | ring Previous Financial year | | ng Current F | inancial year | |
| Hazardous Waste Ty 0 Part-E SOLID WASTES 1) From Process Non Hazardous Was | ype Total Du 0 | ring Previous Financial year uring Previous Financial year | 0 | | Financial year | KL/A |
| Hazardous Waste Ty 0 Part-E SOLID WASTES 1) From Process | ype Total Du 0 ste Type Total Du | | 0 Total De | | | KL/A |
| Hazardous Waste Ty 0 Part-E SOLID WASTES 1) From Process Non Hazardous Waste Dry Waste Wet Waste 2) From Pollution Co | ste Type Total Du 87.48 94.52 | ıring Previous Financial year | 70tal Do | uring Currer | nt Financial ye | ear UOM MT/A MT/A |
| Hazardous Waste Ty 0 Part-E SOLID WASTES 1) From Process Non Hazardous Was Dry Waste Wet Waste | ste Type Total Du 87.48 94.52 ontrol Facilities ste Type | | 70tal Do | uring Currer | | ear UOM MT/A MT/A |
| Hazardous Waste Ty 0 Part-E SOLID WASTES 1) From Process Non Hazardous Waste Wet Waste Wet Waste 2) From Pollution Colon Hazardous Waste STP sludge | ste Type Total Du 87.48 94.52 ontrol Facilities ste Type | ring Previous Financial year Fotal During Previous Financial ye | Total Do | uring Currer | nt Financial ye | ear UOM MT/A MT/A |
| Hazardous Waste Ty 0 Part-E SOLID WASTES 1) From Process Non Hazardous Waste Wet Waste Wet Waste 2) From Pollution Colon Hazardous Waste STP sludge | ste Type Total Du 87.48 94.52 ontrol Facilities ste Type | ring Previous Financial year Fotal During Previous Financial ye 0.70 ithin the Total During Previous | Total Do 60 84 Par Total I | uring Curren | nt Financial ye | ear UOM MT/A MT/A year UOM MT/A |
| Hazardous Waste Ty 0 Part-E SOLID WASTES 1) From Process Non Hazardous Waste Dry Waste Wet Waste 2) From Pollution Co Non Hazardous Was STP sludge 3) Quantity Recycle unit | ste Type Total Du 87.48 94.52 ontrol Facilities ste Type | ring Previous Financial year Fotal During Previous Financial ye 0.70 ithin the | Total Do 60 84 Par Total I | uring Curren | nt Financial ye | ear UOM MT/A MT/A year UOM MT/A |

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste GeneratedQty of Hazardous WasteUOMConcentration of Hazardous Waste5.1 Used or spent oil0.5KL/AOily (Disposal - Sale to authorized recycler)Other Hazardous Waste0.04MT/ASolid (Disposal - Sale to authorized E- Waste recycler)

2) Solid Waste

| Type of Solid Waste Generated | Qty of Solid Waste | UOM | Concentration of Solid Waste |
|-------------------------------|-----------------------|------|--|
| Dry Waste | 60 | MT/A | 100% (Sold to authorized recycler) |
| Wet Waste | 84 | MT/A | The generated wet waste is processed through OWC and used at manure within site. |
| STP Sludge | 0.120 | MT/A | Used as Manure |

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

| Description | Reduction in Water Consumption (M3/day) | Reduction in Fuel & Solvent Consumption (KL/day) | Reduction in Raw Material (Kg) | Reduction in Power Consumption (KWH) | Capital Investment(in Lacs) | Reduction in Maintenance(in Lacs) |
|--|--|---|---|---|-----------------------------------|---|
| Sewage Treatment Plant with capacity of 200 CMD is provided to treat sewage generated from entire site. 80 % of sewage is recycled / reused within the site for flushing, fire fighting, cooling of Air | 0.000 | 0.000 | 0.000 | 0.000 | 143 | 0.000 |

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution. [A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection

Environmental Protection Capital Investment Measures (Lacks)

AMC for OWC, AMC for Environment Monitoring, AMC for STP, Environment Monitoring, Modification

-- 30.50

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection

Environmental Protection Capital Investment Measures (Lacks)

AMC for OWC, AMC for Environment Monitoring, AMC for STP, Environment Monitoring, Modification

-- 30.50

Part-I

Any other particulars for improving the quality of the environment.

Particulars

Water consumption figures are shown for fresh as well as Recycled Water from STP. Housekeeping is taking on top priority and engaged sufficient manpower for maintaining neat and clean environment in the premises.

Name & Designation

Mr. Manish Kothari (Associate Vice President - Projects)

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000050414

Submitted On:

30-09-2022