

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:September 13, 2019

To,

Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd.

at Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra

Subject:

Environment Clearance for for amendment in EC for the residential complex along with the proposed composite residential building with a Municipal Public Parking Lot at Sub Plot 'B' bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A.L. nair Road and Maula Azad Road, Jacob Circle, Mahalaxmi by Genext Hardware & Parks Pvt. Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 103rd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 174th meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8 (b) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:-

1.Name of Project	Hindustan Mill				
2.Type of institution	Private				
3.Name of Project Proponent	Genext Hardware & Parks Pvt. Ltd. C.A to Capricon Realty Ltd.				
4.Name of Consultant	Dr. D. A. Patil, Mahabal Enviro Engineers Pvt. Ltd.				
5.Type of project	Residential Project along with Municipal Public Parking Lot				
6.New project/expansion in existing project/modernization/diversification in existing project	Amendment in existing project. (Vertical expansion to residential wing of Building No.3 has been proposed)				
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	We have obtained EC u/n. SEAC-2014/CR-35/TC-1 dt. 29/09/2014 for the plot area 61,520.46 m2 and FSI area of 1,29,988.78 m2, Non FSI area of 2,58,043.03 m2 with total construction area of 3,88,031.81 m2 (Entire project).				
8.Location of the project	Sub plot "B" bearing C.S. No. 1903, 1904, 1905, 1/1905, 2/1905 of Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi, Maharashtra				
9.Taluka	Mumbai				
10.Village	Byculla Division abutting Dr. A. L. Nair road and Maulana Azad Road, Jacob Circle, Mahalaxmi				
Correspondence Name:	-				
Room Number:	-				
Floor:	-				
Building Name:	Raheja Tower				
Road/Street Name:	Plot No. C-30, Block G, Opp SIDBI,				
Locality:	Bandra Kurla Complex				
City:	Bandra (East), Mumbai.				
11.Whether in Corporation / Municipal / other area	Municipal Corporation of Greater Mumbai (MCGM)				

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987 Chail And Discoller

Shri. Anil Diggikar (Member Secretary SEIAA)

	OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018					
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018					
	Approved Built-up Area: 210603.62					
13.Note on the initiated work (If applicable)	On site the work of Building No.1 having construction area of 182485.39 m2 (FSI: 65,846.16 m2) and the work of building no.2 having construction area of 65,805.90 m2 (FSI: 31,935.02 m2) has been completed. The construction area of building no.3 is upto 78,246.10 m2. Hence over all construction completed on site is 326537.40 m2.					
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	OCC for building no.1 issued u/no.EEBP/9527/E-A dt.18/07/2013 and OCC for building no.2 issued u./no.EB-907-E-A dt.11/02/2018					
15.Total Plot Area (sq. m.)	61,520.46 m2					
16.Deductions	4,470.19 m2					
17.Net Plot area	57,050.27 m2					
	FSI area (sq. m.): 1,32,631.46 m2 (Entire Project)					
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 2,60,503.05 m2 (Entire Project)					
100.700,	Total BUA area (sq. m.): 393134.51					
	Approved FSI area (sq. m.): 1,28,688.95 m2 (Entire Project)					
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 2,56,764.51 m2 (Entire Project)					
27/	Date of Approval: 11-02-2018					
19.Total ground coverage (m2)	24,531.61 m2					
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	43%					
21.Estimated cost of the project	8356193347					

			22.P	roduct	ion Details			
Serial Number	Pro	duct	Existing	(MT/M)	Proposed (MT/M	I)	Total (MT/M)	
1	Not ap	plicable	Not app	plicable	Not applicable		Not applicable	
		2	23.Tota	l Wate	r Requirem	ent		
		Source of	water	MCGM	_			
		Fresh wate	er (CMD):	117 KLD				
		Recycled w Flushing (61 KLD				
		Recycled v Gardening		33 KLD	HM L.			
		Swimming make up (777	Tef-	20.4		
Dry season	•		Total Water Requirement (CMD)					
		Fire fighting - Underground water tank(CMD):		As per CFO NOC				
		Fire fighting Overhead vank(CMD)	water	As per CFO NOC				
		Excess trea	ated water					
		Source of	water	MCGM + R	WH	3 /3	·	
		Fresh wate	7 7 7 7	99 KLD + 1	8 KLD	TO		
		Recycled v Flushing (61 KLD	214	()3.		
		Recycled v Gardening		7000	Ax. On	N		
		Swimming make up (4/1/4	Man			
Wet season	Wet season:		er ent (CMD)	178 KLD				
	Fire fighting Undergrout tank(CMD)	ınd water	As per CFO NOC					
		Fire fighting Overhead v tank(CMD)	water	As per CFO NOC				
		Excess trea	ated water	104 KLD				
Details of S pool (If any		-						

		2	4.Detail	s of Tota	l water o	onsume	d					
Particula rs	Consumption (CMD)				Loss (CMD))	Effluent (CMD)					
Water Require ment	Existing	Proposed	Total	Existing	Existing Proposed Total Existing Proposed Total							
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
		Level of th		3 m								
		Size and n tank(s) and Quantity:		2 Nos.of RV	VH tanks wit	th 74 m3 cap	acity each.					
		Location o tank(s):	f the RWH		ment for bld & 3rd basem		Basement fo	or Residentia	l tower			
25.Rain V Harvestii		Quantity o pits:	f recharge	NA S	P	33						
(RWH)		Size of rec	5	NA	NA O							
		(Capital co		25 Lakh								
		(O & M cos		2 Lakh/year								
		Details of if any:	UGT tanks	Residential: 2nd Basement PPL: 3rd Basement								
		3	7-65			Kr K	Fr.					
26.Storm	water	Natural wa drainage p	attern:	Toward East and West Side								
drainage	Water	Quantity o water:	f storm	2980.71 m3/hr								
		Size of SW	D:	0.35 x 0.35 m, 0.45 x 0.6 m, 0.6 x 0.8 m								
		_		ī								
		Sewage ge in KLD:	neration	167 KLD								
		STP techno	ology:	MBBR Technology								
27.Sewa	hae and	Capacity o (CMD):	f STP	3 STPs will be provided with total 220 m3 capacity i.e. 100 m3 (for bldg. No. 2), 100 m3 (for bldg No. 3) and 20 m3 for PPL								
Waste w	_	Location & the STP:	area of	Bldg No. 2: Ground Floor, Bldg No. 3: a. Resi. Bldg: 2nd Floor Parking Lvl. & b. PPL: Ground Floor.								
		Budgetary (Capital co	allocation st):	45 Lakh								
		Budgetary (O & M cos		9 Lakh/year								

	28.Solid waste Management					
Waste generation in	Waste generation:	Construction debris: 4,200 m3				
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	The construction debris will be disposed as per the "Construction and Demolition and Desilting Waste (Management and Disposal) Rules 2016.				
	Dry waste:	269 Kg/day				
	Wet waste:	403 Kg/day				
Waste generation	Hazardous waste:	Used oil from DG				
in the operation Phase:	Biomedical waste (If applicable):	NA				
	STP Sludge (Dry sludge):	2 KLD				
	Others if any:	Household E-waste generation				
	Dry waste:	Dry garbage will be disposed off to recyclers				
	Wet waste:	Wet garbage will be composted using Mechanical Composting unit and used as organic manure for landscaping.				
Mode of Disposal	Hazardous waste:	Authorized recyclers				
of waste:	Biomedical waste (If applicable):	NA NA				
	STP Sludge (Dry sludge):	Sludge use as manure for gardening				
	Others if any:	Authorized recyclers				
	Location(s):	Ground				
Area requirement:	Area for the storage of waste & other material:	100 m2				
	Area for machinery:	25 m2				
Budgetary allocation (Capital cost and	Capital cost:	Rs. 12 lakh				
O&M cost):	O & M cost:	Rs. 6 Lakh/year				

	29.Effluent Charecterestics							
Serial Number	Parameters	Unit	Unit Inlet Effluent Outlet Effluent Charecterestics Charecterestics Effluent standard					
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
Amount of e	Amount of effluent generation (CMD):		Not applicable					
Capacity of	the ETP:	Not applicable						
Amount of trecycled:	created effluent	Not applicable						
Amount of v	water send to the CETP:	Not applicable						
Membership of CETP (if require):		Not applicable						
Note on ET	P technology to be used	Not applicable						
Disposal of	the ETP sludge	Not applicable						



			30.Ha	zardous	Was	te D	etails			
Serial Number	Descr	ription	Cat	UOM	Exist	ing	Proposed	Tot	al	Method of Disposal
1	Not ap	plicable	Not applicable	Not applicable	No applio	-	Not applicable	No applio		Not applicable
			31.St	acks em	issio	n De	etails			
Serial Number	Section	& units	Fuel Us Qua	ed with ntity	Stack	No.	Height from ground level (m)	Inter diam (m	eter	Temp. of Exhaust Gases
1	Not ap	plicable	Not app	olicable	No applio		Not applicable	No applio		Not applicable
			32.De	tails of F	uel t	o be	used			
Serial Number	Тур	e of Fuel	43	Existing	कि	777	Proposed	7		Total
1	Not	applicable	Y G	lot applicabl	е	N	lot applicabl	е		Not applicable
33.Source o		(2)	70	pplicable	2		10/0	74		
34.Mode of	Transportat	ion of fuel to	site Not a	pplicable			2	(
		B	PT A	108	50	A /	1 =	H	_	
		\bigcirc	1	35.Eı	nerg	y	4		5	
		Source of supply:	power	TATA			た	M	7	
		During Co Phase: (De Load)	nstruction emand	500 kVA						
	DG set as Power back-up during construction phase		500 kVA							
Dov	vor.	During Op phase (Cor load):	eration nnected	10.8 MW						
Pov require		During Op phase (De load):	eration mand	5.2 MW						
		Transform	er:	I IIIII GIIL UI						
		DG set as back-up do operation	uring 🔳	• Building No. 2: 1 x 1250 kVA • Building No. 3: Resi. Bldg:1 x 1500 kVA • MPPL: 1 x 750 kVA						
		Fuel used:		HSD		2				
	Details of high tension line passing through the plot if any:			NA						
		Ener	gy saving	by non-	conv	enti	ional me	thod	:	
Solar Hot w Provision of		to Residenti anels	al Buildings							
			6.Detail	calculati	ons (S %	of savin	g:		
Serial Number	Serial Fnergy Conservation Measures Saving %									

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 7 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

1			nergy Savin		• -		23.6%
					ion contro		
Source	Ex	isting pollu	tion contro	ol system		Pro	posed to be installed
Not applicable		Not	applicable				Not applicable
Budgetary (Capital	allocation	Capital co	st:	Rs. 15 Lakh	1		
O&M		O & M cos	t:	Rs,			
38	.Envir	onment	tal Mar	nageme	ent plan	Budg	etary Allocation
		a)	Constru	ction pha	se (with B	Break-u	p):
Serial Number	Attril	butes	Para	meter	Tot	tal Cost p	er annum (Rs. In Lacs)
1	Water spra suppr	ay for dust ession	WILL.	खिवव	18/00/2		4.5
2	Site sanit Potable Wa to La	ater Supply	7.54	- -		30	5
3	Environmental Monitoring		As per the CPCB guidelines through MoEF Approved laboratories - Ambient Air-RSPM, PM2.5, SO2, NOx, CO), Noise: Leq day time and Night Time				8
4	Health ch		130			5	6
5		Personal Equipment	Shoes, Sa Goggles, H	s, Safety afety Belt, land Gloves tc.	मुद्रा भ	THE STATE OF	10
6	Traffic Ma	ınagement	at entry	ds, Persons exit and ig area	Who	7	4.5
7		ning and aintenance	VO	rn	mo	ni	3
8	Manag	water Jement	46				4
9	Workers	raining to (Twice in ety Officer	ah	ar	25	hti	5
10	Safety	y nets	411	MI	401		14
		b) Operat	ion Phas	e (with Br	eak-up):
Serial Number	Comp	onent	Descr	ription	Capital cost Lacs		Operational and Maintenance cost (Rs. in Lacs/yr)
1	STP (Te	ertiary)	Enviro Monitoring STP out quality for	us O & M onment g: Monthly, let water r pH, BOD, and O & G	45		9
2	Solar S	System	We	ekly	15		2

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987



Shri. Anil Diggikar (Member Secretary SEIAA)

3	Rainwater harvesting	During rainy season (cleaning of UG tanks and filtration units before rainy season)	25	2
4	Solid Waste Composting plant	Continuous O & M Environment Monitoring, Monthly		6
5	Landscape	Daily	116	12

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

40.Any Other Information

No Information Available

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
Category as per schedule of EIA Notification sheet	8 (b)
Court cases pending if any	No
Other Relevant Informations	Environmental Infrastructure provided for Bldg. No. 1 (B1, B2 & A1 Bldgs.) No. of Tenements: 318 Nos. Water Requirement: 232 KLD (Domestic: 145 KLD + Flushing: 75 KLD + Gardening: 12 KLD) Sewage generation: 176 KLD STP provided: 200 KLD (SBR technology) Solid waste generation: 783 kg/day (Biodegradable component is composted using mechanical composting machine & Non-biodegradable component is handed over to authorized recyclers) RWH Tanks: 1 tank with 63 m3 and 2 tanks with 60.5 m3 capacity Connected Load: 5.7 MW Demand Load: 4.8 MW DG sets: 10 x 1250 kVA & 3 x 500 kVA Parking (4W): 718 Nos. The estimated project cost mentioned in item No. 21 is for Bldg. 2 & 3 only.
Have you previously submitted Application online on MOEF Website.	No
Date of online submission	

3. The proposal has been considered by SEIAA in its 174th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	It is noted that, representative of PP not submitted the authority letter. PP to submit the same along with copy of company resolution.
II	PP to submit the company merger document.
III	PP to submit dated Architect certificate addressing to committee regarding building wise construction done on site as per EC accorded in 2006 & 2014.
IV	PP stated that there is minor change in FSI (1,32,631.46 Sq.mt instead of 132331.76 Sq.mt) & NoN- FSI area (260503.05 Sq.mt instead of 260802.75 Sq.mt) stated in the CS while total built up area is the same. PP to revise the online CS to that extent only.
V	Local planning authority to ensure the structural stability of building for which vertical expansion is proposed.
VI	PP to upload the HRC NoC.
VII	The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC.
VIII	PP to submit CER plan to Municipal Commissioner/District Collector and submit the acknowledgement to Member Secretary, SEIAA.

SEIAA Meeting No: 174 Meeting Date: August 28, 2019 (SEIAA-STATEMENT-0000001765) SEIAA-MINUTES-0000002436 SEIAA-EC-0000001987

Page 10 of

Shri. Anil Diggikar (Member Secretary SEIAA)

I I X	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
I X	SEIAA decided to grant EC for: FSI: 132631.46 m2, Non-FSI: 260503.05 m2 and Total BUA: 393134.51 m2 (IOD no-EB/5204/E/A, Date-13.03.2019)

General Conditions:

E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
PP has to abide by the conditions stipulated by SEAC& SEIAA.
The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
Arrangement shall be made that waste water and storm water do not get mixed.
All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
Ready mixed concrete must be used in building construction.
Storm water control and its re-use as per CGWB and BIS standards for various applications.
Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.

XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- 5. SECRETARY MOEF & CC
- **6.** IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- **9.** MUNICIPAL COMMISSIONER MUMBAI
- 10. MUNICIPAL COMMISSIONER NAVI MUMBAI
- 11. REGIONAL OFFICE MPCB MUMBAI
- 12. REGIONAL OFFICE MPCB NAVI MUMBAI
- 13. REGIONAL OFFICE MIDC ANDHERI
- 14. REGIONAL OFFICE MIDC KOPER KHAIRANE NAVI MUMBAI
- 15. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 16. COLLECTOR OFFICE MUMBAI
- 17. COLLECTOR OFFICE MUMBAI SUB-URBAN